



Nebraska Assessment of College Health Behaviors

Survey Report for Omaha
Collegiate Consortium Sites



Prepared by:

MERC

Methodology & Evaluation
Research Core Facility

370 Prem S. Paul Research Center at Whittier School
2200 Vine St.
Lincoln, NE. 68583-0866
(402) 472-7670
merc@unl.edu



**Nebraska Assessment of College Health Behaviors: Omaha Collegiate Consortium
August 2024**

If you have any questions or concerns regarding the information reported within, please contact us at:

Methodology and Evaluation Research Core Facility
University of Nebraska – Lincoln
370 Prem S. Paul Research Center at Whittier School
2200 Vine Street
Lincoln, NE 68583-0866
402-472-7217
merc@unl.edu
merc.unl.edu

The Methodology and Evaluation Research Core Facility (MERC) provides a range of evaluation and data services to meet our clients' diverse needs. We support clients by sharing our expertise in human data collection and analysis, fostering good data practices, providing a professional outside perspective, telling the story of data, and highlighting inequalities and disparities. MERC also provides education and training to develop these skills in others.

Prepared by:

Ni Ketut Wilmayani
Graduate Intern

Debbie Miller, PhD
Data Specialist

Francine Goh, PhD
Evaluation Project Manager

Prepared for:

Megan Hopkins
Project Director, Nebraska Collegiate Prevention Alliance (NECPA)
University of Nebraska – Lincoln

The conduct of this study and the preparation of this report were sponsored by NECPA. Any opinions, findings, conclusions, or recommendations expressed in this publication are those of the authors and do not necessarily reflect the views of the NECPA.

The University of Nebraska does not discriminate based upon any protected status.

Contents

Contents..... iii

Nebraska Assessment of College Health Behaviors Survey..... 1

Methodology..... 1

Overall Findings..... 2

 Demographics 2

 Alcohol Use and Related Behaviors 3

 Sexual Experiences and Bystander Intervention 17

 Drug Use and Related Behaviors..... 19

 Mental Health 22

Appendices..... 28

 Appendix A: 2024 NACHB Survey 28

 Appendix B: Total Frequencies 89

Nebraska Assessment of College Health Behaviors Survey

This report is an analysis of data from the 2024 administration of the Nebraska Assessment of College Health Behaviors (NACHB) survey to currently enrolled students at seven member institutions of the Omaha Collegiate Consortium (OCC). The NACHB survey is designed to assess students' personal attitudes and behaviors related to alcohol, drugs, mental health, and personal violence (e.g., drinking and sexual behaviors). The survey also helps understand individuals' attitudes towards campus and community policies, other students' behavior, and bystander interventions. The data from the survey will make it possible to research trends of these behaviors on campus over time. The survey is scheduled to be administered every other year to college students aged 18-24 at participating institutions across the state. This is the third administration of the NACHB. The Methodology and Evaluation Research Core (MERC) Facility is contracted to conduct the survey and analyze/report the data collected from the survey.

Results from the NACHB survey provide estimates of the drinking and drug use patterns of currently enrolled students. Unlike the Y1CBP (Year One College Behavior Profile - previously the Year One College Alcohol Profile), which data reflects students' drinking and drug use before coming to campus, NACHB data are valid as a measure of campus-wide drinking and drug use. Therefore, NACHB data can be used as a substitute for a valid campus-level survey of students for obtaining general student drinking and drug use indicators such as ACHA or CORE. Participating NECPA member institutions can use NACHB data to create or update their social norm messages and prevention programming for their students. They can also use NACHB data over time to detect changes in the drinking and drug use patterns of enrolled students that might suggest a need for further prevention and intervention. **Please note: the 2020 administration of the NACHB occurred during the COVID-19 pandemic and trend data from this year should be interpreted bearing this context in mind.**

Methodology

The NACHB survey is a cross-sectional survey implemented on a web-based platform (Qualtrics). MERC programmed the survey into the Qualtrics online web platform and provided the anonymous survey link to seven participating OCC member institutions (Bellevue University, Clarkson College, College of Saint Mary, Creighton University, Metropolitan Community College, Nebraska Methodist College, and University of Nebraska-Omaha). Then, participating OCC member schools emailed the survey link to their students; all enrolled students were invited to the survey. The number of students invited to the survey at the seven OCC institutions was 28,207; among them, the number of students who completed and provided sincere responses was 1,899, resulting in a response rate of 6.7%. Student response data were stored on a secured shared drive/server at the University of Nebraska – Lincoln (UNL).

IBM SPSS V.29 was used for data analysis. For each question, individual responses were aggregated into averages and/or frequencies to provide summary statistics. Age groups were collapsed into two groups: underage (18-20) vs. of-age (21-24). Whenever possible, differences between demographic subgroups (men/women, underage/of-age, non-Greek/Greek members, non-athlete/athlete, and Nebraska resident/non-resident) were compared. These group differences are only noted when statistically significant.

Overall Findings

Demographics

Table 1: Descriptive Person Statistics				
	n	%/ave	min	max
Age	1899	21	18	24
18	222	12%		
19	430	23%		
20	370	20%		
21	365	19%		
22	223	12%		
23	146	8%		
24	143	8%		
Sex				
Female	1364	72%		
Male	532	28%		
Gender				
Woman	1041	72%		
Man	382	26%		
Transgender	20	1%		
Gender Queer	13	1%		
Self-Identity	4	<1%		
Nonbinary	25	2%		
Hispanic/Latino	246	13%		
Race				
American Indian or Alaska Native	38	2%		
Arab or Non-Arab North African/Middle-Eastern	16	1%		
Asian or Asian-American	216	12%		
Black, African-American, or Native African	108	6%		
Native Caribbean or Afro-Caribbean Islander	4	<1%		
Native Hawaiian or Pacific Islander	23	1%		
White, European-American, or Caucasian	1509	82%		
Bi-racial or Multi-racial	90	5%		
Other	16	1%		
Sexual Orientation				
Asexual	43	3%		
Bisexual	171	12%		
Gay	16	1%		
Lesbian	20	1%		
Heterosexual	1143	80%		
Pansexual	37	3%		
Queer	31	2%		
Questioning	43	3%		
Other	11	1%		
Nebraska resident	1162	61%		

Additionally, participants were questioned about their characteristics as students (see Table 2).

Table 2: Descriptive Student Statistics				
	n	%/ave	min	max
Greek (fraternity/sorority)	335	22%		
Year in School				
1st (freshman)	491	26%		
2nd (sophomore)	399	21%		
3rd (junior)	419	22%		
4th+ (senior)	274	15%		
5 th or more	66	4%		
NA or graduate student	246	13%		
Athlete	171	13%		
Student Enrollment				
Full-time student	1436	94%		
Part-time student	86	6%		
Exclusively enrolled in web-based distance learning	4	<1%		

Alcohol Use and Related Behaviors

Consistent with Y1CBP, calculations were conducted to create measures for drinking behaviors (e.g., average drinks, drinks per week) prior to data analysis. All drinking behaviors were computed from the daily drinking diary in the NACHB survey. The diary asked students to report their typical drinking for the past month on a one-week calendar by recording the number of drinks and the number of hours drinking each day of the week. The standard definition for binge drinking is having five (5) or more drinks for men and four (4) or more drinks for women in a single setting. From the diary, a student was classified as an infrequent binger if they report having 5 (men) or 4 (women) drinks on a single day in the diary. Furthermore, a student was classified as a frequent binger if they reported having 5 (men) or 4 (women) drinks on more than one day in the diary. Abstainers were defined as students who reported never drinking or not drinking within the past year. The number of days drinking per month was computed by taking the number of days on which drinking was reported in the one-week diary and multiplying by 4.2. Average drinks per occasion were computed by dividing the total number of drinks reported for the week by the number of days on which drinking is indicated.

When asked about their personal behaviors regarding alcohol consumption, the average age at which students indicated they first started drinking alcohol was approximately 18 years old. Nearly three in five (61%) of all students (or 94% of those who have ever consumed alcohol) indicated that they consumed alcohol in the last year.

Overall, 40% of OCC students reported being abstainers, which was eight times higher than the percentage in 2022 (Figure 1). OCC students (n=1841 drinkers) reported drinking about 2.1 drinks per occasion. Per week, students reported about 4.0 drinks. Almost half of OCC students (48%) drank without binging. Three in five students (63%) reported infrequent binging, which was six times higher than 2022 and five times higher than 2020. Meanwhile, students reported drinking an average of four times per month. Male, of-age, and Greek students were more likely to have consumed alcohol in the past year compared to their counterparts (Figure 2).

Figure 1: Percentage of all students who consumed alcohol in the past year





Figure 2: Group differences in students who consumed alcohol in the past year (n=1,204)




Students were asked to think of an occasion during the past month when they drank the most and indicate the number and type of alcoholic drinks they consumed in addition to the number of hours they drank that day. Figure 3 displays the average number of beer, wine, and liquor drinks consumed in addition to the average number of hours students spent drinking. The days students reported drinking for the longest amount of time were Friday (1.6 hours on average) and Saturday (2.0 hours on average).

Figure 3: Most drinks consumed and time spent drinking in one occasion (n=867-911)



Students who indicated that they had consumed alcohol in the past year were asked to describe a typical drinking week by indicating the number of standard drinks they had each day and the number of hours they drank. Figure 4 displays the number of alcoholic drinks consumed in a day by students who chose to consume alcohol. Liquor consumption was the highest on Saturday (1.3 drinks on average) and Friday (1.1 drinks on average).

Figure 4: Alcoholic drinks consumed each day (n=745-846)



Among those who consumed alcohol in the past year, the three most common places OCC students reported consuming alcohol were at a social gathering or friend’s house (71%), bars/restaurants (56%), and where they live (53%). See Appendix B for all listed locations. A social gathering/friend’s house has been the preferred location for alcohol consumption since 2020 with a steady rise throughout the last four years (Figure 5). Drinking at bars/restaurants has also increased since 2020. Athletes, Greek, and of-age students were more likely to drink at bars/restaurants compared to their counterparts (Table 3). Residents and non-athletes were more likely to drink at a fraternity/sorority. Male, Greek, underage, and non-resident students were more likely to consume alcohol in a residence hall than their counterparts. A family member’s home was the most common place to consume alcohol for underage, non-Greek, and resident students.

Figure 5: Trend: Locations of typical alcohol consumption




Table 3: Group differences in locations of typical alcohol consumption

	<u>Sex</u>		<u>Age</u>		<u>NE Resident</u>		<u>Greek</u>		<u>Athlete</u>	
	<i>Women</i>	<i>Men</i>	<i>Under-age</i>	<i>Of-age</i>	<i>Res</i>	<i>Non-res</i>	<i>Greek</i>	<i>Non-Greek</i>	<i>Athlete</i>	<i>Non-athlete</i>
Bars/restaurants			23%	77%			62%	55%	75%	56%
Social gathering							82%	69%		
Greek house					3%	0%			0%	3%
Residence hall	6%	15%	19%	2%	5%	14%	14%	8%		
Family member's home			38%	30%	38%	25%	22%	36%		
Where I live			41%	60%						

Respondents were asked to indicate where they typically pre-party/pre-game (Figure 6). More than half of students (55%) reported that they typically pre-party/pre-game at a social gathering or friend's house. Over a third (36%) indicated that they do so where they live. Less than 10% said they pre-gamed in-residence halls, at sporting events, in parking lots, in transit, or in fraternity/sorority houses. Underage, non-athlete, non-Greek, and resident students were less likely to pre-party compared to their counterparts (Table 4). Meanwhile, athletes, Greek, non-resident, and of-age students were more likely to pre-party at a social gathering/friend's house. A residence hall was a more common place to pre-party for underage, non-resident, Greek, and male students. Men, Greek students, and student athletes were more likely to pre-game at sporting events than their counterparts. In contrast, women, of-age, and Greek students were more likely to pre-party where they live.

Figure 6: Location of pre-party/pre-game (n=1,010)





Table 4: Group differences in location of pre-party/pre-game (n=1,010)

	<u>Sex</u>		<u>Age</u>		<u>NE Resident</u>		<u>Greek</u>		<u>Athlete</u>	
	<i>Women</i>	<i>Men</i>	<i>Under-age</i>	<i>Of-age</i>	<i>Resident</i>	<i>Non-res</i>	<i>Greek</i>	<i>Non-Greek</i>	<i>Athlete</i>	<i>Non-athlete</i>
Bars/restaurants			4%	17%					26%	9%
Social gathering/friend's house			49%	58%	51%	60%	75%	49%	68%	54%
Fraternity/sorority house					1%	0%				
Residence hall	6%	13%	18%	2%	5%	13%	15%	6%		
Sporting event	5%	9%					11%	4%	14%	5%
Parking lot					6%	3%				
In-transit			6%	3%						
At a family member's home					13%	7%				
Where I live	38%	30%	24%	43%			48%	32%		
I do not pre-party			39%	29%	38%	25%	14%	40%	18%	35%

Students were asked to think back to the last time they consumed the most alcohol and indicate where that took place. The most common answers were at a social gathering (38%), bars/restaurants (29%), and where they live (17%). Less than 10% of students said they consumed the most alcohol at a family members' house, in a residence hall, at sporting events, or in a fraternity or sorority house (see Appendix B for more details). The number of students who consumed the most alcohol at a social gathering or friend's house stayed relatively consistent from 2020 to 2024 (Figure 7). Meanwhile, the number of students who consumed the most alcohol at bars/restaurants has steadily increased since 2020, while doing so where they live have steadily decreased.

Figure 7: Trend: Locations of greatest alcohol consumption



Students who had consumed alcohol in the past year were asked what contributed to their decision to drink alcohol (Figure 8 shows the more common reasons). More than eight out of ten respondents (86%) said to have fun with friends and over a third (36%) said to relax. See Appendix B for the full list of factors. Female, Greek, and non-resident students were more likely to consume alcohol because they wanted to have fun with friends (Table 5). Male and Greek students were more likely to drink alcohol because their friends were drinking. Of-age and male students were more likely than their counterparts to drink because they like the taste.

Figure 8: Factors contributing to alcohol consumption (n=988)





Table 5: Group differences in factors contributing to alcohol consumption (n=988)

	Sex		Age		NE Resident		Greek		Athlete	
	Women	Men	Under-age	Of-age	Res	Non-res	Greek	Non-Greek	Athlete	Non-athlete
To relax	33%	45%								
To have fun with friends	87%	81%			83%	90%	94%	84%		
Because my friends are drinking	22%	29%					31%	23%		
There won't be any negative consequences	3%	7%								
I like the taste	21%	30%	18%	27%						
It doesn't negatively affect my academics							26%	17%		
I can lose my inhibitions			8%	5%					1%	6%
I can handle any consequences related to my drinking	8%	12%	12%	7%			14%	8%		
It increases my chances of hooking up with someone	1%	4%								

When asked what factors contributed to their decision to drink less or to not drink alcohol at all, students most often listed the high cost of drinks/alcohol (65%; Figure 9). The second and third most reported options were academic obligations the following day (62%) and not being in the mood (58%) to drink. See Appendix B for the full list of factors.

Figure 9: Factors contributing to drinking less or not drinking alcohol (n=989)



Of-age, non-resident, and Greek students were more likely to report the high cost of drinks as factors compared to their counterparts. Academic obligations the next day were more likely to be chosen by non-resident, Greek, and student athletes relative to their counterparts. Greek students were more likely to report not being in the mood than non-Greek students (Table 6).

Table 6: Group differences in factors contributing to drinking less or not drinking alcohol (n=989)

	<u>Sex</u>		<u>Age</u>		<u>NE Resident</u>		<u>Greek</u>		<u>Athlete</u>	
	<i>Wo- men</i>	<i>Men</i>	<i>Under- age</i>	<i>Of- age</i>	<i>Res</i>	<i>Non- res</i>	<i>Greek</i>	<i>Non- Greek</i>	<i>Athlete</i>	<i>Non- athlete</i>
High cost of drinks/alcohol			59%	69%	62%	70%	74%	64%		
Strict enforcement of alcohol laws			27%	5%						
Academic obligations the following day					58%	70%	77%	60%	79%	63%
Chance of getting sick or having a hangover							63%	53%	65%	54%
Possibility of getting caught by authorities			36%	4%						
Potential of doing something they'd regret							30%	23%		
My parents might find out	4%	1%	7%	1%			1%	3%		
Religious/moral reasons							6%	12%		
Alcoholism			21%	15%	20%	14%				
Don't like the taste	26%	19%	29%	21%						
Family obligations					18%	13%				
Not in the mood							68%	54%		
No interest in alcohol			27%	21%			16%	25%		
Work obligations	40%	30%			40%	32%	42%	34%		
Not motivated to drink less or not drink alcohol									0%	1%

Students were asked how often they engaged in certain behaviors at parties or social gatherings where alcohol was available in the past year (Figure 10). Most students indicated that they knew where their drink had been at all times (89%) and eight in ten students (81%) reported making sure they went home with a friend. Nearly seven in ten respondents avoided trying to “keep up” or “out-drink” others (68%). Notably, women were more likely than men to engage in five behaviors (Table 7). Additionally, more underage than of-age students rarely/never stopped drinking at a predetermined time (32% vs. 23%), put extra ice in their drink (52% vs. 44%), or purposefully limited spending on alcohol (23% vs. 14%).

Figure 10: Actions taken when alcohol was available (n=951-960)




Table 7: Group differences in actions always/usually taken when alcohol was available (n=951-960)

	Sex		Age		NE Resident		Greek		Athlete	
	Wo-men	Men	Under-age	Of-age	Res	Non-res	Greek	Non-Greek	Athlete	Non-athlete
Avoided mixing alcohol	53%	45%	48%	53%						
Put extra ice in drink	22%	18%								
Went home with a friend	84%	72%			80%	83%	89%	79%		
Had a friend let them know when they've had too much to drink	55%	48%	61%	49%						
Knew where drink had been at all times	92%	80%								
Stopped drinking at a predetermined time										
Drank shots of liquor			38%	26%					28%	31%
Purposefully limited spending on alcohol							69%	59%		

Alcohol-using students were asked about what drinking activities they participated in during the past academic year (Figure 11). Nearly three out of five OCC students (57%) participated in drinking games and nearly one third of students (32%) participated in drink specials. Using a beer bong and/or keg stand

was the third most common drinking activity (16%). Thirty-six percent of students did not engage in any of the listed activities. Male, Greek, and student athletes were more likely to use a beer bong and/or keg stand compared to their counterparts. Resident, Greek, and student athletes were more likely to participate in drinking games compared to their counterparts (Table 8).

Figure 11: Drinking activities engaged in (n=967)




Table 8: Group differences in drinking activities engaged (n=967)

	<u>Sex</u>		<u>Age</u>		<u>NE Resident</u>		<u>Greek</u>		<u>Athlete</u>	
	<i>Women</i>	<i>Men</i>	<i>Under-age</i>	<i>Of-age</i>	<i>Resi-dent</i>	<i>Non-res</i>	<i>Greek</i>	<i>Non-Greek</i>	<i>Athlete</i>	<i>Non-athlete</i>
21 birthday shots			2%	10%						
Beer bong and/or keg stand	13%	27%					28%	14%	31%	15%
Drinking games					53%	64%	76%	52%	69%	56%
Drink specials			16%	41%			41%	32%		
None of above			44%	31%	40%	29%	21%	40%		

Students were asked about whether they approved of several drinking scenarios (Figure 12). Nearly one in ten respondents (9%) approved of drinking to blackout. Six percent of respondents approved of drinking so much that they got sick and got into situations that may be regretted later. One percent of students approved of drinking and driving. Men and of-age students were more likely than their counterparts to approve of several drinking behaviors (Table 9).

Figure 12: Approval of drinking behaviors (n=1,621-1,625)





Table 9: Group differences in approval of drinking behaviors (n=1,621-1,625)

	<u>Sex</u>		<u>Age</u>	
	Women	Men	Underage	Of-age
Drinking so much that one gets sick				
Drinking so much that one cannot remember part of the previous evening	8%	12%		
Drinking and getting into situations that may be regretted later	4%	10%	4%	7%
Driving after they have had a few drinks	0%	3%	1%	2%

Students were asked to choose statements that best represented their attitude about drinking alcoholic beverages, as well as their perceptions of their peers' and campus administration's attitudes (Figure 13). The most common choice for themselves (63%) and their peers (50%) was that occasional drunkenness was okay as long as it did not interfere with academics or other responsibilities. Meanwhile, the most common choices for campus administration were that drinking was never a good thing to do (37%) and that drinking was acceptable as long as a person does not get drunk (35%).


Figure 13: Alcohol consumption attitudes (n=1,606-1,614)



Students were asked how often they had experienced alcohol poisoning in the last year and about 5% (or 49 drinkers) indicated that they had experienced alcohol poisoning. Among those students, the majority (58%) said that someone stayed with them to make sure they were okay. Underage students were more likely to report this compared to their counterparts (75% vs. 46%). Non-athletes were more likely than athletes to have been left alone (22% vs. 0%), to vomit in their sleep (25% vs. 0%), and to have friends let them sleep it off (39% vs. 0%). If in the presence of a student they suspected had alcohol poisoning, over six in ten students (64%) indicated that they would call 9-1-1 and one-fourth (25%) said they would take the student to the hospital themselves. Of-age students were more likely than underage students (68% vs. 61%) to call 9-1-1.


Figure 14 shows how often OCC respondents experienced other problems/harms while they were drinking or because of their drinking in the past six months. Approximately 54% of OCC students reported having a hangover, 41% experienced nausea or vomiting, and 31% had a bad time. Refer to Appendix B for all problems/harms experienced by students.

Figure 14: Harms/problems experienced during or as a result of drinking (n=939-945)



Three out of five OCC student drinkers (60%) did not see a need to change the way they drink alcohol, while three in ten (30%) were trying to drink in a healthier or safer way (Figure 15). Five percent of students were thinking about drinking in a healthier/safer way or were ready to try drinking in a healthier/safer way.

Figure 15: Intentions to change alcohol consumption (n=928)




Five percent of OCC students who consumed alcohol in the past year (n=1,065 drinkers) reported drinking and driving in the past 30 days. Students reported up to five occasions of drinking and driving in the past month. Of-age students were more likely to drive drunk than underage students (6% vs. 3%). Six percent of OCC students (n=104) reported riding with a drunk driver in the past 30 days; they reported up to six occasions of riding with a drunk driver in the past month.

Of the 1,001 responses about who was their designated driver (including the 13% who did not use a designated driver), two in three students (66%) had used a friend, family, or acquaintance, and one in two students (50%) had used a rideshare service (Uber, Lyft, etc.). Of-age and resident students were more likely to have family, friends, and acquaintances as their designated driver compared to their counterparts (of-age vs. underage: 69% vs. 61%, resident vs. non-resident: 69% vs. 61%). Less than six percent of students said they had used a designated driver from a fraternity or sorority, a taxi service, or university DD program.

Thirty-five percent of students reported never drinking alcohol. Students who reported never drinking alcohol were asked to identify reasons why they choose not to drink alcohol (Figure 16). The most common reasons included not having to worry about any negative consequences (61%), personal beliefs/values (55%), and not wanting to do something they would later regret (54%). See Appendix B for the complete list of reasons for why students choose not to drink alcohol.

Figure 16: Reasons for choosing not to drink alcohol (n=615)



Choosing not to drink alcohol so they did not have to worry about negative consequences and because of personal beliefs/values have been increasingly chosen by students since 2020 (Figure 17). Female students were more likely to choose to not drink because of academic responsibilities compared to male students (Table 10). Male, of-age, and non-Greek students were more likely to choose not to drink alcohol because of religious/moral reasons compared to their counterparts. Underage students were

more likely than of-age students to cite difficulties accessing alcohol, academic responsibilities, and legal or policy restrictions as their reasons for choosing not to drink alcohol.

Figure 17: Trend: Reasons for choosing not to drink alcohol





Table 10: Group differences in reasons for choosing not to drink alcohol (n=615)

	<u>Sex</u>		<u>Age</u>		<u>Greek</u>		<u>Athlete</u>	
	Women	Men	Under-age	Of-age	Greek	Non-Greek	Athlete	Non-athlete
My friends don't drink							16%	29%
So I don't have to worry about any negative consequences					51%	66%		
It's hard to access alcohol			10%	3%				
Too many academic responsibilities	55%	43%	55%	36%				
To be the designated driver	17%	10%						
Drinking is against the law/policy			64%	4%				
Religious/moral	33%	47%	34%	54%	31%	43%		

Minors (students 18-20 years old) who completed the survey were asked how they obtain alcohol. About one in five students (21%, including those who responded not applicable) reported that they had a friend who was over 21 who bought for them. Family members were the second most common means of minor obtaining alcohol (10%) and from a parent/caregiver's home was the third most common means (10%). See Appendix B for all ways minors obtained alcohol. Nearly three in five students reported that they had never obtained alcohol (56%), which was the highest number since 2020 (Figure 18). Among the 59 students who had used a fake ID or borrowed someone else's ID to obtain alcohol, 39% had been denied access in the past year. Male students were more likely to have been denied access compared to female students (63% vs. 28%).

Figure 18: Trend: Minors who never illegally obtained alcohol



The Rutgers Alcohol Problem Index (RAPI) was developed as a 23-item self-administered screening tool for assessing drinking-related harms in students; 16 drinking-related problems were adapted into the NACHB survey. OCC students (n=1,114 drinkers) averaged 2.9 reported problems/harms on the RAPI, down from 3.5 problems in 2022 and 4.2 problems in 2020. Slightly over one in four (26%) drinkers reported five (5) or more problems (compared to 31% in 2022 and 37% in 2020), which is considered an important cut-off for negative drinking outcomes.


Over three out of five (64%) OCC respondents (n=1,894) said their campus provides information about alcohol and drug prevention and 35% were unsure. Underage students and non-resident students were more likely than their counterparts to report that their campus provides information (Figure 19).

Figure 19: Group differences in program or information about alcohol and drug prevention (n=1,894)



In 2024, the majority of students (87%) believed that their campus was concerned about the prevention of alcohol and drug use, which was an increase from 2022 (Figure 20). Greek students were more likely to believe that their campus was concerned about the prevention of substance use compared to their counterparts (92% vs. 86%). Fewer students (73%) believed that campus alcohol policies were consistently enforced in 2024, though this was still an increase from 2022. Greek students were more likely to believe that their campus consistently enforced alcohol policies compared to their counterparts (78% vs. 69%). Only about 39% of OCC students (n=1,859) indicated that policy was enforced “to a great extent” or “to a very great extent” on campus. Relatedly, 12% of students believed that the alcohol policy was enforced “to a great extent” or “to a very great extent” off campus.

Figure 20: Trend: Campus policy about prevention of alcohol and drug use




Sexual Experiences and Bystander Intervention

Nine percent of OCC students reported they had used alcohol or drugs to help them feel more comfortable with a sexual partner in the past year. Among those respondents, female and of-age students were more likely to use alcohol/drugs to feel more comfortable with a sexual partner compared to their counterparts (women vs. men: 10% vs. 6%, of-age vs. underage: 12% vs. 7%).

Over one-third of surveyed students (36%) said they had not had a sexual partner in the last year, but of those who did (n=1,060), 13% said they had done more sexually than they had originally planned due to drinking alcohol or using drugs. Female, of-age, and Greek students were more likely to have done more sexually than they had originally planned due to substance use (Figure 21).

Figure 21: Done more sexually than they had originally planned due to drinking alcohol/using drugs



Students were asked if they approved of a series of statements regarding alcohol and sexual assault. Nearly all students approved of someone intervening if they saw someone taking advantage of another person (96%) or being taken advantage of sexually (96%). When asked how they agreed or disagreed with the statement “If both people are drunk, it can’t be rape”, the majority of students (85%) indicated some level of disagreement with the statement (Figure 22).

Figure 22: Level of agreement with rape scenario (n=1,654)





Figure 23 shows how often OCC students experienced sexual harm while they were drinking or because of their drinking in the past six months. Almost one-fifth of OCC students (17%) reported not using protection when they had sex as a result of drinking, eight percent had sex with someone they would not have had they been sober, and seven percent insulted or swore at their partner.

Figure 23: Sexual harms experienced during or as a result of drinking (n=939-940)



Respondents were asked questions regarding bystander intervention and help-seeking behaviors (Figure 24). Nearly nine in ten students (86%) were more likely to intervene if they heard a friend talking about coercing someone to have sex. The scenario in which students were least likely to intervene was if they heard what sounded like yelling or fighting through their residence hall/apartment walls. Women and residents were more likely than their counterparts to intervene if they heard yelling or fighting through their residence halls/apartment walls (Table 11).

Figure 24: Likelihood of intervening as bystander (n=1,552-1,556)




Table 11: Group differences in likelihood of intervening if someone get yelled or fight (n=1,552-1,554)

	Sex		NE Resident	
	Women	Men	Resident	Non-resident
Never would	2%	4%	2%	4%
Unlikely	19%	22%	19%	22%
Likely	27%	31%	28%	28%
Very likely	27%	20%	24%	26%
Definitely would	24%	23%	27%	20%

Drug Use and Related Behaviors

Respondents were asked how often they had used marijuana in the past year (Figure 25). The percentages of OCC students who used marijuana, marijuana derivatives, and/or marijuana edibles were 20%, 11%, and 19% respectively. Sixteen percent used Delta-8 in the past year. Non-resident students were more likely than resident students to use marijuana in the past year (14% vs. 12%). Twenty-six percent of students used some sort of marijuana in the past year, which was a six percent decrease from 2022 (Figure 26). Additionally, nine in ten respondents (90%) thought the typical student used marijuana, which was similar to previous years. Residents were more likely than non-residents to think the typical student used marijuana at least once a week (34% vs. 25%).

Figure 25: Marijuana use in the past year (n=1,571-1,584)





Figure 26: Trend: Personal marijuana use (any) and peer perception of marijuana use



The most common reasons for using marijuana were to get high, because respondents liked the feeling, and because they get a pleasant feeling (Figure 27). See Appendix B for the complete list of reasons respondents used marijuana. More than one-fourth (27%) of students said they had driven a vehicle after using marijuana in the past year, which was lower than in 2022 and 2020 (Figure 28). When asked what their intentions were regarding changing their marijuana use, over half of respondents (53%) said they saw no need to change the way they used marijuana.

Figure 27: Reasons for using marijuana (n=316-321)





Figure 28: Trend: Driving after using marijuana



As shown in Figure 29, students who used marijuana in the past year commonly reported using marijuana at social gatherings or a friend’s house (69%) and in their apartment/house (65%). See appendix B for a list of all locations of marijuana use. Underage, non-athletes, and resident students were more likely than their counterparts to use marijuana in their apartment/house (Table 12). Of those who used in a car (n=92), 77% reported the car being parked off-campus and 17% said it was being driven. Five percent said the car was parked on-campus.

Figure 29: Location of marijuana use (n=140-318)





Table 12: Group differences in location of marijuana use in the past year (n=140-318)

	Sex		Age		NE Resident		Greek		Athlete	
	Women	Men	Under-age	Of-age	Resi- dent	Non- res	Greek	Non- Greek	Athlete	Non- athlete
Residence hall			7%	20%			27%	10%		
Apartment/house			76%	53%	71%	52%			38%	66%
Greek house					3%	0%				
Athletics events	2%	11%								
Concerts									3%	17%
Bars			17%	8%						
In a car			22%	36%						


Three percent of OCC students (n=1,573) reported taking hallucinogens in the past year. Two percent reported using cocaine and one percent used opioids. Most students used these substances 1-6 times a year. When asked about their tobacco use in the past year, the most commonly used item was cigarettes, with about 13% indicating use (Figure 30). Thirteen percent of students indicated using e-cigarettes, with six percent using at least once a week.

Figure 30: Tobacco use in the past year (n=1,560-1,571)



Overall, cigarette use was relatively consistent across all four years (Figure 31). E-cigarette use has decreased slightly since 2020. In contrast, JUUL use has increased by 48 percentage points, rising from 11% in 2022 to 59% in 2024. Yet, this 11% was a drop from 22% of students using JUUL in 2020.


Figure 31: Trend: Cigarette, e-cigarette, and JUUL use



Mental Health

A series of questions pertaining to mental health included how stressed students felt in the past two weeks. A third of respondents (32%) indicated that they were overwhelmed by their stress or that their level of stress was unbearable. This value has stayed within five percentage points in the last four years (Figure 32). Women were more likely than men to report experiencing overwhelming or unbearable stress (38% vs. 18%). Forty-five percent of OCC students reported that they were “stressed but managing” and 22% reported little to no stress.

Figure 32: Trend: Overwhelming or unbearable stress



Students were also asked to report the degree to which stress impacted or interfered with their academic life and personal life (Figure 33). The percentages of students who said that stress impacted or interfered considerably or a great deal with their academic life and personal life were 26% and 33%, respectively. Female, non-athlete, and resident students were more likely than their counterparts to respond that stress impacted considerably or a great deal with both their academic and personal life (Table 13).

Figure 33: Stress level impacted/interfered with academic and personal life (n=1,521-1,523)




Table 13: Group differences in considerable or great stress (n=1,521-1,523)

	<u>Sex</u>		<u>NE Resident</u>		<u>Greek</u>		<u>Athlete</u>	
	<i>Women</i>	<i>Men</i>	<i>Resident</i>	<i>Non-resident</i>	<i>Greek</i>	<i>Non-Greek</i>	<i>Athlete</i>	<i>Non-athlete</i>
Academic life	29%	19%	29%	21%			16%	25%
Personal life	38%	22%	36%	29%	29%	33%	19%	35%

Over nine out of ten students said school/academics was their main stressor, while more than half cited future plans (54%) and time management (51%; Figure 34). One in two students (50%) said financial concerns were their main stressor. Refer to Appendix B for all stressors reported by students. Women were more likely than men to report that school/academics was their main stressor (Table 14). Additionally, women, of-age, non-resident, and Greek students were more likely than their counterparts to report roommates as a main stressor.

Figure 34: Main stressors (n=1,517)




Table 14: Group differences in main stressors (n=1,517)

	<u>Sex</u>		<u>Age</u>		<u>NE Resident</u>		<u>Greek</u>		<u>Athlete</u>	
	<i>Women</i>	<i>Men</i>	<i>Under-age</i>	<i>Of-age</i>	<i>Res</i>	<i>Non-res</i>	<i>Greek</i>	<i>Non-Greek</i>	<i>Athlete</i>	<i>Non-athlete</i>
School/Academics	95%	90%								
Financial concerns			56%	46%	55%	43%			41%	51%
Job					46%	30%			31%	39%
Dating/Relationship with partner	19%	26%								
Family					30%	21%	19%	26%		
Friends			15%	28%	20%	25%	30%	21%		
Roommates	15%	11%	11%	17%	10%	20%	24%	13%		
Time management			45%	57%	54%	46%				
Outside responsibilities			13%	18%	14%	18%	31%	13%	40%	13%
Mental health issues	40%	24%			38%	32%			26%	37%
Adverse event					5%	3%				

Students were asked what they did in the past two weeks to relieve stress (Figure 35). Listening to music (72%), taking a nap/sleeping (66%), and talking with a friend (66%) were the most common ways students relieved their stress. Respondents were less likely to report substance use as a method to relieve stress (see Appendix B for more detail). Female, Greek, and non-resident students were more likely than their counterparts to report making a list as a method to relieve stress (Table 15). Underage, Greek, and non-athletes were more likely than their counterparts to drink alcohol to relieve stress.

Figure 35: Methods to relieve stress (n=1,509)




Table 15: Group differences in methods to relieve stress (n=1,509)

	Sex		Age		NE Resident		Greek		Athlete	
	Women	Men	Under-age	Of-age	Resi-dent	Non-res	Greek	Non-Greek	Athlete	Non-athlete
Made a list	60%	34%			50%	59%	61%	51%		
Exercised	56%	63%	61%	55%					78%	56%
Ate healthy foods			48%	40%	41%	48%	50%	43%		
Talked with a friend	68%	61%			65%	69%	76%	65%		
Talked with family	58%	44%			52%	58%				
Said “no” to additional time pressures							48%	34%		
Smiled/laughed	66%	59%					73%	62%		
Video games	35%	59%			45%	35%	32%	45%		
Took a nap/slept	70%	56%								
Listen to the music			69%	75%						
Religious practices					25%	31%				
Drank alcohol beverages			24%	10%			25%	14%	10%	17%
Used tobacco					7%	4%			1%	6%
Used marijuana					11%	4%			4%	8%
Watched tv/movies	62%	54%							46%	60%
Make things	26%	13%								
Read	37%	31%								

OCC students were asked about their mental health experiences in the past year (Figure 36). The most common conditions reported were anxiety (69%), depression (43%), and panic attacks (25%). Twenty-three percent of students said they had not experienced any of the listed mental health conditions. Women, resident, and non-athlete students were more likely to report experiencing depression in the past year compared to their counterparts (Table 16). Men, non-residents, and athletes were more likely than their counterparts to report never experiencing any of the listed mental health experiences in the past year.

Figure 36: Mental health experiences in the past year (n=1,506)





Table 16: Group differences in mental health experiences in the past year (n=1,506)

	Sex		Age		NE Resident		Greek		Athlete	
	Women	Men	Under-age	Of-age	Resi-dent	Non-res	Greek	Non-Greek	Athlete	Non-athlete
Depression	47%	32%			46%	38%			30%	44%
Sexual assault	5%	2%								
Eating disorder(s)	22%	9%	16%	21%					12%	20%
Chronic sleep issues	25%	19%			26%	19%	16%	24%		
Self-injury	6%	3%	4%	7%	6%	4%	2%	5%		
Anxiety	75%	51%			71%	65%			55%	69%
Abusive relationship							1%	4%		
Panic attacks	29%	13%			26%	21%				
Bipolar disorder					5%	2%	2%	4%	1%	4%
Experienced none	17%	36%			19%	28%			36%	22%

Two in five OCC respondents (40%) reported suicidal thoughts at some point in their lives, which was similar to previous years (Figure 37). Over two-fifths of those students (42%) had such thoughts in the last year, which was an overall decrease from 2020. Fifty-two percent of those students sought help; this was the highest proportion for help-seeking since 2020. Three percent of OCC students attempted suicide in the past year.

Figure 37: Trend: Suicidal thoughts



Over a third of OCC students (35%) were concerned about a friend having suicidal thoughts or behaviors in the past year. Three in five respondents (59%) said they were likely or very likely to bring up the topic of suicide with someone they think is at risk (Figure 38). They were more likely to refer someone to a local resource, with four in five students (80%) saying likely or very likely. Female students were more likely to bring up the topic of suicide with someone they think is at risk compared to male students (43% vs. 36%). Similarly, female and non-student athletes were more likely than their counterparts to refer someone to a local resource (Table 17).

Figure 38: Suicide risk interventions (n=1,521-1,525)





Table 17: Group differences in likelihood of referring someone to a local resource (n=1,520)

	<u>Sex</u>		<u>Athlete</u>	
	<i>Women</i>	<i>Men</i>	<i>Athlete</i>	<i>Non-athlete</i>
Very unlikely	5%	4%	7%	4%
Unlikely	3%	5%	7%	3%
Neither unlikely nor likely	10%	15%	11%	11%
Likely	37%	37%	39%	37%
Very likely	45%	38%	36%	44%

Miscellaneous

Almost all students indicated that they always wore a safety belt when they were driving (94%; Figure 39). Over half of OCC students (56%) said they never or rarely talk on a cell phone while driving, and two in three (67%) indicated that they never or rarely text while driving.

Figure 39: Driving behaviors (n=1,097-1,100)



Appendices

Appendix A: 2024 NACHB Survey

NACHB 2024 OCC

Start of Block: Default Question Block



Q1 You have been selected for the 2024 Nebraska Assessment of College Health Behaviors Survey because you are currently enrolled in [SCHOOL NAME]. You are being asked to participate in this evaluation to assess the alcohol and drug attitudes and behaviors of students in Nebraska. This data allows us to assess trends of these behaviors on campus over time. The questions will ask about your personal attitudes and behaviors (e.g., drinking, sexual, and illegal behaviors) and the choices you make. You must be 18-24 years old to participate in this survey. Your participation in the survey is voluntary and anonymous; you may stop or leave the survey at any time. The survey takes approximately 20-30 minutes to complete.

Your answers will not be associated with your e-mail address, name, or any contact information. Your participation will have no effect on your grades or relationship with faculty and staff at [SCHOOL NAME]. There are no identifiers to link you to your responses. Your complete honesty is appreciated. Data collected from the survey will be stored for 7 years before it is destroyed, accessible only to our research staff. Because your answers are not associated with your e-mail address, name or any contact information, your confidentiality will be maintained by staff. The only data that will be published or shared will be overall responses, such as "97% of college students in Nebraska would be active bystanders and help someone they suspected had alcohol poisoning".

There is a risk of experiencing discomfort when disclosing personal information. You may also become more aware of attitudes and behaviors related to substance use and more aware of programs offered on campus that address substance abuse issues. If you have any questions, concerns, or emotional difficulties that arise during this survey, please contact [SCHOOL CONTACT]. If you would like to seek counseling for any reason as a result of this survey, please contact [SCHOOL CONTACT]. If you have any questions regarding human subject research, contact the [SCHOOL NAME] IRB Committee. When you have completed the survey, please keep a copy of this e-mail as the consent form for your personal records. Thank you for your consideration!

- I have read the informed consent information and AGREE to participate. (1)
- I have read the informed consent information and DO NOT AGREE to participate. (0)

Skip To: Q134 If You have been selected for the 2024 Nebraska Assessment of College Health Behaviors Survey becaus... != I have read the informed consent information and AGREE to participate.

Q2

Welcome to the Nebraska Assessment of College Health Behaviors Survey. In this part, you will be asked about various demographic information. Your answers will be anonymous.



Q3 Age:

- 17 or younger (17)
- 18 (18)
- 19 (19)
- 20 (20)
- 21 (21)
- 22 (22)
- 23 (23)
- 24 (24)
- 25 or older (25)

Skip To: Q132 If Age: = 17 or younger

Skip To: Q133 If Age: = 25 or older



Q5 What is your sex assigned at birth? (This information is collected for the purpose of giving you accurate information about drinking and marijuana/cannabis use, which may affect your body.)

- Female (0)
- Male (1)



Q6 Are you a member of a fraternity or sorority?

- Yes (1)
- No (0)



Q7 Are you currently a resident of the state?

- Yes (1)
 - No (0)
-



Q8 Ethnicity:

- Hispanic/Latino (1)
 - Non-Hispanic/Latino (0)
-



Q9 Racial or ethnic background: (Check all that apply)

- American Indian or Alaska Native (1)
 - Asian or Asian-American (2)
 - Native Hawaiian or Pacific Islander (3)
 - White, European-American, or Caucasian (4)
 - Black, African-American, or Native African (5)
 - Arab or Non-Arab North African/Middle-Eastern (6)
 - Bi-racial or Multi-racial (7)
 - Native Caribbean or Afro-Caribbean Islander (8)
 - Other (please specify) (9) _____
-



Q10 How many years have you been in school?

- 1 (i.e. freshman) (1)
- 2 (i.e. sophomore) (2)
- 3 (i.e. junior) (3)

- 4 (i.e. senior) (4)
 - 5 or more (i.e. super senior) (5)
 - NA or graduate student (6)
-

Q12 What is your weight in pounds? You can skip this question if you prefer not to respond. (This information is collected for the purpose of giving you accurate information about drinking and marijuana/cannabis use, which may affect your body.)



Q13 Does your campus provide a program or information about alcohol and drug prevention?

- Yes (1)
 - No (0)
 - Unsure (9)
-



Q14 Do you believe that your campus is concerned about the prevention of alcohol and drug use?

- Yes (1)
 - No (0)
-



Q15 Do you believe that your campus alcohol policies are consistently enforced?

- Yes (1)
 - No (0)
-



Q16 To what extent do you believe the alcohol policy is enforced on-campus?

- To a very great extent (5)
 - To a great extent (4)
 - To a moderate extent (3)
 - To some extent (2)
 - To little or no extent (1)
-



Q17 To what extent do you believe alcohol policy is enforced off-campus?

- To a very great extent (5)
 - To a great extent (4)
 - To a moderate extent (3)
 - To some extent (2)
 - To little or no extent (1)
-



Q18 Does your campus have a sexual violence policy?

- Yes (1)
 - No (0)
 - Unsure (9)
-



Q19 Do you believe that your campus is concerned about sexual violence?

- Yes (1)
 - No (0)
-

Q20 The following questions ask about alcohol use and related behaviors.

X→

Q21 How old were you when you first started drinking alcohol?

- Never used alcohol (88)
 - Age (in years) (12) _____
-

Display This Question:

If How old were you when you first started drinking alcohol? = Never used alcohol

X→

Q22 Which of the following are reasons you choose not to drink alcohol? (Check all that apply)

- My friends don't drink (1)
 - So I don't have to worry about any negative consequences (2)
 - It's hard to access alcohol (4)
 - I have too many personal responsibilities (7)
 - I have too many academic responsibilities (8)
 - To be the designated driver (11)
 - Because drinking is against the law/policy (e.g., I am younger than 21, I live in a residence hall) (12)
 - Religious/moral (15)
-

Display This Question:

If How old were you when you first started drinking alcohol? = Never used alcohol

X→

Q167 Which of the following are reasons you choose not to drink alcohol? (Check all that apply)

- Alcohol costs too much (3)
- I don't like the taste (5)

- I don't like how it feels (6)
 - Personal beliefs/values (9)
 - I don't want to do something I later regret (10)
 - I have a personal or family history with alcohol (13)
 - I have health concerns or a current medical condition (14)
 - Other (please specify) (16) _____
-



Q23 Do you identify as someone that is in recovery from an alcohol or other drug addiction?

- Yes (1)
 - No (0)
-

Display This Question:

If Do you identify as someone that is in recovery from an alcohol or other drug addiction? = Yes



Q24 What recovery format do you practice?

- 12 Step Program (1)
 - Treatment or Counseling based (2)
 - Moderation Management/Harm-Reduction (3)
 - Other (4) _____
-

Display This Question:

If Do you identify as someone that is in recovery from an alcohol or other drug addiction? = Yes



Q25

Does your campus have a campus recovery program, organization or center? (A collegiate recovery program (CRP) is a supportive environment within the campus culture that reinforces the decision to disengage from addictive behavior. It is designed to provide an educational opportunity alongside recovery support to ensure that students do not have to sacrifice one for the other.)

- Yes (1)
- No (0)
- Unsure (9)

Display This Question:

If What recovery format do you practice? = Moderation Management/Harm-Reduction

X→

Q26 How would you define Moderation Management? (Check all that apply):

- Attending official Moderation Management meeting or counseling (1)
- Self-directed practice using Moderation Management literature or approaches (2)
- A conscious choice to limit alcohol consumption (4)
- Only drinking on certain nights of the week (5)
- Limiting the kind of alcohol I consume (i.e., Only beer, only wine, etc.) (6)
- Other (Please specify) (7) _____

Display This Question:

If Does your campus have a campus recovery program, organization or center? (A collegiate recovery p... = Yes

X→

Q27 Have you participated in or with your campus recovery program, organization or center?

- Yes (1)
- No (0)
- Unsure (9)

Display This Question:

If How old were you when you first started drinking alcohol? != Never used alcohol

Q28 Have you consumed alcohol in the past year?

- Yes (1)

No (2)

Display This Question:

If Have you consumed alcohol in the past year? = Yes



Q29 Assuming you drink only "standard" drinks, the following is the definition of one standard drink.

Shots or mixed drinks: 1 mixed drink with 2 shots equals 2 drinks.

For the past month, describe a typical drinking week. For each day, fill in the number of standard drinks you had on that day and the number of hours you drank on that day. If you didn't have a drink in the past month, enter zero; if you had any drinks, enter at least one hour.

	Monday (1)	Tuesday (2)	Wednesday (3)	Thursday (4)	Friday (5)	Saturday (6)	Sunday (7)
Beer (1)							
Wine (2)							
Liquor (3)							
Hours (4)							

Display This Question:

If Have you consumed alcohol in the past year? = Yes

Q30 Think of one occasion during the past month when you drank the most. Fill in the number of standard drinks of each type you consumed and the number of hours you were drinking. If you didn't have a drink in the past month, enter zero; if you had any drinks, enter at least one hour.

- Beer (1) _____
- Wine (2) _____
- Liquor (3) _____
- Hours (4) _____

Display This Question:
If Have you consumed alcohol in the past year? = Yes

Q31 In the last month, how many days did you drive a vehicle shortly after having three or more drinks? Enter zero if you didn't.

Q32 In the last month, how many days were you a passenger in a vehicle when the driver had three or more drinks? Enter zero if you didn't.

Display This Question:
If Have you consumed alcohol in the past year? = Yes

X→

Q34 Who was your designated driver (defined as a person chosen to abstain from intoxicants, such as alcohol, marijuana, or other drugs, so as to transport others safely who are not abstaining)? (Check all that apply)

- A taxi service (1)
- Uber, Lyft, etc. (2)
- Friend, family, or acquaintance (3)
- Fraternity or sorority designated driver (4)
- Other University DD program (5)
- I did not use a designated driver (99)

Display This Question:
If Have you consumed alcohol in the past year? = Yes

X→

Q35 Where do you typically consume alcohol? (Check all that apply)

- Bars/restaurants (1)
 - Social gathering or friend's house (off-campus) (2)
 - Fraternity or sorority house (3)
 - Fraternity or sorority community in a residence hall (4)
 - Residence hall (5)
 - Sporting events (6)
 - At a family member's home (e.g. parent's home) (99)
 - Where I live (7)
 - Other (please specify) (8) _____
-

Display This Question:

If Have you consumed alcohol in the past year? = Yes

X→

Q36

If you pre-party/pre-game (i.e., drink somewhere before you go out or before an event starts), where do you typically do so? (Check all that apply)

- I do not pre-party. (88)
- Bar/restaurant (1)
- Social gathering or friend's house (2)
- Fraternity or sorority house (3)
- Fraternity or sorority community in a residence hall (4)
- Residence hall (5)
- Sporting events (including tailgating) (6)
- Parking lot (7)

- In transit (e.g., driving, walking, etc., to a location) (8)
- At a family member's home (e.g. parent's home) (100)
- Where I live (9)
- Other (please specify) (10) _____

Display This Question:

If Have you consumed alcohol in the past year? = Yes

X→

Q37 Think back to the last time you consumed the most alcohol . . . where did you consume the majority of your drinks?

- Bars/restaurants (1)
- Social gathering or friend's house (off-campus) (2)
- Fraternity or sorority house (3)
- Fraternity or sorority community in a residence hall (4)
- Residence hall (5)
- Sporting events (6)
- At a family member's home (e.g. parent's home) (100)
- Where I live (7)
- Other (please specify) (8) _____

Display This Question:

If Age: = 18

Or Age: = 19

Or Age: = 20

X→

Q38 How do you obtain your alcohol? (Check all that apply)

- I have a friend who is over 21 buy for me (1)
- I use a fake or manufactured ID (2)

- I borrow or regularly use someone else's real ID (3)
- I have a friend with a fake ID (99)
- Family members buy alcohol for me (4)
- From parent/caregiver's home (100)
- I know people who work in bars/restaurants who will serve me (5)
- I go to a place where IDs aren't checked (6)
- I know people who work in convenience/grocery stores who will sell to me (7)
- From a fraternity or sorority (8)
- Other (please specify) (9) _____
- Not applicable/never obtained alcohol (88)

Display This Question:

*If How do you obtain your alcohol? (Check all that apply) = I use a fake or manufactured ID
Or How do you obtain your alcohol? (Check all that apply) = I borrow or regularly use someone else's real ID*

X→

Q39 In the past year have you been denied access while using a fake/borrowed ID?

- Yes (1)
- No (2)

Display This Question:

If Have you consumed alcohol in the past year? = Yes

X→

Q40 When you drink, which of the following are contributing factors to your decision to drink alcohol?
(Check all that apply)

- To relax (1)
- To have fun with friends (2)
- To get drunk (3)

- Because my friends are drinking (4)
- There won't be any negative consequences (5)
- I have nothing better to do (6)
- I like the taste (7)
- I like how it feels (8)
- To escape/so I can forget my problems (9)
- It doesn't negatively affect my academics (10)
- So I can lose my inhibitions (11)
- I can handle any consequences related to my drinking (12)
- Alcohol is always readily available (13)
- It increases my chances of hooking up with someone (14)
- Other (please specify) (15) _____

Display This Question:

If Have you consumed alcohol in the past year? = Yes

X→

Q41 Which of the following motivates you to drink less or not to drink alcohol? (Check all that apply)

- High cost of drinks/alcohol (1)
- Strict enforcement of alcohol laws (2)
- Academic obligations the following day (3)
- Chance of getting sick or having a hangover (4)
- Possibility of getting caught by authorities (5)
- My friends' drinking habits (6)
- Potential of doing something I will regret later (7)
- Being a designated driver (8)

- My parents might find out (9)
- My behavior when I am drunk (10)
- Religious/moral reasons (11)
- Alcoholism (12)
- Health/calories (13)
- Don't like the taste (14)
- Family obligations (15)
- Work obligations (100)
- Not in the mood (16)
- No interest in alcohol (17)
- In recovery from alcohol or other drug addiction (18)
- Other (please specify) (19) _____
- I am not motivated to drink less or not drink alcohol (99)

Display This Question:
If Have you consumed alcohol in the past year? = Yes



Q42 In the past year, how often have you done the following at parties or social gatherings where alcohol was available?

	Always (1)	Usually (2)	Sometimes (3)	Occasionally (4)	Rarely (5)	Never (6)
Stopped drinking at a predetermined time (Q42_1)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Avoid mixing different types of alcohol (Q42_2)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Drink shots of liquor (Q42_3)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Put extra ice in your drink (Q42_4)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Purposefully limited amount of money spent on alcohol (Q42_5)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Make sure you went home with a friend (Q42_6)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Have a friend let you know when you've had too much to drink (Q42_7)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Know where your drink has been at all times (Q42_8)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Avoid trying to "keep up" or "out-drink" others (Q42_9)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Received free, non-alcoholic drinks (e.g., soft drinks) at a bar/restaurant for being a designated sober driver (Q42_10)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Display This Question:
If Have you consumed alcohol in the past year? = Yes



Q43 Which of these activities have you done or attempted during the past academic year? (Check all that apply)

- 21 birthday shots (1)
- Beer bong and/or keg stand (2)
- Drinking games (3)
- Drink specials (4)
- None of the above (88)

Display This Question:
If Have you consumed alcohol in the past year? = Yes



Q44 How many times did the following things happen to you while you were drinking - or because of your drinking - during the past six months?

	0 times (1)	1-2 times (2)	3-5 times (3)	6+ times (4)
Not able to do your homework or study for a test? (Q44_1)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Got into fights, acted badly, or did mean things? (Q44_2)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Went to work or school high or drunk? (Q44_3)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Caused shame or embarrassment to someone? (Q44_4)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Neglected your responsibilities? (Q44_5)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Felt it took more alcohol than it used to in order to get the same effect? (Q44_6)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Noticed a change in your personality? (Q44_7)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Missed a day (or part of a day) of school or work? (Q44_8)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Tried to cut down or quit drinking? (Q44_9)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Suddenly found yourself in a place that you could not remember getting to (blackout)? (Q44_10)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Had a fight, argument or bad feelings with a friend and/or family member? (Q44_11)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Kept drinking when you promised yourself not to? (Q44_12)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Had a bad time? (Q44_13)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Drove shortly after having more than four drinks? (Q44_14)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Experienced nausea or vomiting? (Q44_15)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Had a hangover? (Q44_16)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Display This Question:
If Have you consumed alcohol in the past year? = Yes



Q45

Some of the symptoms of alcohol poisoning are consuming alcohol until you: were unconscious and could not be awakened; vomited in your sleep; had cold, clammy or bluish skin; or had a breathing rate of less than 8 - 9 breaths per minute. Considering these symptoms, how often have you experienced alcohol poisoning in the last year?

- 0 times (1)
- 1 time (2)
- 2 times (3)
- More than 2 times (4)

Display This Question:

If Some of the symptoms of alcohol poisoning are consuming alcohol until you: were unconscious and c... = 1 time

Or Some of the symptoms of alcohol poisoning are consuming alcohol until you: were unconscious and c... = 2 times

Or Some of the symptoms of alcohol poisoning are consuming alcohol until you: were unconscious and c... = More than 2 times



Q46 Which of the following occurred to you as a result of experiencing alcohol poisoning? (Check all that apply)

- I do not remember. (1)
- I was left alone. (2)
- I vomited in my sleep. (3)
- No one helped me. (4)
- Friends let me sleep it off. (5)
- I was taken for medical attention. (6)
- Someone stayed with me to make sure I was okay. (7)
- Other (please specify) (8) _____



Q47 What would you do if you were in the presence of a student whom you suspected had alcohol poisoning?

- I would call 911. (1)
- I would take them to the hospital myself. (2)

- I would not do anything because I would be afraid that I would get in trouble with campus officials, or police. (3)
- I would not do anything because I would not feel comfortable getting involved. (4)
- Other, please describe (5) _____

Q48 The next set of questions is going to ask about sexual experiences with alcohol. We want you to be informed about the relationship between alcohol and instances of sexual assault and feel comfortable reaching out to us for help if you or someone you know needs it. Contact {school representative} to report an incident or ask for help.



Q49 How do you agree or disagree with the statement "If both people are drunk, it can't be rape?"

- Strongly agree (1)
- Agree (2)
- Neither agree nor disagree (3)
- Disagree (4)
- Strongly disagree (5)

Display This Question:
If Have you consumed alcohol in the past year? = Yes



Q50 Within the last 12 months, how many times did the following things happen to you when drinking alcohol?

	0 times (1)	1-2 times (2)	3-5 times (3)	6+ times (4)
Had sex with someone without their consent (Q50_1)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Someone had sex with me without my consent (Q50_2)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Had sex with someone you would	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

not have, had you
been sober?
(Q50_3)

Did not use
protection when
you had sex?
(Q50_4)

Got into an
argument with a
romantic partner
that became
physical (e.g.
throwing, pushing,
slapping)? (Q50_5)

Insulted or swore at
my partner?
(Q50_6)



Q51 In the past year, have you used alcohol or drugs to help you feel more comfortable with a sexual partner?

- Yes (1)
- No (0)



Q52 In the past year, have you done more sexually than you had originally planned to do because you had been drinking alcohol or using drugs?

- Yes (1)
- No (0)
- Not applicable. No (zero) sexual partners in past year. (88)



Q53
Please answer the following questions.

	Yes (1)	No (0)
Do you approve of someone intervening if they see someone being taken advantage of sexually? (Q53_1)	<input type="radio"/>	<input type="radio"/>
Do you approve of someone intervening if they see someone taking advantage of another person? (Q53_2)	<input type="radio"/>	<input type="radio"/>
Do you approve of students drinking so much that they get sick? (Q53_3)	<input type="radio"/>	<input type="radio"/>
Do you approve of students drinking so much that one cannot remember part of the previous evening? (Q53_4)	<input type="radio"/>	<input type="radio"/>
Do you approve of students drinking so much that one gets into situations that may be regretted later? (Q53_5)	<input type="radio"/>	<input type="radio"/>
Do you approve of students driving after they have had a few drinks? (Q53_6)	<input type="radio"/>	<input type="radio"/>



Q54 Which statement below about drinking alcoholic beverages do you think best represents your own attitude?

- Drinking is never a good thing to do. (1)
- Drinking is all right, but a person should not get drunk. (2)
- Occasionally getting drunk is okay as long as it doesn't interfere with academics or other responsibilities. (3)
- Occasionally getting drunk is okay even if it does interfere with academics or responsibilities. (4)
- Frequently getting drunk is okay if that's what the individual wants to do. (5)



Q55

Which statement below about drinking alcoholic beverages do you think best represents the most common attitude among students on your campus?

- Drinking is never a good thing to do. (1)
 - Drinking is all right, but a person should not get drunk. (2)
 - Occasionally getting drunk is okay as long as it doesn't interfere with academics or other responsibilities. (3)
 - Occasionally getting drunk is okay even if it does interfere with academics or responsibilities. (4)
 - Frequently getting drunk is okay if that's what the individual wants to do. (5)
-



Q56 What do you think your campus administration's attitude is about alcohol?

- Drinking is never a good thing to do. (1)
 - Drinking is all right, but a person should not get drunk. (2)
 - Occasionally getting drunk is okay as long as it doesn't interfere with academics or other responsibilities. (3)
 - Occasionally getting drunk is okay even if it does interfere with academics or responsibilities. (4)
 - Frequently getting drunk is okay if that's what the individual wants to do. (5)
-

Display This Question:

If Have you consumed alcohol in the past year? = Yes



Q57 Which of the following best fits your intentions to change the way you drink alcohol?

- I am currently trying to drink in a healthier/safer way. (1)
- I am ready to try drinking in a healthier/safer way. (2)
- I am thinking about drinking in a healthier/safer way. (3)

- I see no need to change the way I drink alcohol. (4)

Q58 The following questions ask about drug use and related behaviors.



Q59 In the past year, how often have you used these prescription drug(s) without a doctor's prescription?

	0 times (1)	1-6 times/year (2)	1-2 times/month (3)	1-2 times/week or more (4)
Stimulants (e.g., Dexedrine, Adderall, Ritalin, Concerta) (Q59_1)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Pain medication/Opiates (e.g., Vicodin, OxyContin, Tylenol 3 w/ Codeine, Demerol, Morphine) (Q59_2)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Sleeping medication (e.g., Ambien, Halcion, Restoril) (Q59_3)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Benzodiazepines/Sedatives (e.g., Xanax, Klonopin, Valium) (Q59_4)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Other (Please specify) (Q59_5)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Display This Question:
If Have you consumed alcohol in the past year? = Yes



Q60 In the past year, how often have you mixed alcohol with any prescription drugs used in a manner other than prescribed?

- 0 times (1)
- 1 time (2)
- 2 times (3)
- 3-5 times (4)

- More than 5 times (5)
-



Q61 How often in the past year have you drove a vehicle after taking prescription antidepressants, muscle relaxants, opioids, or sedatives?

- 0 times (1)
 - 1 time (2)
 - 2 times (3)
 - 3-5 times (4)
 - More than 5 times (5)
-



Q62 How do you obtain your prescription drugs without a doctor's prescription? (Check all that apply)

- I purchase them from other people (1)
 - I steal them (2)
 - I was given them (3)
 - Other (Please specify) (4) _____
 - Not applicable/never obtained without a doctor's prescription. (88)
-



Q63 From whom do you access your prescription drugs without a doctor's prescription? (Check all that apply)

- Family (1)
- Friends (2)
- Floor mates/roommates (3)
- Strangers (4)

Other (Please Specify) (5) _____

Not applicable/none of the above. (88)

X→

Q64 How easy do you think it is for the typical student to obtain prescription drugs without a doctor's prescription?

- Very easy (1)
 - Fairly easy (2)
 - Somewhat easy (3)
 - Difficult (4)
 - Very difficult (5)
-

X→

Q65 How much do you agree or disagree with the statement "Using prescription drugs without a prescription, or using prescription drugs other than as directed, is safer than using illegal drugs?"

- Strongly disagree, illegal drugs are safer. (1)
 - Disagree, they are equally dangerous. (2)
 - Agree, prescription drugs without a prescription are safer. (3)
-

X→

Q66 In the past year, how often have you used the following drug(s)?

	Never (1)	1 - 6 times/year (2)	1 - 2 times/month (3)	1 - 2 times/week (4)	3 or more times/week (5)	Daily (6)
Marijuana (Q66_1)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Marijuana Derivative (i.e., Wax/Dabs/Oils/Shatter) (Q66_2)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Marijuana Edible (Q66_3)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Delta 8 (Q66_4)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Q67 How often do you think the typical student on your campus uses marijuana?

- Never (1)
- 1 - 6 times/year (2)
- 1 - 2 times/month (3)
- 1 - 2 times/week (4)
- 3 or more times/week (5)
- Daily (6)

Display This Question:

If In the past year, how often have you used the following drug(s)? = Marijuana [1 - 6 times/year]
Or In the past year, how often have you used the following drug(s)? = Marijuana [1 - 2 times/month]
Or In the past year, how often have you used the following drug(s)? = Marijuana [1 - 2 times/week]
Or In the past year, how often have you used the following drug(s)? = Marijuana [3 or more times/week]
Or In the past year, how often have you used the following drug(s)? = Marijuana [Daily]

Q168 Thinking of all the times you use marijuana, how often would you say that you use marijuana for each of the following reasons?

	Almost never/never (1)	Some of the time (2)	Half of the time (3)	Most of the time (4)	Almost always/always (5)
Because it helps me enjoy a party (Q168_1)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
To be sociable (Q168_2)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Because it makes social gatherings more fun (Q168_3)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Because it improves parties and celebrations (Q168_4)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
To celebrate a special occasion with friends (Q168_5)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
To forget my worries (Q168_6)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Because it helps me when I feel depressed or nervous (Q168_8)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
To cheer me up when I am in a bad mood (Q168_9)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Because I feel more self-confident and sure of myself (Q168_10)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
To forget about my problems (Q168_11)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Display This Question:
If In the past year, how often have you used the following drug(s)? = Marijuana [1 - 6 times/year]
Or In the past year, how often have you used the following drug(s)? = Marijuana [1 - 2 times/month]
Or In the past year, how often have you used the following drug(s)? = Marijuana [1 - 2 times/week]
Or In the past year, how often have you used the following drug(s)? = Marijuana [3 or more times/week]
Or In the past year, how often have you used the following drug(s)? = Marijuana [Daily]

Q169 Thinking of all the times you use marijuana, how often would you say that you use marijuana for each of the following reasons?

	Almost never/never (1)	Some of the time (2)	Half of the time (3)	Most of the time (4)	Almost always/always (5)
--	------------------------	----------------------	----------------------	----------------------	--------------------------

To get high (Q169_1)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Because I like the feeling (Q169_2)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Because it's exciting (Q169_3)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Because it gives me a pleasant feeling (Q169_4)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Because it's fun (Q169_5)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Because my friends pressure me to use marijuana (Q169_6)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
So that others won't tease me about not using marijuana (Q169_8)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
To fit in with the group I like (Q169_9)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
To be liked (Q169_10)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
So I won't feel left out (Q169_11)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Display This Question:

*If In the past year, how often have you used the following drug(s)? = Marijuana [1 - 6 times/year]
Or In the past year, how often have you used the following drug(s)? = Marijuana [1 - 2 times/month]*

]

*Or In the past year, how often have you used the following drug(s)? = Marijuana [1 - 2 times/week]
Or In the past year, how often have you used the following drug(s)? = Marijuana [3 or more times/week]*

Or In the past year, how often have you used the following drug(s)? = Marijuana [Daily]

Q170 Thinking of all the times you use marijuana, how often would you say that you use marijuana for each of the following reasons?

	Almost never/never (1)	Some of the time (2)	Half of the time (3)	Most of the time (4)	Almost always/always (5)
To know myself better (1)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Because it helps me be more creative and original (2)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
To understand things differently (3)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
To expand my awareness (4)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
To be more open to experiences (5)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Display This Question:

*If In the past year, how often have you used the following drug(s)? = Marijuana [1 - 6 times/year]
 Or In the past year, how often have you used the following drug(s)? = Marijuana [1 - 2 times/month]
]
 Or In the past year, how often have you used the following drug(s)? = Marijuana [1 - 2 times/week]
 Or In the past year, how often have you used the following drug(s)? = Marijuana [3 or more times/week]
 Or In the past year, how often have you used the following drug(s)? = Marijuana [Daily]*



Q68 How often in the past year have you drove a vehicle after using marijuana?

- 0 times (1)
- 1 time (2)
- 2 times (3)
- 3 - 5 times (4)
- More than 5 times (5)

Display This Question:

*If In the past year, how often have you used the following drug(s)? = Marijuana [1 - 6 times/year]
Or In the past year, how often have you used the following drug(s)? = Marijuana [1 - 2 times/month]
Or In the past year, how often have you used the following drug(s)? = Marijuana [1 - 2 times/week]
Or In the past year, how often have you used the following drug(s)? = Marijuana [3 or more times/week]
Or In the past year, how often have you used the following drug(s)? = Marijuana [Daily]*

Q69 Where have you used marijuana in the past year? (Check all that apply)

- Residence hall (1)
- Your apartment/house (2)
- Greek house (3)
- Athletic events (4)
- Concerts (5)
- Bars (6)
- Parties (7)
- Social gathering or friend's house (off-campus) (8)
- Outdoors (9)
- In a car (10)
- Other (please specify) (11) _____

*Display This Question:
If Where have you used marijuana in the past year? (Check all that apply) = In a car*

Q70 When you used marijuana in a car, what is usually the status of the car?

- Parked on campus (1)
- Parked off campus (2)
- Being driven (3)

Display This Question:

If In the past year, how often have you used the following drug(s)? = Marijuana [1 - 6 times/year]
Or In the past year, how often have you used the following drug(s)? = Marijuana [1 - 2 times/month]

]

Or In the past year, how often have you used the following drug(s)? = Marijuana [1 - 2 times/week]

Or In the past year, how often have you used the following drug(s)? = Marijuana [3 or more times/week]

Or In the past year, how often have you used the following drug(s)? = Marijuana [Daily]



Q71 Which of the following best fits your intentions to change the way you use marijuana?

- I am currently trying to use marijuana less often and/or quit. (1)
- I am ready to try to use marijuana less frequently and/or quit. (2)
- I am thinking about using marijuana less and/or quit. (3)
- I see no need to change my marijuana use. (4)



Q72 In the past year, how often have you used the following drug(s)?

	Never (1)	1 - 6 times/year (2)	1 - 2 times/month (3)	1 - 2 times/week or more (4)
Cocaine (Q72_1)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Hallucinogens (mushrooms, LSD, MDMA, Ecstasy) (Q72_2)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Opioids (heroin, fentanyl, oxycodone, etc.) (Q72_3)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Methamphetamines (meth, ice, speed) (Q72_5)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Other (please specify): (Q72_4)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>



Q73 In the past year, how often have you used the following tobacco products?

	Never (1)	1 - 6 times/year (2)	1 - 3 times/month (3)	1 - 2 times/week (4)	3 - 6 times/week (5)	Daily (6)
Cigarettes (Q73_1)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Cigars (Q73_2)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Smokeless tobacco (Q73_3)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Tobacco pipes (Q73_4)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Hookah (Q73_5)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
E-cigarettes (Q73_6)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
JUUL (Q73_7)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Other (please specify): (Q73_8)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>



Q74 Do you drive a vehicle while attending classes at your college/university?

- Yes (1)
- No (0)

Display This Question:

If Do you drive a vehicle while attending classes at your college/university? = Yes



Q75 While driving a vehicle, how often do you do each of the following? (If you do not drive, please choose "do not drive".)

	Always (5)	Most of the time (4)	Sometimes (3)	Rarely (2)	Never (1)	I do not drive (88)

Wear a safety belt (Q75_1)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Talk on a cell phone (Q75_2)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Text message on a cell phone (Q75_3)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>



Q76 Please indicate how likely you are to engage in each of the following behaviors in the future:

	Definitely would (5)	Very likely (4)	Likely (3)	Unlikely (2)	Never would (1)
Tell someone if I heard what sounded like yelling or fighting through my residence hall/apartment walls. (Q76_1)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Get help if I saw a friend grabbing, pushing, or insulting their boyfriend/girlfriend/partner. (Q76_2)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Speak up and express concern if I heard a stranger talking about coercing someone to have sex. (Q76_3)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Speak up and express concern if I heard a friend talking about coercing someone to have sex. (Q76_4)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>



Q77 If you were to get help for any of the above situations after they occurred, where would you go? (Check all that apply)

- Friends/Peers (1)

- Another Student (2)
- Health, Wellness or Counseling Center (3)
- Residence life staff (RA/CA) (4)
- Campus Health Center (5)
- Campus Staff/Faculty Member (7)
- Police (6)
- Family member (99)
- Other (please specify) (8) _____
- I would not get help. (88)

Display This Question:

If Please indicate how likely you are to engage in each of the following behaviors in the future: = Tell someone if I heard what sounded like yelling or fighting through my residence hall/apartment walls. [Never would]

Or Please indicate how likely you are to engage in each of the following behaviors in the future: = Tell someone if I heard what sounded like yelling or fighting through my residence hall/apartment walls. [Unlikely]

Or Please indicate how likely you are to engage in each of the following behaviors in the future: = Get help if I saw a friend grabbing, pushing, or insulting their boyfriend/girlfriend/partner. [Never would]

Or Please indicate how likely you are to engage in each of the following behaviors in the future: = Get help if I saw a friend grabbing, pushing, or insulting their boyfriend/girlfriend/partner. [Unlikely]

Or Please indicate how likely you are to engage in each of the following behaviors in the future: = Speak up and express concern if I heard a stranger talking about coercing someone to have sex. [Never would]

Or Please indicate how likely you are to engage in each of the following behaviors in the future: = Speak up and express concern if I heard a stranger talking about coercing someone to have sex. [Unlikely]

Or Please indicate how likely you are to engage in each of the following behaviors in the future: = Speak up and express concern if I heard a friend talking about coercing someone to have sex. [Never would]

Or Please indicate how likely you are to engage in each of the following behaviors in the future: = Speak up and express concern if I heard a friend talking about coercing someone to have sex. [Unlikely]



Q78

For the previous situations where you indicated that you would never or were unlikely to do something, why do you think you would not intervene? (Check all that apply)

- I don't think it's a problem. (1)
- I'm afraid I'd look stupid if I made a big deal out of nothing or if I did it wrong. (2)
- There would be other people around who would probably act so I wouldn't have to. (3)
- My friends would give me a hard time if I did anything. (4)
- It's not my responsibility (I am not the party police or their babysitter). (5)
- I could get physically hurt. (6)
- My personality traits would make it hard (e.g., I'm shy, I hate conflict). (7)
- I don't think the person would actually need my help. (8)
- Other people would be more qualified to help. (9)
- I wouldn't want to get in trouble. (10)
- It's not my concern and I don't want to get involved. (11)
- Other (please specify) (12) _____

Q79 The next set of questions are going to ask about mental health issues. We want you to feel comfortable reaching out to us for help if you or someone you know needs it. Contact {school representative} to report an incident or ask for help.



Q80 In the past two weeks, how stressed have you felt?

- I have experienced no stress. (88)
- Minimal (1)
- A little stress (2)
- Stressed, but managing (3)
- Overwhelmed (4)

- My stress is unbearable. (5)

Skip To: Q85 If In the past two weeks, how stressed have you felt? = I have experienced no stress.



Q81 To what extent has stress impacted or interfered with your academic life?

- Not at all (1)
- Somewhat (2)
- Moderately (3)
- Considerably (4)
- A great deal (5)



Q82 To what extent has stress impacted or interfered with your personal life?

- Not at all (1)
- Somewhat (2)
- Moderately (3)
- Considerably (4)
- A great deal (5)



Q83 Which of the following are the main sources of your stress? (Check all that apply)

- School/Academics (1)
- Financial concerns (2)
- Job (3)
- Dating/relationship with partner (4)
- Family (5)

- Friends (6)
 - Roommates (7)
 - Time management (8)
 - Physical health (9)
 - Future plans (e.g., graduation, finding a job) (10)
 - Outside organizations/responsibilities (e.g., Athletics, fraternity/sorority) (11)
 - Mental health issues (12)
 - Adverse events (e.g. natural disasters, pandemic) (14)
 - Other (please specify) (13) _____
-



Q84 Which of the following have you done in the past two weeks to relieve stress? (Check all that apply)

- Made a list of what you needed to do (1)
- Exercised (2)
- Ate healthy foods (3)
- Talked with a friend (4)
- Talked with family (5)
- Said "No" to additional time pressures (6)
- Smiled/Laughed (7)
- Online, video, or computer games (8)
- Took a nap/slept (9)
- Listened to music (10)
- Religious practices (11)
- Drank alcoholic beverages (12)

- Used tobacco (e.g. cigarettes, vape) (13)
 - Used Marijuana (14)
 - Watched tv/movies (16)
 - Make things (e.g. arts, crafts) (17)
 - Read (18)
 - Other (please specify) (15) _____
-



Q85 Whom do you feel you can go to on-campus when personal concerns arise? (Check all that apply)

- Friends/peers (1)
 - Campus Counseling Center (2)
 - Religious or spiritual advisor (3)
 - Residence life staff (4)
 - Campus Health Center (5)
 - Law enforcement/campus security (6)
 - Academic advisor (7)
 - Faculty/professor (8)
 - College/University staff member (9)
 - Other (please specify) (10) _____
 - I don't feel like I can go to anyone on campus when personal concerns arise. (88)
-



Q86 Whom do you feel you can go to off-campus when personal concerns arise? (Check all that apply)

- Parents (1)

- Sibling/extended family (2)
 - Friends/peers (3)
 - Mental health professional (counselor) (4)
 - Religious or spiritual advisor (5)
 - Chat rooms or online support groups (6)
 - Dating partner/spouse (7)
 - Other (please specify) (8) _____
 - I don't feel like I can go to anyone off campus when personal concerns arise. (88)
-



Q87 Which of the following have you experienced in the past year? (Check all that apply)

- Depression (1)
 - Sexual assault (2)
 - Eating disorder(s) (3)
 - Chronic sleep issues (4)
 - Self-injury (not suicidal behavior) (5)
 - Anxiety (6)
 - Abusive relationship (7)
 - Alcohol abuse/dependency (8)
 - Panic attacks (9)
 - Bipolar disorder (10)
 - Other (please specify) (11) _____
 - I have not experienced any of these. (88)
-

Display This Question:

If Which of the following have you experienced in the past year? (Check all that apply) = Depression

Or Which of the following have you experienced in the past year? (Check all that apply) = Sexual assault

Or Which of the following have you experienced in the past year? (Check all that apply) = Eating disorder(s)

Or Which of the following have you experienced in the past year? (Check all that apply) = Chronic sleep issues

Or Which of the following have you experienced in the past year? (Check all that apply) = Self-injury (not suicidal behavior)

Or Which of the following have you experienced in the past year? (Check all that apply) = Anxiety

Or Which of the following have you experienced in the past year? (Check all that apply) = Abusive relationship

Or Which of the following have you experienced in the past year? (Check all that apply) = Alcohol abuse/dependency

Or Which of the following have you experienced in the past year? (Check all that apply) = Panic attacks

Or Which of the following have you experienced in the past year? (Check all that apply) = Bipolar disorder

Or Which of the following have you experienced in the past year? (Check all that apply) = Other (please specify)



Q88 For the issues previously identified, where did you initially seek assistance? (Check up to two)

- I did not seek assistance (88)
- Campus Counseling Center (1)
- Campus Health Center (2)
- Religious or spiritual advisor (3)
- Hospital emergency room (4)
- Off-campus medical doctor (5)
- Off-campus mental health provider (6)
- In-patient psychiatric facility (7)
- Friends and family (8)
- Other (please specify) (9) _____



Q89 Have you ever (in your lifetime) had suicidal thoughts?

- Yes (1)
- No (0)

Display This Question:

If Have you ever (in your lifetime) had suicidal thoughts? = Yes

X→

Q90 In the past year, have you had suicidal thoughts?

- Yes (1)
- No (0)

Display This Question:

If Have you ever (in your lifetime) had suicidal thoughts? = Yes

X→

Q91 In the past year, have you attempted suicide?

- Yes (1)
- No (0)

Display This Question:

If In the past year, have you had suicidal thoughts? = Yes
Or In the past year, have you attempted suicide? = Yes

X→

Q92 Have you sought assistance for your suicide attempt/thoughts in the past year?

- Yes (1)
- No (0)

Display This Question:

If Have you sought assistance for your suicide attempt/thoughts in the past year? = Yes

X→

Q93 Where did you primarily seek assistance for suicidal attempt/thoughts?

- Campus Counseling Center (1)
- Campus Health Center (2)
- Religious or spiritual advisor (3)
- Hospital emergency room (4)
- Off-campus medical doctor (5)
- Off-campus mental health center (6)
- Friends/family (99)
- Other (Please specify) (7) _____

Display This Question:

If Where did you primarily seek assistance for suicidal attempt/thoughts? = Campus Counseling Center

Or Where did you primarily seek assistance for suicidal attempt/thoughts? = Campus Health Center

Or Where did you primarily seek assistance for suicidal attempt/thoughts? = Religious or spiritual advisor

Or Where did you primarily seek assistance for suicidal attempt/thoughts? = Hospital emergency room

Or Where did you primarily seek assistance for suicidal attempt/thoughts? = Off-campus medical doctor

Or Where did you primarily seek assistance for suicidal attempt/thoughts? = Off-campus mental health center

Or Where did you primarily seek assistance for suicidal attempt/thoughts? = Other (Please specify)



Q94 How effective was the assistance you received?

- It negatively impacted me (1)
- Not effective at all (2)
- Slightly effective (3)
- Moderately effective (4)
- Very effective (5)
- Extremely effective (6)
- Not applicable/none of the above (88)



Q95 In the past year, have you been concerned about a friend having suicidal thoughts or behaviors?

- Yes (1)
- No (0)



Q96 How likely are you to do the following?

	Very unlikely (1)	Unlikely (2)	Neither unlikely or likely (3)	Likely (4)	Very likely (5)
To bring up the topic of suicide with someone you think is at risk? (Q96_1)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
To refer someone who tells you they are thinking about suicide to a local resource? (Q96_2)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>



Q97 Gender: (Check all that apply)

- Woman (0)
- Man (1)
- Transgender (2)
- Gender Queer (3)
- Nonbinary (99)
- Self-Identify (please specify) (4) _____



Q98 Do you currently take any prescription medication or over the counter drugs?

- Yes (1)
- No (0)



Q99 Are you currently an athlete?

- Yes (1)
- No (0)



Q100 Sexual Orientation: (Check all that apply)

- Bisexual (1)
- Gay (2)
- Lesbian (3)
- Heterosexual/straight (4)
- Queer (5)
- Questioning (6)
- Asexual (7)
- Pansexual (8)
- Other (Please specify): (9) _____



Q101 Please estimate your cumulative GPA: (e.g., 3.0)

- Please enter numbers with a decimal point: (1)
-

- No GPA yet. First semester at campus. (88)
-



Q102 Please describe your disability status: (Check all that apply)

- I have no disability. (88)
 - Learning disability (1)
 - ADD/ADHD (2)
 - Deaf/hard of hearing (3)
 - Blind/low vision (4)
 - Physical health disability (5)
 - Mental health disability (6)
 - Orthopedic or mobility disability (7)
 - Autism Spectrum Disorder (8)
 - Speech/language disability (9)
 - Neurological disability (traumatic brain injury) (10)
 - Other (please specify) (11) _____
-

Display This Question:
If Please describe your disability status: (Check all that apply) != I have no disability.



Q103 Do you currently access academic accommodations with your campus disability service office?

- Yes (1)
 - No (0)
-



Q104 Were you eligible to receive a Pell Grant this semester?

- Yes (1)
 - No (0)
 - Unsure (9)
-



Q105 Did you graduate from a high school in Nebraska?

- Yes (1)
 - No (0)
-

*Display This Question:
If Did you graduate from a high school in Nebraska? = Yes*



Q106 What county in Nebraska was your high school located?

- Adams (1)
- Antelope (2)
- Arthur (3)
- Banner (4)
- Blaine (5)
- Boone (6)
- Box Butte (7)
- Boyd (8)
- Brown (9)
- Buffalo (10)
- Burt (11)
- Butler (12)

- Cass (13)
- Cedar (14)
- Chase (15)
- Cherry (16)
- Cheyenne (17)
- Clay (18)
- Colfax (19)
- Cuming (20)
- Custer (21)
- Dakota (22)
- Dawes (23)
- Dawson (24)
- Deuel (25)
- Dixon (26)
- Dodge (27)
- Douglas (28)
- Dundy (29)
- Fillmore (30)
- Franklin (31)
- Frontier (32)
- Furnas (33)
- Gage (34)
- Garden (35)
- Garfield (36)
- Gosper (37)

- Grant (38)
- Greeley (39)
- Hall (40)
- Hamilton (41)
- Harlan (42)
- Hayes (43)
- Hitchcock (44)
- Holt (45)
- Hooker (46)
- Howard (47)
- Jefferson (48)
- Johnson (49)
- Kearney (50)
- Keith (51)
- Keya Paha (52)
- Kimball (53)
- Knox (54)
- Lancaster (55)
- Lincoln (56)
- Logan (57)
- Loup (58)
- McPherson (59)
- Madison (60)
- Merrick (61)
- Morrill (62)

- Nance (63)
- Nemaha (64)
- Nuckolls (65)
- Otoe (66)
- Pawnee (67)
- Perkins (68)
- Phelps (69)
- Pierce (70)
- Platte (71)
- Polk (72)
- Red Willow (73)
- Richardson (74)
- Rock (75)
- Saline (76)
- Sarpy (77)
- Saunders (78)
- Scotts Bluff (79)
- Seward (80)
- Sheridan (81)
- Sherman (82)
- Sioux (83)
- Stanton (84)
- Thayer (85)
- Thomas (86)
- Thurston (87)

- Valley (88)
 - Washington (89)
 - Wayne (90)
 - Webster (91)
 - Wheeler (92)
 - York (93)
 - I prefer not to respond. (99)
-



Q107 Are you working on an associate degree, bachelor's degree, or graduate degree?

- Associate Degree (2 yr) (1)
 - Bachelor's Degree (4 yr) (2)
 - Graduate Degree (3)
 - Other (Please specify) (4) _____
-



Q108 Which of the following best applies to you?

- Full-time student (1)
 - Part-time student (2)
 - Exclusively enrolled in web-based distance learning (3)
-



Q109 In which subject area is your major? (If you have a double major, you may select up to two)

- Agriculture (1)
- Business (e.g., Accounting, Marketing) (2)
- Communication (e.g., Advertising, Mass Communication, Public Relations) (3)

- Computer Science (4)
- Divinity/Theology/Religious (5)
- Economics (6)
- Education (7)
- English (8)
- Engineering (9)
- Foreign Language (10)
- Health Sciences/Veterinary Science (e.g., Medicine, Nursing, Optometry, Pharmacy, Physical Therapy, Speech-Language Pathology) (11)
- Interdisciplinary (13)
- Journalism (14)
- Liberal Arts/Humanities (15)
- Mathematics (16)
- Physical Sciences (e.g., Biology, Biochemistry, Chemistry, Physics) (17)
- Social Sciences (e.g., Counseling, Criminal Justice, History, Political Science, Psychology, Social Work, Sociology) (18)
- Technology (19)
- Visual and Performing Arts (e.g., Art, Film, Fine Arts, Music, Photography, Theater, Voice) (20)
- Undecided or do not have a major yet. (21)
- Other (please specify) (22) _____



Q110 Please indicate your level of agreement with the following statement:

	Strongly Disagree (1)	Disagree (2)	Somewhat disagree (3)	Neither agree nor	Somewhat agree (5)	Agree (6)	Strongly agree (7)
--	-----------------------	--------------	-----------------------	-------------------	--------------------	-----------	--------------------

	disagree (4)						
I feel a sense of belonging to the campus community. (Q110_1)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
If I could start college over again, I would go to the same institution I am now attending. (Q110_2)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>



Q111 Are you a transfer student?

- Yes (1)
- No (0)

Display This Question:
If Are you a transfer student? = Yes



Q112 Did you transfer from a two-year or four-year institution?

- Transferring from a 2 year institution (1)
- Transferring from a 4 year institution (2)

Display This Question:
If Are you a transfer student? = Yes



Q113 What institution did you transfer from?

- Please specify: (1) _____



Q114 Have you thought about transferring from your current college/university in the past year?

- Yes (1)
 - No (0)
-

Display This Question:

If Have you thought about transferring from your current college/university in the past year? = Yes



Q115 What reasons have contributed to you considering leaving your current college/university? (Check all that apply)

- Lack of friends/loneliness/homesick (1)
 - Could not find a job (2)
 - Do not have enough money to pay for school (3)
 - Difficulties keeping up with academic expectations (4)
 - Lack of entertainment ('things to do') in town (5)
 - My drinking/partying (6)
 - Others' drinking/partying (7)
 - My drug use (8)
 - Others' drug use (9)
 - Do not feel as if I belong on campus (10)
 - My major/area of interest is not offered (11)
 - Mental health (99)
 - Other (please specify) (12) _____
-



Q116 Have you thought of discontinuing your college/university education in the past year?

- Yes (1)
- No (0)

Display This Question:

If Have you thought of discontinuing your college/university education in the past year? = Yes



Q117 What reasons have contributed to you considering discontinuing your college/university education in the past year? (Check all that apply)

- Lack of friends/loneliness/homesick (1)
- Could not find a job (2)
- Do not have enough money to pay for school (3)
- Difficulties keeping up with academic expectations (4)
- Lack of entertainment ('things to do') in town (5)
- My drinking/partying (6)
- Others' drinking/partying (7)
- My drug use (8)
- Others drug use (9)
- Do not feel as if I belong on campus (10)
- My major/area of interest is not offered (11)
- Mental health (100)
- Other (please specify) (12) _____



Q118 While attending classes, which of these living arrangements best apply to you?

- On-campus housing (e.g., residence hall, apartment, house) (1)
 - Fraternity/sorority housing (2)
 - Off-campus housing without parents (e.g., a rented property, home ownership) (3)
 - Off-campus with parents/family (4)
 - Other (please specify) (5) _____
-

Display This Question:

If While attending classes, which of these living arrangements best apply to you? = On-campus housing (e.g., residence hall, apartment, house)

X→

Q119 Where is your residence located?

- In a residence hall (1)
 - In an apartment (2)
 - In a house (3)
 - Other (please specify) (4) _____
-

Display This Question:

If While attending classes, which of these living arrangements best apply to you? = Fraternity/sorority housing

X→

Q120 If you live in a social fraternity or sorority house, where is it located?

- In a residence hall (1)
 - On campus, but not in a residence hall (2)
 - Off campus (3)
 - Other (please specify) (4) _____
-

X→

Q121 Are you an international student?

- Yes (1)

- No (0)
-



Q122 What is your relationship status?

- Single (1)
 - Married/have a spouse and/or partner (2)
 - Involved in a long-term relationship (3)
 - Divorced or separated (4)
 - Widowed (5)
-



Q126 In which of these campus activities or organizations are you currently involved? (Check all that apply)

- Religious groups (1)
- Honors/academic/professional clubs (2)
- Service/volunteer groups (3)
- Student government (4)
- Fraternity (5)
- Sorority (6)
- Intercollegiate/varsity athletics (9)
- Intramurals/club sports (10)
- Performance arts (music, theater, visual art) group (11)
- Multicultural/LGBTQ (12)
- Armed services/ROTC (13)
- Political (14)

- Residential Life (as an employee or volunteer) (15)
- Other (please specify) (16) _____
- I am not involved in any campus activity/organization. (88)

Display This Question:
If In which of these campus activities or organizations are you currently involved? (Check all that... != I am not involved in any campus activity/organization.



Q127 In which activities or organizations do/did you have a leadership position? (Check all that apply)

	Yes, currently (1)	Yes, previously (2)	No (0)
Religious groups (Q127_1)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Honors/academic/professional clubs (Q127_2)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Service/volunteer groups (Q127_3)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Student government (Q127_4)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Fraternity (Q127_5)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Sorority (Q127_6)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Intercollegiate/varsity athletics (Q127_9)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Intramurals/club sports (Q127_10)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Performance arts (music, theater, visual art) group (Q127_11)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Multicultural/LGBTQ (Q127_12)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Armed services/ROTC (Q127_13)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Political (Q127_14)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Residential Life (as an employee or volunteer) (Q127_15)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Other (please specify) (Q127_16)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
I am not involved in any campus activity/organization. (Q127_17)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
I prefer not to respond. (Q127_18)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Display This Question:

If In which of these campus activities or organizations are you currently involved? (Check all that... != I am not involved in any campus activity/organization.



Q128

In association with organizational involvement, was there any activity expected of someone joining or participating in the group? (Check all that apply)

- Participate in a drinking game (1)
- Drink large amounts of a non-alcoholic beverage (2)
- Sing or chant by self or with select others of groups in public (not related to an event, game, or practice) (3)
- Associate with specific people and not others (4)
- Drink large amounts of alcohol to the point of getting sick or passing out (5)
- Deprive yourself of sleep (6)
- Be screamed, yelled, or cursed at by other members (7)
- Be awakened during the night by other members (8)
- Forced physical activity (12)
- Personal servitude (13)
- Wear clothing that is embarrassing and not part of a uniform (14)
- Other (please specify): (99) _____
- None of the above (88)

Display This Question:

If In which of these campus activities or organizations are you currently involved? (Check all that... != I am not involved in any campus activity/organization.



Q129

Did you consider any of these activities to humiliate, degrade, abuse, or endanger yourself/someone else regardless of a person's willingness to participate?

- Yes (1)
- No (0)

Q130 Do you have any additional comments?

Q131 Thank you for participating in the survey. Your responses will allow us to assess the alcohol and drug attitudes and behaviors of students in Nebraska and to research trends of these behaviors on your campus over time. Again, feel free to contact [SCHOOL CONTACT] if you would like to seek counseling for any reason as a result of this survey and/or if you have any questions about any of the questions in this survey. Thank you again for your participation!

Skip To: End of Survey If Thank you for participating in the survey. Your responses will allow us to assess the alcohol and... Displayed

Q132 Thank you for your interest in this survey. However, participation is limited to students ages 18 and older.

Skip To: End of Survey If Thank you for your interest in this survey. However, participation is limited to students ages 18... Displayed



Q133 Thank you for your interest in this survey. However, participation is limited to students between the ages of 18 and 24.

Skip To: End of Survey If Thank you for your interest in this survey. However, participation is limited to students between... Displayed

JS

Q134 Thank you for your interest in this survey, however consent is required to continue.

End of Block: Default Question Block

Appendix B: Total Frequencies

Q3 Age:

		N	Total %	Valid %
Valid	18 18	222	11.7	11.7
	19 19	430	22.6	22.6
	20 20	370	19.5	19.5
	21 21	365	19.2	19.2
	22 22	223	11.7	11.7
	23 23	146	7.7	7.7
	24 24	143	7.5	7.5
Total		1899	100.0	100.0

Q3 Bi under 21 vs. 21 or over

		N	Total %	Valid %
Valid	.00 21 or over	877	46.2	46.2
	1.00 Under 21	1022	53.8	53.8
Total		1899	100.0	100.0

Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
Q3 Age:	1899	18	24	20.50	1.734
Valid N (listwise)	1899				

Q5 Sex assigned at birth?

		N	Total %	Valid %
Valid	0 Female	1364	71.8	71.9
	1 Male	532	28.0	28.1
	Total	1896	99.8	100.0
Missing	-99	3	.2	
Total		1899	100.0	

Q6 Are you a member of a fraternity or sorority?

		N	Total %	Valid %
Valid	0 No	1172	61.7	77.8
	1 Yes	335	17.6	22.2
	Total	1507	79.4	100.0
Missing	-99	2	.1	
	System	390	20.5	
Total	Total	392	20.6	
Total		1899	100.0	

Q7 Are you currently a resident of the state of Nebraska?

		N	Total %	Valid %
Valid	0 No	732	38.5	38.6
	1 Yes	1162	61.2	61.4
	Total	1894	99.7	100.0
Missing	-99	5	.3	
Total		1899	100.0	

Q8 Hispanic/Latino

		N	Total %	Valid %
Valid	0 Non-Hispanic/Latino	1603	84.4	86.7
	1 Hispanic/Latino	246	13.0	13.3
	Total	1849	97.4	100.0
Missing	-99	50	2.6	
Total		1899	100.0	

Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
Q9_1 Background: American Indian or Alaskan Native	1835	0	1	.02	.142
Q9_2 Background: Asian or Asian-American	1835	0	1	.12	.322
Q9_3 Background: Native Hawaiian or Pacific Islander	1835	0	1	.01	.111
Q9_4 Background: White, European-American, or Caucasian	1835	0	1	.82	.382
Q9_5 Background: Black, African-American, or Native African	1835	0	1	.06	.235
Q9_6 Background: Arab or Non-Arab North African/Middle-Eastern	1835	0	1	.01	.093
Q9_8 Background: Native Caribbean or Afro-Caribbean Islander	1835	0	1	.00	.047
Q9_9 Background: Other (specify)	1835	0	1	.01	.093
Valid N (listwise)	1835				

Q9_9 TEXT Background:- Other (specify) - Text

		N	Total %	Valid %
Valid	-99	1887	99.4	99.4
	Afro-Colombian	1	.1	.1
	Aryan	1	.1	.1
	Cajun	1	.1	.1
	Greek	1	.1	.1
	hispanic	1	.1	.1
	Hispanic	2	.1	.1
	Hispanic/ Latino	1	.1	.1
	Mexican	2	.1	.1
	Mexican American	1	.1	.1
	N/a	1	.1	.1
	Total	1899	100.0	100.0

Q10 Years in school

		N	Total %	Valid %
Valid	1 1 (i.e. freshman) (Bryan replaced with 1 i.e. first-year; MCC omitted freshman; SCC replaced freshman with year at SCC)	491	25.9	25.9
	2 2 (i.e. sophomore) (MCC omitted sophomore; SCC replaced sophomore with year at SCC)	399	21.0	21.1
	3 3 (i.e. junior) (MCC omitted junior; SCC replaced junior with year at SCC)	419	22.1	22.1
	4 4 (i.e. senior) (MCC omitted senior; SCC replaced senior with 4 or more at SCC)	274	14.4	14.5
	5 5 or more (i.e. super senior) (MCC replaced super senior with 5 or more)	66	3.5	3.5
	6 NA or graduate student	246	13.0	13.0
	Total	1895	99.8	100.0
Missing	-99	4	.2	
Total		1899	100.0	

Q13 Does your campus provide a program or information about alcohol and drug prevention?

		N	Total %	Valid %
Valid	0 No	33	1.7	1.7
	1 Yes	1206	63.5	63.7
	9 Unsure	655	34.5	34.6
	Total	1894	99.7	100.0
Missing	-99	5	.3	
Total		1899	100.0	

Q14 Do you believe that your campus is concerned about the prevention of alcohol and drug use?

		N	Total %	Valid %
Valid	0 No	239	12.6	12.6
	1 Yes	1652	87.0	87.4
	Total	1891	99.6	100.0
Missing	-99	8	.4	
Total		1899	100.0	

Q15 Do you believe that your campus alcohol policies are consistently enforced?

		N	Total %	Valid %
Valid	0 No	512	27.0	27.2
	1 Yes	1372	72.2	72.8
	Total	1884	99.2	100.0
Missing	-99	15	.8	
Total		1899	100.0	

Q16 To what extent do you believe the alcohol policy is enforced on-campus?

		N	Total %	Valid %
Valid	1 To little or no extent	52	2.7	2.8
	2 To some extent	258	13.6	13.9
	3 To a moderate extent	817	43.0	43.9
	4 To a great extent	576	30.3	31.0
	5 To a very great extent	156	8.2	8.4
	Total	1859	97.9	100.0
Missing	-99	9	.5	
	System	31	1.6	
	Total	40	2.1	
Total		1899	100.0	

Q17 To what extent do you believe alcohol policy is enforced off-campus?

		N	Total %	Valid %
Valid	1 To little or no extent	702	37.0	37.8
	2 To some extent	523	27.5	28.1
	3 To a moderate extent	392	20.6	21.1
	4 To a great extent	176	9.3	9.5
	5 To a very great extent	65	3.4	3.5
	Total	1858	97.8	100.0
Missing	-99	10	.5	
	System	31	1.6	
	Total	41	2.2	
Total		1899	100.0	

Q21 How old were you when you first started drinking alcohol? - Selected Choice

		N	Total %	Valid %
Valid	12 Age (in years)	1189	62.6	65.1
	88 Never used alcohol	638	33.6	34.9
	Total	1827	96.2	100.0
Missing	-99	22	1.2	
	System	50	2.6	
	Total	72	3.8	
Total		1899	100.0	

Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
Q21_12_TEXT How old were you when you first started drinking alcohol? - Age (in years) - Text	1179	4	24	17.81	2.219
Valid N (listwise)	1179				

Q22_1 Reasons not to drink: My friends don't drink

		N	Total %	Valid %
Valid	0	462	24.3	75.1
	1 My friends don't drink	153	8.1	24.9
	Total	615	32.4	100.0
Missing	-99	17	.9	
	System	1267	66.7	
	Total	1284	67.6	
Total		1899	100.0	

Q22_2 Reasons not to drink: So I don't have to worry about any negative consequences

		N	Total %	Valid %
Valid	0	238	12.5	38.7
	1 So I don't have to worry about any negative consequences	377	19.9	61.3
	Total	615	32.4	100.0
Missing	-99	17	.9	
	System	1267	66.7	
	Total	1284	67.6	
Total		1899	100.0	

Q22_4 Reasons not to drink: It's hard to access alcohol

		N	Total %	Valid %
Valid	0	560	29.5	91.1
	1 It's hard to access alcohol	55	2.9	8.9
	Total	615	32.4	100.0
Missing	-99	17	.9	
	System	1267	66.7	
	Total	1284	67.6	
Total		1899	100.0	

Q22_7 Reasons not to drink: I have too many personal responsibilities

		N	Total %	Valid %
Valid	0	314	16.5	51.1
	1 I have too many personal responsibilities	301	15.9	48.9
	Total	615	32.4	100.0
Missing	-99	17	.9	
	System	1267	66.7	
	Total	1284	67.6	
Total		1899	100.0	

Q22_8 Reasons not to drink: I have too many academic responsibilities

		N	Total %	Valid %
Valid	0	299	15.7	48.6
	1 I have too many academic responsibilities	316	16.6	51.4
	Total	615	32.4	100.0
Missing	-99	17	.9	
	System	1267	66.7	
	Total	1284	67.6	
Total		1899	100.0	

Q22_11 Reasons not to drink: To be the designated driver

		N	Total %	Valid %
Valid	0	526	27.7	85.5
	1 To be the designated driver	89	4.7	14.5
	Total	615	32.4	100.0
Missing	-99	17	.9	
	System	1267	66.7	
	Total	1284	67.6	
Total		1899	100.0	

Q22_12 Reasons not to drink: Because drinking is against the law/policy

		N	Total %	Valid %
Valid	0	288	15.2	46.8
	1 Because drinking is against the law/policy (e.g., I am younger than 21, I live in a residence hall)	327	17.2	53.2
	Total	615	32.4	100.0
Missing	-99	17	.9	
	System	1267	66.7	
	Total	1284	67.6	
Total		1899	100.0	

Q22_15 Reasons not to drink: Religious/moral

		N	Total %	Valid %
Valid	0	385	20.3	62.6
	1 Religious/moral	230	12.1	37.4
	Total	615	32.4	100.0
Missing	-99	17	.9	
	System	1267	66.7	
	Total	1284	67.6	
Total		1899	100.0	

Q167_3 Reasons not to drink: - Alcohol costs too much

		N	Total %	Valid %
Valid	0	512	27.0	83.8
	1 Alcohol costs too much	99	5.2	16.2
	Total	611	32.2	100.0
Missing	-99	21	1.1	
	System	1267	66.7	
	Total	1288	67.8	
Total		1899	100.0	

Q167_5 Reasons not to drink: - I don't like the taste

		N	Total %	Valid %
Valid	0	414	21.8	67.8
	1 I don't like the taste	197	10.4	32.2
	Total	611	32.2	100.0
Missing	-99	21	1.1	
	System	1267	66.7	
	Total	1288	67.8	
Total		1899	100.0	

Q167_6 Reasons not to drink: - I don't like how it feels

		N	Total %	Valid %
Valid	0	501	26.4	82.0
	1 I don't like how it feels	110	5.8	18.0
	Total	611	32.2	100.0
Missing	-99	21	1.1	
	System	1267	66.7	
	Total	1288	67.8	
Total		1899	100.0	

Q167_9 Reasons not to drink: - Personal beliefs/values

		N	Total %	Valid %
Valid	0	273	14.4	44.7
	1 Personal beliefs/values	338	17.8	55.3
	Total	611	32.2	100.0
Missing	-99	21	1.1	
	System	1267	66.7	
	Total	1288	67.8	
Total		1899	100.0	

Q167_10 Reasons not to drink: - I don't want to do something I later regret

		N	Total %	Valid %
Valid	0	280	14.7	45.8
	1 I don't want to do something I later regret	331	17.4	54.2
	Total	611	32.2	100.0
Missing	-99	21	1.1	
	System	1267	66.7	
	Total	1288	67.8	
Total		1899	100.0	

Q167_13 Reasons not to drink: - I have a personal or family history with alcohol

		N	Total %	Valid %
Valid	0	439	23.1	71.8
	1 I have a personal or family history with alcohol	172	9.1	28.2
	Total	611	32.2	100.0
Missing	-99	21	1.1	
	System	1267	66.7	
Total		1288	67.8	
Total		1899	100.0	

Q167_14 Reasons not to drink: - I have health concerns or a current medical condition

		N	Total %	Valid %
Valid	0	527	27.8	86.3
	1 I have health concerns or a current medical condition	84	4.4	13.7
	Total	611	32.2	100.0
Missing	-99	21	1.1	
	System	1267	66.7	
Total		1288	67.8	
Total		1899	100.0	

Q167_16 Reasons not to drink: - Other (specify)

		N	Total %	Valid %
Valid	0	569	30.0	93.1
	1 Other (please specify)	42	2.2	6.9
	Total	611	32.2	100.0
Missing	-99	21	1.1	
	System	1267	66.7	
Total		1288	67.8	
Total		1899	100.0	

Q28 Have you consumed alcohol in the past year?

		N	Total %	Valid %
Valid	1 Yes	1114	58.7	92.5
	2 No	90	4.7	7.5
	Total	1204	63.4	100.0
Missing	System	695	36.6	
Total		1899	100.0	

Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
Q29_1_1 For the past month, describe a typical drinking week. Monday - Beers	779	0	5	.04	.368
Q29_1_2 For the past month, describe a typical drinking week. Tuesday - Beers	775	0	5	.06	.410
Q29_1_3 For the past month, describe a typical drinking week. Wednesday - Beers	765	0	9	.07	.531
Q29_1_4 For the past month, describe a typical drinking week. Thursday - Beers	769	0	8	.23	.955
Q29_1_5 For the past month, describe a typical drinking week. Friday - Beers	803	0	40	.77	2.261
Q29_1_6 For the past month, describe a typical drinking week. Saturday - Beers	826	0	20	.88	2.068
Q29_1_7 For the past month, describe a typical drinking week. Sunday - Beers	753	0	12	.10	.762
Q29_2_1 For the past month, describe a typical drinking week. Monday - Wine	774	0	3	.04	.249
Q29_2_2 For the past month, describe a typical drinking week. Tuesday - Wine	765	0	9	.04	.389
Q29_2_3 For the past month, describe a typical drinking week. Wednesday - Wine	760	0	8	.09	.509
Q29_2_4 For the past month, describe a typical drinking week. Thursday - Wine	759	0	8	.10	.496
Q29_2_5 For the past month, describe a typical drinking week. Friday - Wine	788	0	10	.30	.886

Q29_2_6 For the past month, describe a typical drinking week. Saturday - Wine	791	0	12	.35	.962
Q29_2_7 For the past month, describe a typical drinking week. Sunday - Wine	746	0	7	.06	.432
Q29_3_1 For the past month, describe a typical drinking week. Monday - Liquor	767	0	6	.04	.358
Q29_3_2 For the past month, describe a typical drinking week. Tuesday - Liquor	761	0	5	.06	.422
Q29_3_3 For the past month, describe a typical drinking week. Wednesday - Liquor	756	0	7	.05	.421
Q29_3_4 For the past month, describe a typical drinking week. Thursday - Liquor	761	0	12	.26	1.020
Q29_3_5 For the past month, describe a typical drinking week. Friday - Liquor	815	0	10	1.10	1.828
Q29_3_6 For the past month, describe a typical drinking week. Saturday - Liquor	846	0	10	1.34	1.938
Q29_3_7 For the past month, describe a typical drinking week. Sunday - Liquor	745	0	15	.10	.736
Q29_4_1 For the past month, describe a typical drinking week. Monday - Hours	785	0	9	.09	.543
Q29_4_2 For the past month, describe a typical drinking week. Tuesday - Hours	785	0	9	.13	.659
Q29_4_3 For the past month, describe a typical drinking week. Wednesday - Hours	781	0	8	.17	.706

Q29_4_4 For the past month, describe a typical drinking week. Thursday - Hours	784	0	8	.48	1.259
Q29_4_5 For the past month, describe a typical drinking week. Friday - Hours	851	0	15	1.64	2.120
Q29_4_6 For the past month, describe a typical drinking week. Saturday - Hours	873	0	16	1.99	2.302
Q29_4_7 For the past month, describe a typical drinking week. Sunday - Hours	763	0	9	.20	.854
Q30_1 Number of standard drinks - Beer - when drank the most in last month	882	0	40	1.63	3.612
Q30_2 Number of standard drinks - Wine - when drank the most in last month	867	0	33	.78	1.951
Q30_3 Number of standard drinks - Liquor - when drank the most in last month	910	0	20	2.74	3.095
Q30_4 Number of Hours drinking - when drank the most in last month	911	0	30	3.30	3.277
Mondrink Monday Drinks	761	.00	10.00	.0802	.55973
Tuedrink Tuesday Drinks	757	.00	15.00	.1123	.78970
Weddrink Wednesday Drinks	751	.00	22.00	.1758	1.02163
Thudrink Thursday Drinks	749	.00	12.00	.5207	1.52822
Fridrink Friday Drinks	761	.00	40.00	1.8581	3.01851
Satdrink Saturday Drinks	763	.00	20.00	2.1625	2.89307
Sundrink Sunday Drinks	736	.00	19.00	.1889	1.04246
Maxdrink	829	.00	71.00	4.6405	5.30277
Beer+Wine+Liquor past month occasion drank the most					
Timesweek Times per week Drink	1107	.00	5.00	.9783	1.13926
Weekdrink Drinks per Week	698	.00	25.00	4.0000	4.53521
Avedrink Average Drinks per Occasion	708	.00	9.00	2.1068	1.96206
Timemonth Times Drink per Month	1103	.00	21.00	4.0477	4.68388

Abstain Abstainer (includes never used alcohol or not in past year for 2024)	1842	.00	1.00	.3952	.48903
Q31 In the last month, # days did you drive a vehicle shortly after having 3+ drinks? Enter zero if didn't.	1016	0	5	.09	.465
Valid N (listwise)	676				

Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
Q32 In the last month, # days were passenger in a vehicle when driver had 3+ drinks? Enter zero if didn't.	1727	0	6	.11	.512
Valid N (listwise)	1727				

Bingeat Drinking Categories

		N	Total %	Valid %
Valid	.00 Abstainer	728	38.3	39.5
	1.00 Drink no Binge	891	46.9	48.4
	2.00 Infrequent Binge	116	6.1	6.3
	3.00 Frequent Binge	106	5.6	5.8
	Total	1841	96.9	100.0
Missing	System	58	3.1	
Total		1899	100.0	

Drive Drink and Drive last 30 days

		N	Total %	Valid %
Valid	.00 No	970	51.1	95.5
	1.00 Yes	46	2.4	4.5
	Total	1016	53.5	100.0
Missing	-99.00	8	.4	
	System	875	46.1	
	Total	883	46.5	
Total		1899	100.0	

Ride Ride with Drunk Driver Last 30 Days

		N	Total %	Valid %
Valid	.00 No	1623	85.5	94.0
	1.00 Yes	104	5.5	6.0
	Total	1727	90.9	100.0
Missing	-99.00	19	1.0	
	System	153	8.1	
	Total	172	9.1	
Total		1899	100.0	

Q34_1 Designated driver: Taxi service

		N	Total %	Valid %
Valid	0	995	52.4	99.4
	1 A taxi service	6	.3	.6
	Total	1001	52.7	100.0
Missing	-99	17	.9	
	System	881	46.4	
	Total	898	47.3	
Total		1899	100.0	

Q34_2 Designated driver: Uber, Lyft, etc.

		N	Total %	Valid %
Valid	0	500	26.3	50.0
	1 Uber, Lyft, etc.	501	26.4	50.0
	Total	1001	52.7	100.0
Missing	-99	17	.9	
	System	881	46.4	
	Total	898	47.3	
Total		1899	100.0	

Q34_3 Designated driver: Friend, family, acquaintance

		N	Total %	Valid %
Valid	0	340	17.9	34.0
	1 Friend, family, or acquaintance	661	34.8	66.0
	Total	1001	52.7	100.0
Missing	-99	17	.9	
	System	881	46.4	
	Total	898	47.3	
Total		1899	100.0	

Q34_4 Designated driver: Fraternity or sorority designated driver

		N	Total %	Valid %
Valid	0	761	40.1	94.4
	1 Fraternity or sorority designated driver	45	2.4	5.6
	Total	806	42.4	100.0
Missing	-99	14	.7	
	System	1079	56.8	
	Total	1093	57.6	
Total		1899	100.0	

Q34_5 Designated driver: Other University DD program

		N	Total %	Valid %
Valid	0	829	43.7	98.9
	1 Other University DD program	9	.5	1.1
	Total	838	44.1	100.0
Missing	-99	15	.8	
	System	1046	55.1	
	Total	1061	55.9	
Total		1899	100.0	

Q34_99 Designated driver: I did not use a designated driver

		N	Total %	Valid %
Valid	0	873	46.0	87.2
	1 I did not use a designated driver	128	6.7	12.8
	Total	1001	52.7	100.0
Missing	-99	17	.9	
	System	881	46.4	
	Total	898	47.3	
Total		1899	100.0	

Q35_1 Typically drink where? Bars/restaurants

		N	Total %	Valid %
Valid	0	441	23.2	43.5
	1 Bars/restaurants	572	30.1	56.5
	Total	1013	53.3	100.0
Missing	-99	4	.2	
	System	882	46.4	
	Total	886	46.7	
Total		1899	100.0	

Q35_2 Typically drink where? Social gathering or friends house (off-campus)

		N	Total %	Valid %
Valid	0	291	15.3	28.7
	1 Social gathering or friend's house (off-campus)	722	38.0	71.3
	Total	1013	53.3	100.0
Missing	-99	4	.2	
	System	882	46.4	
	Total	886	46.7	
Total		1899	100.0	

Q35_3 Typically drink where? Fraternity or sorority house (includes in community a residence hall for NE Wesleyan)

		N	Total %	Valid %
Valid	0	301	15.9	97.4
	1 Fraternity or sorority house	8	.4	2.6
	Total	309	16.3	100.0
Missing	System	1590	83.7	
	Total	1899	100.0	

Q35_5 Typically drink where? Resident hall (Bellevue replaced with Student housing on campus)

		N	Total %	Valid %
Valid	0	889	46.8	91.6
	1 Residence hall	82	4.3	8.4
	Total	971	51.1	100.0
Missing	-99	4	.2	
	System	924	48.7	
	Total	928	48.9	
Total		1899	100.0	

Q35_6 Typically drink where? Sporting events

		N	Total %	Valid %
Valid	0	850	44.8	83.9
	1 Sporting events	163	8.6	16.1
	Total	1013	53.3	100.0
Missing	-99	4	.2	
	System	882	46.4	
	Total	886	46.7	
Total		1899	100.0	

Q35_99 Typically drink where? At a family members home (e.g. parents home)

		N	Total %	Valid %
Valid	0	677	35.7	66.8
	1 At a family member's home (e.g., parent's home)	336	17.7	33.2
	Total	1013	53.3	100.0
Missing	-99	4	.2	
	System	882	46.4	
	Total	886	46.7	
Total		1899	100.0	

Q35_7 Typically drink where? Where I live (Bellevue added off campus)

		N	Total %	Valid %
Valid	0	480	25.3	47.4
	1 Where I live	533	28.1	52.6
	Total	1013	53.3	100.0
Missing	-99	4	.2	
	System	882	46.4	
	Total	886	46.7	
Total		1899	100.0	

Q35_8 Typically drink where? Other - specify

		N	Total %	Valid %
Valid	0	1005	52.9	99.2
	1 Other (please specify)	8	.4	.8
	Total	1013	53.3	100.0
Missing	-99	4	.2	
	System	882	46.4	
	Total	886	46.7	
Total		1899	100.0	

Q35_8 TEXT Typically drink where? TEXT for other

		N	Total %	Valid %
Valid	-99	1010	53.2	53.2
	Can't drink anymore due to POTS disorder.	1	.1	.1
	casino	1	.1	.1
	Hotel	1	.1	.1
	In Europe where it is legal for me to drink	1	.1	.1
	None	1	.1	.1
	Park, riverside, church	1	.1	.1
	Special Events (e.g. weddings)	1	.1	.1
	Total	1899	100.0	100.0

Q36_88 Typically pre-party/pre-game where? I do not pre-party

		N	Total %	Valid %
Valid	0	676	35.6	66.9
	1 I do not pre-party.	334	17.6	33.1
	Total	1010	53.2	100.0
Missing	-99	7	.4	
	System	882	46.4	
	Total	889	46.8	
Total		1899	100.0	

Q36_1 Typically pre-party/pre-game where? Bars/restaurants

		N	Total %	Valid %
Valid	0	892	47.0	88.3
	1 Bar/restaurant	118	6.2	11.7
	Total	1010	53.2	100.0
Missing	-99	7	.4	
	System	882	46.4	
	Total	889	46.8	
Total		1899	100.0	

Q36_2 Typically pre-party/pre-game where? Social gathering/friend's house

		N	Total %	Valid %
Valid	0	458	24.1	45.3
	1 Social gathering or friend's house	552	29.1	54.7
	Total	1010	53.2	100.0
Missing	-99	7	.4	
	System	882	46.4	
	Total	889	46.8	
Total		1899	100.0	

Q36_3 Typically pre-party/pre-game where? Fraternity/sorority house

		N	Total %	Valid %
Valid	0	380	20.0	99.0
	1 Fraternity or sorority house	4	.2	1.0
	Total	384	20.2	100.0
Missing	System	1515	79.8	
Total		1899	100.0	

Q36_4 Typically pre-party/pre-game where? Fraternity/sorority community in a residence hall

		N	Total %	Valid %
Valid	0	384	20.2	100.0
Missing	System	1515	79.8	
Total		1899	100.0	

Q36_5 Typically pre-party/pre-game where? Residence hall (Bellevue replaced with Student Housing on Campus)

		N	Total %	Valid %
Valid	0	892	47.0	92.0
	1 Residence hall	78	4.1	8.0
	Total	970	51.1	100.0
Missing	-99	5	.3	
	System	924	48.7	
	Total	929	48.9	
Total		1899	100.0	

Q36_6 Sporting events (including tailgating)

		N	Total %	Valid %
Valid	0	948	49.9	93.9
	1 Sporting events	62	3.3	6.1
	Total	1010	53.2	100.0
Missing	-99	7	.4	
	System	882	46.4	
	Total	889	46.8	
Total		1899	100.0	

Q36_7 Typically pre-party/pre-game where? Parking lot

		N	Total %	Valid %
Valid	0	964	50.8	95.4
	1 Parking lot	46	2.4	4.6
	Total	1010	53.2	100.0
Missing	-99	7	.4	
	System	882	46.4	
	Total	889	46.8	
Total		1899	100.0	

Q36_8 Typically pre-party/pre-game where? In transit (e.g., driving, walking, etc., to a location)

		N	Total %	Valid %
Valid	0	966	50.9	95.6
	1 In transit (e.g., driving, walking, etc., to a location)	44	2.3	4.4
	Total	1010	53.2	100.0
Missing	-99	7	.4	
	System	882	46.4	
	Total	889	46.8	
Total		1899	100.0	

Q36_100 Typically pre-party/pre-game where? At a family members home (e.g. parents home)

		N	Total %	Valid %
Valid	0	906	47.7	89.7
	1 At a family member's home (e.g. parent's home)	104	5.5	10.3
	Total	1010	53.2	100.0
Missing	-99	7	.4	
	System	882	46.4	
	Total	889	46.8	
Total		1899	100.0	

Q36_9 Typically pre-party/pre-game where? Where I live (Bellevue added off campus)

		N	Total %	Valid %
Valid	0	650	34.2	64.4
	1 Where I live	360	19.0	35.6
	Total	1010	53.2	100.0
Missing	-99	7	.4	
	System	882	46.4	
	Total	889	46.8	
Total		1899	100.0	

Q36_10 Typically pre-party/pre-game where? Other - specify

		N	Total %	Valid %
Valid	0	1007	53.0	99.7
	1 Other (please specify)	3	.2	.3
	Total	1010	53.2	100.0
Missing	-99	7	.4	
	System	882	46.4	
	Total	889	46.8	
Total		1899	100.0	

Q36_10 TEXT Typically pre-party/pre-game where? TEXT for other

		N	Total %	Valid %
Valid	-99	1015	53.4	53.4
	At the event just show up early.	1	.1	.1
	I drink at the event.	1	.1	.1
	Total	1899	100.0	100.0

Q37 Think back to the last time you consumed the most alcohol . . . where did you consume the majority of your drinks? - Selected Choice

		N	Total %	Valid %
Valid	1 Bars/restaurants	295	15.5	29.4
	2 Social gathering or friends house (off-campus)	378	19.9	37.6
	3 Fraternity or sorority house	3	.2	.3
	4 Fraternity or sorority community in a residence hall	1	.1	.1
	5 Residence hall (Bellevue=Student housing on campus)	41	2.2	4.1
	6 Sporting events (UNL also includes campus-student tailgate)	10	.5	1.0
	7 Where I live (Bellevue added off campus)	172	9.1	17.1
	8 Other	16	.8	1.6
	100 At a family members home (e.g. parents home)	89	4.7	8.9
	Total	1005	52.9	100.0
	Missing	-99	6	.3
System		888	46.8	
Total	894	47.1		
Total		1899	100.0	

Q37_8_TEXT Think back to the last time you consumed the most alcohol . . . where did you consume the majority of your drinks? - Other (specify) - Text

		N	Total %	Valid %
Valid	-99	888	46.8	46.8
	arcade bar	997	52.5	52.5
	casino	1	.1	.1
	Concert	1	.1	.1
	hotel	2	.1	.1
	Hotel	1	.1	.1
	I don't drink	1	.1	.1
	In a field outside of David City	1	.1	.1
	Parking lot	1	.1	.1
	Show	1	.1	.1
	Special Occasion (wedding)	1	.1	.1
	Undergrad	1	.1	.1
	vacation	1	.1	.1
	Wedding	1	.1	.1
	Total	1899	100.0	100.0

Q38_1 How do you obtain alcohol? I have a friend who is over 21 buy for me

		N	Total %	Valid %
Valid	0	717	37.8	78.7
	1 I have a friend who is over 21 buy for me	194	10.2	21.3
	Total	911	48.0	100.0
Missing	-99	85	4.5	
	System	903	47.6	
	Total	988	52.0	
Total		1899	100.0	

Q38_2 How do you obtain alcohol? I use a fake or manufactured ID

		N	Total %	Valid %
Valid	0	855	45.0	93.9
	1 I use a fake or manufactured ID	56	2.9	6.1
	Total	911	48.0	100.0
Missing	-99	85	4.5	
	System	903	47.6	
	Total	988	52.0	
Total		1899	100.0	

Q38_3 How do you obtain alcohol? I borrow or regularly use someone else's real ID

		N	Total %	Valid %
Valid	0	908	47.8	99.7
	1 I borrow or regularly use someone else's real ID	3	.2	.3
	Total	911	48.0	100.0
Missing	-99	85	4.5	
	System	903	47.6	
	Total	988	52.0	
Total		1899	100.0	

Q38_99 How do you obtain alcohol? I have a friend with a fake ID

		N	Total %	Valid %
Valid	0	827	43.5	90.8
	1 I have a friend with a fake ID	84	4.4	9.2
	Total	911	48.0	100.0
Missing	-99	85	4.5	
	System	903	47.6	
	Total	988	52.0	
Total		1899	100.0	

Q38_4 How do you obtain alcohol? Family members buy alcohol for me

		N	Total %	Valid %
Valid	0	818	43.1	89.8
	1 Family members buy alcohol for me	93	4.9	10.2
	Total	911	48.0	100.0
Missing	-99	85	4.5	
	System	903	47.6	
	Total	988	52.0	
Total		1899	100.0	

Q38_100 How do you obtain alcohol? From parent/caregivers home

		N	Total %	Valid %
Valid	0	824	43.4	90.5
	1 From parent/caregiver's home	87	4.6	9.5
	Total	911	48.0	100.0
Missing	-99	85	4.5	
	System	903	47.6	
	Total	988	52.0	
Total		1899	100.0	

Q38_5 How do you obtain alcohol? I know people who work in bars/restaurants who will serve me

		N	Total %	Valid %
Valid	0	900	47.4	98.8
	1 I know people who work in bars/restaurants who will serve me	11	.6	1.2
	Total	911	48.0	100.0
Missing	-99	85	4.5	
	System	903	47.6	
	Total	988	52.0	
Total		1899	100.0	

Q38_6 How do you obtain alcohol? I go to a place where IDs aren't checked

		N	Total %	Valid %
Valid	0	850	44.8	93.3
	1 I go to a place where IDs aren't checked	61	3.2	6.7
	Total	911	48.0	100.0
Missing	-99	85	4.5	
	System	903	47.6	
	Total	988	52.0	
Total		1899	100.0	

Q38_7 How do you obtain alcohol? I know people who work in convenience/grocery stores who will sell to me

		N	Total %	Valid %
Valid	0	895	47.1	98.2
	1 I know people who work in convenience/grocery stores who will sell to me	16	.8	1.8
	Total	911	48.0	100.0
Missing	-99	85	4.5	
	System	903	47.6	
Total		988	52.0	
Total		1899	100.0	

Q38_8 How do you obtain alcohol? From a fraternity or sorority

		N	Total %	Valid %
Valid	0	770	40.5	97.3
	1 From a fraternity or sorority	21	1.1	2.7
	Total	791	41.7	100.0
Missing	-99	21	1.1	
	System	1087	57.2	
Total		1108	58.3	
Total		1899	100.0	

Q38_9 How do you obtain alcohol? Other (specify)

		N	Total %	Valid %
Valid	0	891	46.9	97.8
	1 Other (please specify)	20	1.1	2.2
	Total	911	48.0	100.0
Missing	-99	85	4.5	
	System	903	47.6	
Total		988	52.0	
Total		1899	100.0	

Q38_9 TEXT How do you obtain your alcohol? (Check all) - Other (specify) - TEXT

		N	Total %	Valid %
Valid		903	47.6	47.6
	-99	978	51.5	51.5
	At restaurants out of country where I am of legal drinking age.	1	.1	.1
	at the party	1	.1	.1
	i don't really know	1	.1	.1
	I drink if people offer	1	.1	.1
	I have only drank in countries where it is legal for me to drink	1	.1	.1
	I haven't bought Alcohol in America, but in Ireland I can purchase it myself at 18	1	.1	.1
	I knew someone who was selling bottles of alcohol and I bought one from them	1	.1	.1
	I was abroad	1	.1	.1
	I was abroad where i was able to by alcohol.	1	.1	.1
	I was in Europe where the drinking age is older	1	.1	.1
	My parents give me sips every once in a while	1	.1	.1
	My roommate is 21	1	.1	.1
	Never had anyone buy me alcohol just took sips from drinks	1	.1	.1
	parties	1	.1	.1
	Social Event	1	.1	.1
	Someone's house	1	.1	.1
	theft lol	1	.1	.1
	would not like to answer	1	.1	.1
	Total	1899	100.0	100.0

Q38_88 How do you obtain alcohol? Not applicable/never obtained alcohol.

		N	Total %	Valid %
Valid	0	397	20.9	43.6
	1 Not applicable/never obtained alcohol	514	27.1	56.4
	Total	911	48.0	100.0
Missing	-99	85	4.5	
	System	903	47.6	
	Total	988	52.0	
Total		1899	100.0	

Q39 In the past year have you been denied access while using a fake/borrowed ID?

		N	Total %	Valid %
Valid	1 Yes	23	1.2	39.0
	2 No	36	1.9	61.0
	Total	59	3.1	100.0
Missing	System	1840	96.9	
Total		1899	100.0	

Q40_1 Contributing factors for deciding to drink alcohol: To relax

		N	Total %	Valid %
Valid	0	628	33.1	63.6
	1 To relax	360	19.0	36.4
	Total	988	52.0	100.0
Missing	-99	8	.4	
	System	903	47.6	
Total	Total	911	48.0	
Total		1899	100.0	

Q40_2 Contributing factors for deciding to drink alcohol: To have fun with friends

		N	Total %	Valid %
Valid	0	141	7.4	14.3
	1 To have fun with friends	847	44.6	85.7
	Total	988	52.0	100.0
Missing	-99	8	.4	
	System	903	47.6	
Total	Total	911	48.0	
Total		1899	100.0	

Q40_3 Contributing factors for deciding to drink alcohol: To get drunk

		N	Total %	Valid %
Valid	0	753	39.7	76.2
	1 To get drunk	235	12.4	23.8
	Total	988	52.0	100.0
Missing	-99	8	.4	
	System	903	47.6	
Total	Total	911	48.0	
Total		1899	100.0	

Q40_4 Contributing factors for deciding to drink alcohol: Because my friends are drinking

		N	Total %	Valid %
Valid	0	752	39.6	76.1
	1 Because my friends are drinking	236	12.4	23.9
	Total	988	52.0	100.0
Missing	-99	8	.4	
	System	903	47.6	
	Total	911	48.0	
Total		1899	100.0	

Q40_5 Contributing factors for deciding to drink alcohol: There won't be any negative consequences

		N	Total %	Valid %
Valid	0	950	50.0	96.2
	1 There won't be any negative consequences	38	2.0	3.8
	Total	988	52.0	100.0
Missing	-99	8	.4	
	System	903	47.6	
	Total	911	48.0	
Total		1899	100.0	

Q40_6 Contributing factors for deciding to drink alcohol: I have nothing better to do

		N	Total %	Valid %
Valid	0	936	49.3	94.7
	1 I have nothing better to do	52	2.7	5.3
	Total	988	52.0	100.0
Missing	-99	8	.4	
	System	903	47.6	
	Total	911	48.0	
Total		1899	100.0	

Q40_7 Contributing factors for deciding to drink alcohol: I like the taste

		N	Total %	Valid %
Valid	0	755	39.8	76.4
	1 I like the taste	233	12.3	23.6
	Total	988	52.0	100.0
Missing	-99	8	.4	
	System	903	47.6	
	Total	911	48.0	
Total		1899	100.0	

Q40_8 Contributing factors for deciding to drink alcohol: I like how it feels

		N	Total %	Valid %
Valid	0	756	39.8	76.5
	1 I like how it feels	232	12.2	23.5
	Total	988	52.0	100.0
Missing	-99	8	.4	
	System	903	47.6	
	Total	911	48.0	
Total		1899	100.0	

Q40_9 Contributing factors for deciding to drink alcohol: To escape/so I can forget my problems

		N	Total %	Valid %
Valid	0	902	47.5	91.3
	1 To escape/so I can forget my problems	86	4.5	8.7
	Total	988	52.0	100.0
Missing	-99	8	.4	
	System	903	47.6	
	Total	911	48.0	
Total		1899	100.0	

Q40_10 Contributing factors for deciding to drink alcohol: It doesn't negatively affect my academics

		N	Total %	Valid %
Valid	0	805	42.4	81.5
	1 It doesn't negatively affect my academics	183	9.6	18.5
	Total	988	52.0	100.0
Missing	-99	8	.4	
	System	903	47.6	
	Total	911	48.0	
Total		1899	100.0	

Q40_11 Contributing factors for deciding to drink alcohol: So I can lose my inhibitions

		N	Total %	Valid %
Valid	0	931	49.0	94.2
	1 So I can lose my inhibitions	57	3.0	5.8
	Total	988	52.0	100.0
Missing	-99	8	.4	
	System	903	47.6	
	Total	911	48.0	
Total		1899	100.0	

Q40_12 Contributing factors for deciding to drink alcohol: I can handle any consequences related to my drinking

		N	Total %	Valid %
Valid	0	899	47.3	91.0
	1 I can handle any consequences related to my drinking	89	4.7	9.0
	Total	988	52.0	100.0
Missing	-99	8	.4	
	System Total	903	47.6	
Total		911	48.0	
Total		1899	100.0	

Q40_13 Contributing factors for deciding to drink alcohol: Alcohol is always readily available

		N	Total %	Valid %
Valid	0	968	51.0	98.0
	1 Alcohol is always readily available	20	1.1	2.0
	Total	988	52.0	100.0
Missing	-99	8	.4	
	System Total	903	47.6	
Total		911	48.0	
Total		1899	100.0	

Q40_14 Contributing factors for deciding to drink alcohol: It increases my chances of hooking up with someone

		N	Total %	Valid %
Valid	0	970	51.1	98.2
	1 It increases my chances of hooking up with someone	18	.9	1.8
	Total	988	52.0	100.0
Missing	-99	8	.4	
	System Total	903	47.6	
Total		911	48.0	
Total		1899	100.0	

Q40_15 Contributing factors for deciding to drink alcohol: Other (specify)

		N	Total %	Valid %
Valid	0	965	50.8	97.7
	1 Other (please specify)	23	1.2	2.3
	Total	988	52.0	100.0
Missing	-99	8	.4	
	System Total	903	47.6	
Total		911	48.0	
Total		1899	100.0	

Q40_15 TEXT Contributing factors for deciding to drink alcohol: Other (specify) - TEXT

	N	Total %	Valid %
Valid	903	47.6	47.6
-99	974	51.3	51.3
Because the f*cking royals give me blood pressure problems.	1	.1	.1
Celebration	1	.1	.1
family member offers	1	.1	.1
For birthdays or holidays	1	.1	.1
Have fun with family	1	.1	.1
i don't	1	.1	.1
I drank once to try it out	1	.1	.1
I generally drink with food, and I know I have good tolerance.	1	.1	.1
I rarely have a drink, only on special occasions to celebrate with a group of friends	1	.1	.1
I very rarely drink	1	.1	.1
It is part of the culture	1	.1	.1
It was my birthday	1	.1	.1
It's just a fun outing from time to time with my wife	1	.1	.1
Just trying something different	1	.1	.1
My family was in town	1	.1	.1
My parents want me to try things with them so when I turn 21 I don't get irresponsible with alcohol because I want to try everything	1	.1	.1
Networking or if family members are drinking, I don't have many friends that drink.	1	.1	.1
One drink limit only for celebrating	1	.1	.1
Religious reasons	1	.1	.1
Sleep	1	.1	.1
Special occasions	1	.1	.1
while playing cars with my family	1	.1	.1
Total	1899	100.0	100.0

Q41_1 Motivation to drink less or not at all: High cost of drinks/alcohol

		N	Total %	Valid %
Valid	0	344	18.1	34.8
	1 High cost of drinks/alcohol	645	34.0	65.2
	Total	989	52.1	100.0
Missing	-99	4	.2	
	System	906	47.7	
	Total	910	47.9	
Total		1899	100.0	

Q41_2 Motivation to drink less or not at all: Strict enforcement of alcohol laws

		N	Total %	Valid %
Valid	0	859	45.2	86.9
	1 Strict enforcement of alcohol laws	130	6.8	13.1
	Total	989	52.1	100.0
Missing	-99	4	.2	
	System	906	47.7	
	Total	910	47.9	
Total		1899	100.0	

Q41_3 Motivation to drink less or not at all: Academic obligations the following day

		N	Total %	Valid %
Valid	0	371	19.5	37.5
	1 Academic obligations the following day	618	32.5	62.5
	Total	989	52.1	100.0
Missing	-99	4	.2	
	System	906	47.7	
	Total	910	47.9	
Total		1899	100.0	

Q41_4 Motivation to drink less or not at all: Chance of getting sick or having a hangover

		N	Total %	Valid %
Valid	0	447	23.5	45.2
	1 Chance of getting sick or having a hangover	542	28.5	54.8
	Total	989	52.1	100.0
Missing	-99	4	.2	
	System	906	47.7	
	Total	910	47.9	
Total		1899	100.0	

Q41_5 Motivation to drink less or not at all: Possibility of getting caught by authorities

		N	Total %	Valid %
Valid	0	833	43.9	84.2
	1 Possibility of getting caught by authorities	156	8.2	15.8
	Total	989	52.1	100.0
Missing	-99	4	.2	
	System	906	47.7	
	Total	910	47.9	
Total		1899	100.0	

Q41_6 Motivation to drink less or not at all: My friends drinking habits

		N	Total %	Valid %
Valid	0	894	47.1	90.4
	1 My friends' drinking habits	95	5.0	9.6
	Total	989	52.1	100.0
Missing	-99	4	.2	
	System	906	47.7	
	Total	910	47.9	
Total		1899	100.0	

Q41_7 Motivation to drink less or not at all: Potential of doing something I will regret later

		N	Total %	Valid %
Valid	0	753	39.7	76.1
	1 Potential of doing something I will regret later	236	12.4	23.9
	Total	989	52.1	100.0
Missing	-99	4	.2	
	System	906	47.7	
	Total	910	47.9	
Total		1899	100.0	

Q41_8 Motivation to drink less or not at all: Being a designated driver

		N	Total %	Valid %
Valid	0	666	35.1	67.3
	1 Being a designated driver	323	17.0	32.7
	Total	989	52.1	100.0
Missing	-99	4	.2	
	System	906	47.7	
	Total	910	47.9	
Total		1899	100.0	

Q41_9 Motivation to drink less or not at all: My parents might find out

		N	Total %	Valid %
Valid	0	960	50.6	97.1
	1 My parents might find out	29	1.5	2.9
	Total	989	52.1	100.0
Missing	-99	4	.2	
	System	906	47.7	
	Total	910	47.9	
Total		1899	100.0	

Q41_10 Motivation to drink less or not at all: My behavior when I am drunk

		N	Total %	Valid %
Valid	0	893	47.0	90.3
	1 My behavior when I am drunk	96	5.1	9.7
	Total	989	52.1	100.0
Missing	-99	4	.2	
	System	906	47.7	
	Total	910	47.9	
Total		1899	100.0	

Q41_11 Motivation to drink less or not at all: Religious/moral reasons

		N	Total %	Valid %
Valid	0	892	47.0	90.2
	1 Religious/moral reasons	97	5.1	9.8
	Total	989	52.1	100.0
Missing	-99	4	.2	
	System	906	47.7	
	Total	910	47.9	
Total		1899	100.0	

Q41_12 Motivation to drink less or not at all: Alcoholism

		N	Total %	Valid %
Valid	0	816	43.0	82.5
	1 Alcoholism	173	9.1	17.5
	Total	989	52.1	100.0
Missing	-99	4	.2	
	System	906	47.7	
	Total	910	47.9	
Total		1899	100.0	

Q41_13 Motivation to drink less or not at all: Health/calories

		N	Total %	Valid %
Valid	0	594	31.3	60.1
	1 Health/calories	395	20.8	39.9
	Total	989	52.1	100.0
Missing	-99	4	.2	
	System	906	47.7	
	Total	910	47.9	
Total		1899	100.0	

Q41_14 Motivation to drink less or not at all: Don't like the taste

		N	Total %	Valid %
Valid	0	751	39.5	75.9
	1 Don't like the taste	238	12.5	24.1
	Total	989	52.1	100.0
Missing	-99	4	.2	
	System	906	47.7	
	Total	910	47.9	
Total		1899	100.0	

Q41_15 Motivation to drink less or not at all: Family obligations

		N	Total %	Valid %
Valid	0	832	43.8	84.1
	1 Family obligations	157	8.3	15.9
	Total	989	52.1	100.0
Missing	-99	4	.2	
	System	906	47.7	
	Total	910	47.9	
Total		1899	100.0	

Q41_100 Motivation to drink less or not at all: Work obligations

		N	Total %	Valid %
Valid	0	622	32.8	62.9
	1 Work obligations	367	19.3	37.1
	Total	989	52.1	100.0
Missing	-99	4	.2	
	System	906	47.7	
	Total	910	47.9	
Total		1899	100.0	

Q41_16 Motivation to drink less or not at all: Not in the mood

		N	Total %	Valid %
Valid	0	419	22.1	42.4
	1 Not in the mood	570	30.0	57.6
	Total	989	52.1	100.0
Missing	-99	4	.2	
	System	906	47.7	
	Total	910	47.9	
Total		1899	100.0	

Q41_17 Motivation to drink less or not at all: No interest in alcohol

		N	Total %	Valid %
Valid	0	761	40.1	76.9
	1 No interest in alcohol	228	12.0	23.1
	Total	989	52.1	100.0
Missing	-99	4	.2	
	System	906	47.7	
	Total	910	47.9	
Total		1899	100.0	

Q41_18 Motivation to drink less or not at all: In recovery from alcohol or other drug addiction

		N	Total %	Valid %
Valid	0	972	51.2	98.3
	1 In recovery from alcohol or other drug addiction	17	.9	1.7
	Total	989	52.1	100.0
Missing	-99	4	.2	
	System	906	47.7	
	Total	910	47.9	
Total		1899	100.0	

Q41_19 Motivation to drink less or not at all: Other (specify)

		N	Total %	Valid %
Valid	0	976	51.4	98.7
	1 Other (please specify)	13	.7	1.3
	Total	989	52.1	100.0
Missing	-99	4	.2	
	System	906	47.7	
	Total	910	47.9	
Total		1899	100.0	

Q41_19 TEXT Motivation to drink less or not at all: Other (specify) - TEXT

		N	Total %	Valid %
Valid		906	47.7	47.7
	-99	982	51.7	51.7
	alcoholism runs in the family	1	.1	.1
	Athletic obligations	1	.1	.1
	Family history of addiction	1	.1	.1
	Family history of Alcoholism	1	.1	.1
	i don't drink that much to begin with	1	.1	.1
	I'm an athlete	1	.1	.1
	I've seen what it does to family members, I found the same reaction in me at times	1	.1	.1
	intolerance	1	.1	.1
	it negatively impacts or at least doesn't help my mental health	1	.1	.1
	Medications	1	.1	.1
	Taking medicine that I should not be drinking alcohol on	1	.1	.1
	Total	1899	100.0	100.0

Q41_99 Motivation to drink less or not at all: I am not motivated to drink less or not drink alcohol

		N	Total %	Valid %
Valid	0	979	51.6	99.0
	1 I am not motivated to drink less or not drink alcohol	10	.5	1.0
	Total	989	52.1	100.0
Missing	-99	4	.2	
	System	906	47.7	
	Total	910	47.9	
Total		1899	100.0	

Q42_1 How often do this in social gatherings involving alcohol? Stopped drinking at a predetermined time

		N	Total %	Valid %
Valid	1 Always	181	9.5	19.0
	2 Usually	238	12.5	24.9
	3 Sometimes	190	10.0	19.9
	4 Occasionally	96	5.1	10.1
	5 Rarely	91	4.8	9.5
	6 Never	158	8.3	16.6
	Total	954	50.2	100.0
Missing	-99	17	.9	
	System	928	48.9	
	Total	945	49.8	
Total	1899	100.0		

Q42_2 How often do this in social gatherings involving alcohol? Avoid mixing different types of alcohol

		N	Total %	Valid %
Valid	1 Always	253	13.3	26.4
	2 Usually	235	12.4	24.5
	3 Sometimes	152	8.0	15.8
	4 Occasionally	95	5.0	9.9
	5 Rarely	108	5.7	11.3
	6 Never	116	6.1	12.1
	Total	959	50.5	100.0
Missing	-99	12	.6	
	System	928	48.9	
	Total	940	49.5	
Total	1899	100.0		

Q42_3 How often do this in social gatherings involving alcohol? Drink shots of liquor

		N	Total %	Valid %
Valid	1 Always	79	4.2	8.2
	2 Usually	214	11.3	22.3
	3 Sometimes	250	13.2	26.0
	4 Occasionally	120	6.3	12.5
	5 Rarely	165	8.7	17.2
	6 Never	132	7.0	13.8
	Total	960	50.6	100.0
Missing	-99	11	.6	
	System	928	48.9	
	Total	939	49.4	
Total	1899	100.0		

Q42_4 How often do this in social gatherings involving alcohol? Put extra ice in your drink

		N	Total %	Valid %
Valid	1 Always	78	4.1	8.2
	2 Usually	123	6.5	12.9
	3 Sometimes	183	9.6	19.3
	4 Occasionally	118	6.2	12.4
	5 Rarely	150	7.9	15.8
	6 Never	298	15.7	31.4
	Total	950	50.0	100.0
Missing	-99	21	1.1	
	System	928	48.9	
	Total	949	50.0	
Total		1899	100.0	

Q42_5 How often do this in social gatherings involving alcohol? Purposefully limited amount of money spent on alcohol

		N	Total %	Valid %
Valid	1 Always	305	16.1	32.0
	2 Usually	286	15.1	30.0
	3 Sometimes	132	7.0	13.9
	4 Occasionally	68	3.6	7.1
	5 Rarely	45	2.4	4.7
	6 Never	116	6.1	12.2
	Total	952	50.1	100.0
Missing	-99	19	1.0	
	System	928	48.9	
	Total	947	49.9	
Total		1899	100.0	

Q42_6 How often do this in social gatherings involving alcohol? Make sure you went home with a friend

		N	Total %	Valid %
Valid	1 Always	593	31.2	62.1
	2 Usually	180	9.5	18.8
	3 Sometimes	77	4.1	8.1
	4 Occasionally	30	1.6	3.1
	5 Rarely	28	1.5	2.9
	6 Never	47	2.5	4.9
	Total	955	50.3	100.0
Missing	-99	16	.8	
	System	928	48.9	
	Total	944	49.7	
Total		1899	100.0	

Q42_7 How often do this in social gatherings involving alcohol? Have a friend let you know when you've had too much to drink

		N	Total %	Valid %
Valid	1 Always	344	18.1	36.1
	2 Usually	163	8.6	17.1
	3 Sometimes	119	6.3	12.5
	4 Occasionally	60	3.2	6.3
	5 Rarely	91	4.8	9.5
	6 Never	177	9.3	18.6
	Total	954	50.2	100.0
Missing	-99	17	.9	
	System	928	48.9	
	Total	945	49.8	
Total	1899	100.0		

Q42_8 How often do this in social gatherings involving alcohol? Know where your drink has been at all times

		N	Total %	Valid %
Valid	1 Always	706	37.2	74.2
	2 Usually	141	7.4	14.8
	3 Sometimes	37	1.9	3.9
	4 Occasionally	17	.9	1.8
	5 Rarely	20	1.1	2.1
	6 Never	31	1.6	3.3
	Total	952	50.1	100.0
Missing	-99	19	1.0	
	System	928	48.9	
	Total	947	49.9	
Total	1899	100.0		

Q42_9 How often do this in social gatherings involving alcohol? Avoid trying to "keep up" or "out-drink" others

		N	Total %	Valid %
Valid	1 Always	442	23.3	46.4
	2 Usually	206	10.8	21.6
	3 Sometimes	99	5.2	10.4
	4 Occasionally	51	2.7	5.4
	5 Rarely	61	3.2	6.4
	6 Never	93	4.9	9.8
	Total	952	50.1	100.0
Missing	-99	19	1.0	
	System	928	48.9	
	Total	947	49.9	
Total	1899	100.0		

Q42_10 How often do this in social gatherings involving alcohol? Received free, non-alcoholic drinks (e.g., soft drinks) at a bar/restaurant for being a designated sober driver

		N	Total %	Valid %
Valid	1 Always	110	5.8	11.6
	2 Usually	60	3.2	6.3
	3 Sometimes	88	4.6	9.3
	4 Occasionally	43	2.3	4.5
	5 Rarely	96	5.1	10.1
	6 Never	554	29.2	58.3
	Total	951	50.1	100.0
Missing	-99	20	1.1	
	System	928	48.9	
	Total	948	49.9	
Total	1899	100.0		

Q43_1 Done in past academic year: 21 birthday shots

		N	Total %	Valid %
Valid	0	899	47.3	93.0
	1 21 birthday shots	68	3.6	7.0
	Total	967	50.9	100.0
Missing	-99	4	.2	
	System	928	48.9	
	Total	932	49.1	
Total	1899	100.0		

Q43_2 Done in past academic year: Beer bong and/or keg stand

		N	Total %	Valid %
Valid	0	808	42.5	83.6
	1 Beer bong and/or keg stand	159	8.4	16.4
	Total	967	50.9	100.0
Missing	-99	4	.2	
	System	928	48.9	
	Total	932	49.1	
Total	1899	100.0		

Q43_3 Done in past academic year: Drinking games

		N	Total %	Valid %
Valid	0	416	21.9	43.0
	1 Drinking games	551	29.0	57.0
	Total	967	50.9	100.0
Missing	-99	4	.2	
	System	928	48.9	
	Total	932	49.1	
Total	1899	100.0		

Q43_4 Done in past academic year: Drink specials

		N	Total %	Valid %
Valid	0	657	34.6	67.9
	1 Drink specials	310	16.3	32.1
	Total	967	50.9	100.0
Missing	-99	4	.2	
	System	928	48.9	
	Total	932	49.1	
Total		1899	100.0	

Q43_88 Done in past academic year: None of the above

		N	Total %	Valid %
Valid	0	621	32.7	64.2
	1 None of the above	346	18.2	35.8
	Total	967	50.9	100.0
Missing	-99	4	.2	
	System	928	48.9	
	Total	932	49.1	
Total		1899	100.0	

Q44_1 Frequency in past 6 months while drinking or because of drinking: Not able to do your homework or study for a test?

		N	Total %	Valid %
Valid	1 0 times	759	40.0	80.3
	2 1-2 times	164	8.6	17.4
	3 3-5 times	15	.8	1.6
	4 6+ times	7	.4	.7
	Total	945	49.8	100.0
Missing	-99	11	.6	
	System	943	49.7	
	Total	954	50.2	
Total		1899	100.0	

Q44_2 Frequency in past 6 months while drinking or because of drinking: Got into fights, acted badly, or did mean things?

		N	Total %	Valid %
Valid	1 0 times	846	44.5	89.7
	2 1-2 times	81	4.3	8.6
	3 3-5 times	13	.7	1.4
	4 6+ times	3	.2	.3
	Total	943	49.7	100.0
Missing	-99	13	.7	
	System	943	49.7	
	Total	956	50.3	
Total		1899	100.0	

Q44_3 Frequency in past 6 months while drinking or because of drinking: Went to work or school high or drunk?

		N	Total %	Valid %
Valid	1 0 times	888	46.8	94.0
	2 1-2 times	42	2.2	4.4
	3 3-5 times	10	.5	1.1
	4 6+ times	5	.3	.5
	Total	945	49.8	100.0
Missing	-99	11	.6	
	System	943	49.7	
	Total	954	50.2	
Total	1899	100.0		

Q44_4 Frequency in past 6 months while drinking or because of drinking: Caused shame or embarrassment to someone?

		N	Total %	Valid %
Valid	1 0 times	842	44.3	89.2
	2 1-2 times	96	5.1	10.2
	3 3-5 times	5	.3	.5
	4 6+ times	1	.1	.1
	Total	944	49.7	100.0
Missing	-99	12	.6	
	System	943	49.7	
	Total	955	50.3	
Total	1899	100.0		

Q44_5 Frequency in past 6 months while drinking or because of drinking: Neglected your responsibilities?

		N	Total %	Valid %
Valid	1 0 times	699	36.8	74.0
	2 1-2 times	208	11.0	22.0
	3 3-5 times	29	1.5	3.1
	4 6+ times	9	.5	1.0
	Total	945	49.8	100.0
Missing	-99	11	.6	
	System	943	49.7	
	Total	954	50.2	
Total	1899	100.0		

Q44_6 Frequency in past 6 months while drinking or because of drinking: Felt it took more alcohol than it used to in order to get the same effect?

		N	Total %	Valid %
Valid	1 0 times	768	40.4	81.4
	2 1-2 times	124	6.5	13.1
	3 3-5 times	40	2.1	4.2
	4 6+ times	12	.6	1.3
	Total	944	49.7	100.0
Missing	-99	12	.6	
	System	943	49.7	
	Total	955	50.3	
Total		1899	100.0	

Q44_7 Frequency in past 6 months while drinking or because of drinking: Noticed a change in your personality?

		N	Total %	Valid %
Valid	1 0 times	721	38.0	76.3
	2 1-2 times	183	9.6	19.4
	3 3-5 times	26	1.4	2.8
	4 6+ times	15	.8	1.6
	Total	945	49.8	100.0
Missing	-99	11	.6	
	System	943	49.7	
	Total	954	50.2	
Total		1899	100.0	

Q44_8 Frequency in past 6 months while drinking or because of drinking: Missed a day (or part of a day) of school or work?

		N	Total %	Valid %
Valid	1 0 times	855	45.0	91.1
	2 1-2 times	73	3.8	7.8
	3 3-5 times	7	.4	.7
	4 6+ times	4	.2	.4
	Total	939	49.4	100.0
Missing	-99	17	.9	
	System	943	49.7	
	Total	960	50.6	
Total		1899	100.0	

Q44_9 Frequency in past 6 months while drinking or because of drinking: Tried to cut down or quit drinking?

		N	Total %	Valid %
Valid	1 0 times	780	41.1	82.6
	2 1-2 times	118	6.2	12.5
	3 3-5 times	33	1.7	3.5
	4 6+ times	13	.7	1.4
	Total	944	49.7	100.0
Missing	-99	12	.6	
	System	943	49.7	
	Total	955	50.3	
Total		1899	100.0	

Q44_10 Frequency in past 6 months while drinking or because of drinking: Suddenly found yourself in a place that you could not remember getting to (blackout)?

		N	Total %	Valid %
Valid	1 0 times	804	42.3	85.2
	2 1-2 times	109	5.7	11.5
	3 3-5 times	29	1.5	3.1
	4 6+ times	2	.1	.2
	Total	944	49.7	100.0
Missing	-99	12	.6	
	System	943	49.7	
	Total	955	50.3	
Total		1899	100.0	

Q44_11 Frequency in past 6 months while drinking or because of drinking: Had a fight, argument or bad feelings with a friend and/or family member?

		N	Total %	Valid %
Valid	1 0 times	843	44.4	89.3
	2 1-2 times	84	4.4	8.9
	3 3-5 times	14	.7	1.5
	4 6+ times	3	.2	.3
	Total	944	49.7	100.0
Missing	-99	12	.6	
	System	943	49.7	
	Total	955	50.3	
Total		1899	100.0	

Q44_12 Frequency in past 6 months while drinking or because of drinking: Kept drinking when you promised yourself not to?

		N	Total %	Valid %
Valid	1 0 times	851	44.8	90.2
	2 1-2 times	74	3.9	7.8
	3 3-5 times	16	.8	1.7
	4 6+ times	2	.1	.2
	Total	943	49.7	100.0
Missing	-99	13	.7	
	System	943	49.7	
	Total	956	50.3	
Total		1899	100.0	

Q44_13 Frequency in past 6 months while drinking or because of drinking: Had a bad time?

		N	Total %	Valid %
Valid	1 0 times	655	34.5	69.6
	2 1-2 times	250	13.2	26.6
	3 3-5 times	34	1.8	3.6
	4 6+ times	2	.1	.2
	Total	941	49.6	100.0
Missing	-99	15	.8	
	System	943	49.7	
	Total	958	50.4	
Total		1899	100.0	

Q44_14 Frequency in past 6 months while drinking or because of drinking: Drove shortly after having more than four drinks?

		N	Total %	Valid %
Valid	1 0 times	895	47.1	95.0
	2 1-2 times	36	1.9	3.8
	3 3-5 times	11	.6	1.2
	Total	942	49.6	100.0
Missing	-99	14	.7	
	System	943	49.7	
	Total	957	50.4	
Total		1899	100.0	

Q44_15 Frequency in past 6 months while drinking or because of drinking: Experienced nausea or vomiting?

		N	Total %	Valid %
Valid	1 0 times	555	29.2	59.0
	2 1-2 times	300	15.8	31.9
	3 3-5 times	70	3.7	7.4
	4 6+ times	15	.8	1.6
	Total	940	49.5	100.0
Missing	-99	16	.8	
	System	943	49.7	
	Total	959	50.5	
Total		1899	100.0	

Q44_16 Frequency in past 6 months while drinking or because of drinking: Had a hangover?

		N	Total %	Valid %
Valid	1 0 times	429	22.6	45.5
	2 1-2 times	352	18.5	37.4
	3 3-5 times	112	5.9	11.9
	4 6+ times	49	2.6	5.2
	Total	942	49.6	100.0
Missing	-99	14	.7	
	System	943	49.7	
	Total	957	50.4	
Total		1899	100.0	

Q45 How often have you experienced alcohol poisoning in the last year?

		N	Total %	Valid %
Valid	1 0 times	900	47.4	94.8
	2 1 time	38	2.0	4.0
	3 2 times	10	.5	1.1
	4 More than 2 times	1	.1	.1
	Total	949	50.0	100.0
Missing	-99	5	.3	
	System	945	49.8	
	Total	950	50.0	
Total		1899	100.0	

Q46_1 Experienced due to alcohol poisoning: I do not remember.

		N	Total %	Valid %
Valid	0	36	1.9	75.0
	1 I do not remember.	12	.6	25.0
	Total	48	2.5	100.0
Missing	-99	1	.1	
	System	1850	97.4	
	Total	1851	97.5	
Total		1899	100.0	

Q46_2 Experienced due to alcohol poisoning: I was left alone.

		N	Total %	Valid %
Valid	0	39	2.1	81.3
	1 I was left alone.	9	.5	18.8
	Total	48	2.5	100.0
Missing	-99	1	.1	
	System	1850	97.4	
	Total	1851	97.5	
Total		1899	100.0	

Q46_3 Experienced due to alcohol poisoning: I vomited in my sleep.

		N	Total %	Valid %
Valid	0	38	2.0	79.2
	1 I vomited in my sleep.	10	.5	20.8
	Total	48	2.5	100.0
Missing	-99	1	.1	
	System	1850	97.4	
	Total	1851	97.5	
Total		1899	100.0	

Q46_4 Experienced due to alcohol poisoning: No one helped me.

		N	Total %	Valid %
Valid	0	46	2.4	95.8
	1 No one helped me.	2	.1	4.2
	Total	48	2.5	100.0
Missing	-99	1	.1	
	System	1850	97.4	
	Total	1851	97.5	
Total		1899	100.0	

Q46_5 Experienced due to alcohol poisoning: Friends let me sleep it off.

		N	Total %	Valid %
Valid	0	29	1.5	60.4
	1 Friends let me sleep it off.	19	1.0	39.6
	Total	48	2.5	100.0
Missing	-99	1	.1	
	System	1850	97.4	
	Total	1851	97.5	
Total		1899	100.0	

Q46_6 Experienced due to alcohol poisoning: I was taken for medical attention.

		N	Total %	Valid %
Valid	0	46	2.4	95.8
	1 I was taken for medical attention.	2	.1	4.2
	Total	48	2.5	100.0
Missing	-99	1	.1	
	System	1850	97.4	
	Total	1851	97.5	
Total		1899	100.0	

Q46_7 Experienced due to alcohol poisoning: Someone stayed with me to make sure I was okay.

		N	Total %	Valid %
Valid	0	20	1.1	41.7
	1 Someone stayed with me to make sure I was okay.	28	1.5	58.3
	Total	48	2.5	100.0
Missing	-99	1	.1	
	System	1850	97.4	
	Total	1851	97.5	
Total		1899	100.0	

Q46_8 Experienced due to alcohol poisoning: Other (specify)

		N	Total %	Valid %
Valid	0	47	2.5	97.9
	1 Other (please specify)	1	.1	2.1
	Total	48	2.5	100.0
Missing	-99	1	.1	
	System	1850	97.4	
	Total	1851	97.5	
Total		1899	100.0	

Q46_8_TEXT Experienced due to alcohol poisoning: Other (specify) - TEXT

		N	Total %	Valid %
Valid		1850	97.4	97.4
	-99	48	2.5	2.5
	vomiting consciously, clammy/sweaty	1	.1	.1
	Total	1899	100.0	100.0

Q47 What would you do if you were in the presence of a student whom you suspected had alcohol poisoning? - Selected Choice

		N	Total %	Valid %
Valid	1 I would call 911.	1069	56.3	64.4
	2 I would take them to the hospital myself.	407	21.4	24.5
	3 I would not do anything because I would be afraid that I would get in trouble with campus officials, or police.	16	.8	1.0
	4 I would not do anything because I would not feel comfortable getting involved.	61	3.2	3.7
	5 Other, please describe	106	5.6	6.4
	Total	1659	87.4	100.0
Missing	-99	11	.6	
	System	229	12.1	
	Total	240	12.6	
Total		1899	100.0	

Q47_5_TEXT What would you do if you were in the presence of a student whom you suspected had alcohol poisoning? - Other, please describe - Text

		N	Total %	Valid %
Valid		232	12.2	12.2
	-99	1563	82.3	82.3
	0	1	.1	.1
	Alert campus official	1	.1	.1
	anything necessary for their wellbeing	1	.1	.1
	Ask others for help	1	.1	.1
	ask them if they have alcohol poisoning	1	.1	.1
	ask them what they want me to do	1	.1	.1
	Assess the situation and give them the help I see necessary	1	.1	.1
	Assess the student to best of my ability. Transport the student to ER by EMS if necessary.	1	.1	.1
	Call 911 or take them to the hospital depending on the severity of what is happening in the moment	1	.1	.1
	Call Campus Public Safety	1	.1	.1
	Call campus security	1	.1	.1
	Call Creighton Public Safety or let a Creighton authority know	1	.1	.1
	Call pub safe	1	.1	.1

call public safety	1	.1	.1
Call public safety	2	.1	.1
Call Public Safety	1	.1	.1
Call RDOD (Resident Director on Duty) or the front desk to keep the RAOD & RDOD informed	1	.1	.1
Call Residence Life	1	.1	.1
call someone close to them	1	.1	.1
Call someone for help, not 911 right away	1	.1	.1
Call the campus security or health aids, to inform them of the situation	1	.1	.1
call the RA on duty in my dorm	1	.1	.1
check if anyone is nearby for assistance & call police	1	.1	.1
Contact on-campus assistance	1	.1	.1
contact ra/rdod and pub safe	1	.1	.1
Depends on the situation.	1	.1	.1
either 911 or take them myself, depends on severity but definitely taken to a hospital	1	.1	.1
Find their friends, health/safety officers of organization if applicable, and make educated decisions between multiple people	1	.1	.1
First of all I would have a plan, then I would probably call campus police if I'm on campus or take them to the hospital if I'm off campus	1	.1	.1
Get somebody else to help them	1	.1	.1
Help best I can i.e. water, bathroom, etc.	1	.1	.1
Help them	1	.1	.1
help them myself	1	.1	.1
I don't know. I think I would feel safer calling the campus police instead to help mitigate the situation	1	.1	.1
i dont know	1	.1	.1
I have been in this situation, I helped a girl throw up then got her in a friend's car with a sober driver.	1	.1	.1

I might get help from other people, like their friends or a campus official	1	.1	.1
I think i would freeze	1	.1	.1
I think the course of actions depends on the state of the person and also if I'm drunk	1	.1	.1
I understand the symptoms of alcohol poisoning so I would stay with them, put them by the toliet and try to get fluids in them. I would not leave them there by themself and if they are able to move and walk I would put them on a couch on their side, possibly put a pack pack on them to have them say on their said and make sure they are slaughtered for atleast an hour. If they are still restless I would call my mom who is a nurse or my dad whose a doctor and get their opinion and do what they say.	1	.1	.1
I would alert someone they came with, if possible. Otherwise, I would notify the party host or person in-charge.	1	.1	.1
I would ask them if they were ok, check up on them, ask them if they need help. If unconscious Id probably call 911.	1	.1	.1
I would assist them with the knowledge I have been currently advised by in first aid.	1	.1	.1
I would call public safety	1	.1	.1
I would call public safety and keep the person awake.	1	.1	.1
I would call public safety or 911	1	.1	.1
I would care for them myself	1	.1	.1
I would check to be extra sure	1	.1	.1
I would contact the campus number for public safety.	1	.1	.1
I would delegate by trying to find a friend of theirs to check in and make sure I have all the info/am not misunderstanding the situation, and/or try talking to the person myself.	1	.1	.1

I would drive them to the hospital if I was sober, if not I would call 911 or find someone I trusted who was sober to drive	1	.1	.1
I would go through university channels, so university was aware of situation and could help student.	1	.1	.1
i would probably tell someone i am worried and ask for guidance	1	.1	.1
I would probably try to take care of them and if they weren't waking up or getting better I would either call 911 or take them to the hospital myself	1	.1	.1
I would see if I could do anything for them first and then if it is something completely out of my hands, I would take them to the hospital	1	.1	.1
I would stay with them and make sure they do not choke on vomit and are still breathing and have a pulse	1	.1	.1
I would take care of them and, use thr hospital as a last resort	1	.1	.1
I would take them to the hospital by uber or calling 911 depending on how bad I thought they were.	1	.1	.1
I would take them to the hospital if I was sober. Otherwise I would call 911	1	.1	.1
I would talk to my RA	1	.1	.1
I would talk to them first	1	.1	.1
I would use my CPR /First Aid Training to verify alcohol poisoning and then I would call 911.	1	.1	.1
I wouldn't know if they had alcohol poisoning	1	.1	.1
I wouldn't be in a situation where this is necessary	1	.1	.1
I wouldn't take them anywhere myself, but I'll inform a staff member	1	.1	.1

I'd call public safety if I thought someone was sick. Honestly, it's unlikely I could identify this as more than the person acting really sick.	1	.1	.1
I'd google what to do, preferably keeping it discrete but taking them to a hospital if necessary	1	.1	.1
I'd lay them on their side and closely monitor their breathing and heart rate. If breathing or heart rate was much slower than normal, I'd call 911.	1	.1	.1
I'd probably ask a friend for help, since I'm not super sure what to do in that situation	1	.1	.1
I'm not sure I would know if that was the case, but would probably still ask for help	1	.1	.1
I'd give them food and water	1	.1	.1
I'd try and make them vomit	1	.1	.1
If I'm on campus, I would call the on-campus security. If I were off-campus, I would call for help (911).	1	.1	.1
If they were a girl I would talk to them and make sure they're going home safe	1	.1	.1
Inform the instructor and campus officials	1	.1	.1
It really just depends on the situation	1	.1	.1
It seems to be considered normal	1	.1	.1
leave them poisoned	1	.1	.1
Make sure they have someone taking care of them or call 911	1	.1	.1
Make sure they were responsive, if so encourage them to puke up the alcohol and provide water. If unresponsive I'd take them to the hospital. If I was close with family or significant others, I'd contact them first.	1	.1	.1
monitor & evaluate if possible. 911 if necessary	1	.1	.1
Monitor symptoms first to see if they need the hospital	1	.1	.1
Provide quick first aid	1	.1	.1

Public safety	1	.1	.1
Put them in a warm room and get lots of water	1	.1	.1
Recovery position and force vomiting if possible.	1	.1	.1
Search up symptoms before coming to decision	1	.1	.1
Stay with the person, ensure they stay safe	1	.1	.1
Stay with them at all times. make sure they are on their sides. Don't feed or give them liquids. Provide a quiet environment	1	.1	.1
Take care of them and take them home to bed	1	.1	.1
Take care of them at home	1	.1	.1
Take care of them myself and ensure their safety	1	.1	.1
take care of them, see if they needed to go to the hospital or if they would be okay without going	1	.1	.1
Take them to the hospital/call 911 and stay with them to monitor their condition and safety	1	.1	.1
talk to a health or nursing student get there opinion	1	.1	.1
tell a friend to get them help	1	.1	.1
Tell an RA	1	.1	.1
Tell someone on campus.	1	.1	.1
Tell the teacher	1	.1	.1
TRAAC- creighton's program that directly addresses this issue	1	.1	.1
Try to help them without getting them in trouble	1	.1	.1
use my schools non discipline source (i don't remember what its called i think it might just be pubsafe)	1	.1	.1
Will call 911 or bring it to hospital myself case by case	1	.1	.1
Total	1899	100.0	100.0

Q49 How do you agree or disagree with the statement "If both people are drunk, it can't be rape?"

		N	Total %	Valid %
Valid	1 Strongly agree	18	.9	1.1
	2 Agree	44	2.3	2.7
	3 Neither agree nor disagree	194	10.2	11.7
	4 Disagree	393	20.7	23.8
	5 Strongly disagree	1005	52.9	60.8
	Total	1654	87.1	100.0
Missing	-99	9	.5	
	System	236	12.4	
	Total	245	12.9	
Total		1899	100.0	

Q50_1 Frequency in past 12 months while drinking? - Had sex with someone without their consent

		N	Total %	Valid %
Valid	1 0 times	934	49.2	99.5
	2 1-2 times	5	.3	.5
	Total	939	49.4	100.0
Missing	-99	8	.4	
	System	952	50.1	
	Total	960	50.6	
Total		1899	100.0	

Q50_2 Frequency in past 12 months while drinking? - Someone had sex with me without my consent

		N	Total %	Valid %
Valid	1 0 times	905	47.7	96.3
	2 1-2 times	31	1.6	3.3
	3 3-5 times	3	.2	.3
	4 6+ times	1	.1	.1
	Total	940	49.5	100.0
Missing	-99	7	.4	
	System	952	50.1	
	Total	959	50.5	
Total		1899	100.0	

Q50_3 Frequency in past 12 months while drinking? - Had sex with someone you would not have, had you been sober?

		N	Total %	Valid %
Valid	1 0 times	859	45.2	91.5
	2 1-2 times	70	3.7	7.5
	3 3-5 times	9	.5	1.0
	4 6+ times	1	.1	.1
	Total	939	49.4	100.0
Missing	-99	8	.4	
	System	952	50.1	
	Total	960	50.6	
Total	1899	100.0		

Q50_4 Frequency in past 12 months while drinking? - Did not use protection when you had sex?

		N	Total %	Valid %
Valid	1 0 times	780	41.1	83.1
	2 1-2 times	81	4.3	8.6
	3 3-5 times	28	1.5	3.0
	4 6+ times	50	2.6	5.3
	Total	939	49.4	100.0
Missing	-99	8	.4	
	System	952	50.1	
	Total	960	50.6	
Total	1899	100.0		

Q50_5 Frequency in past 12 months while drinking? - Got into an argument with a romantic partner that became physical (e.g. throwing, pushing, slapping)?

		N	Total %	Valid %
Valid	1 0 times	921	48.5	98.0
	2 1-2 times	16	.8	1.7
	3 3-5 times	3	.2	.3
	Total	940	49.5	100.0
Missing	-99	7	.4	
	System	952	50.1	
	Total	959	50.5	
Total	1899	100.0		

Q50_6 Frequency in past 12 months while drinking? - Insulted or swore at my partner?

		N	Total %	Valid %
Valid	1 0 times	873	46.0	93.0
	2 1-2 times	55	2.9	5.9
	3 3-5 times	10	.5	1.1
	4 6+ times	1	.1	.1
	Total	939	49.4	100.0
Missing	-99	8	.4	
	System	952	50.1	
	Total	960	50.6	
Total	1899	100.0		

Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
Rapitot Total RAPI Score	1114	.00	18.00	2.9300	3.60275
Fiveplus Five or more Rapi Problems	1114	.00	1.00	.2558	.43653
Valid N (listwise)	1114				

Q51 In the past year, have you used alcohol or drugs to help you feel more comfortable with a sexual partner?

		N	Total %	Valid %
Valid	0 No	1491	78.5	90.9
	1 Yes	150	7.9	9.1
	Total	1641	86.4	100.0
Missing	-99	11	.6	
	System	247	13.0	
	Total	258	13.6	
Total	1899	100.0		

Q52 In the past year, have you done more sexually than you had originally planned to do because you had been drinking alcohol or using drugs?

		N	Total %	Valid %
Valid	0 No	927	48.8	56.4
	1 Yes	133	7.0	8.1
	88 Not applicable. No (zero) sexual partners in the past year.	584	30.8	35.5
	Total	1644	86.6	100.0
Missing	-99	8	.4	
	System	247	13.0	
	Total	255	13.4	
Total	1899	100.0		

Q53_1 Do you approve of someone intervening if they see someone being taken advantage of sexually?

		N	Total %	Valid %
Valid	0 No	64	3.4	3.9
	1 Yes	1561	82.2	96.1
	Total	1625	85.6	100.0
Missing	-99	14	.7	
	System	260	13.7	
	Total	274	14.4	
Total		1899	100.0	

Q53_2 Do you approve of someone intervening if they see someone taking advantage of another person?

		N	Total %	Valid %
Valid	0 No	60	3.2	3.7
	1 Yes	1563	82.3	96.3
	Total	1623	85.5	100.0
Missing	-99	16	.8	
	System	260	13.7	
	Total	276	14.5	
Total		1899	100.0	

Q53_3 Do you approve of students drinking so much that they get sick?

		N	Total %	Valid %
Valid	0 No	1520	80.0	93.8
	1 Yes	101	5.3	6.2
	Total	1621	85.4	100.0
Missing	-99	18	.9	
	System	260	13.7	
	Total	278	14.6	
Total		1899	100.0	

Q53_4 Do you approve of students drinking so much that one cannot remember part of the previous evening?

		N	Total %	Valid %
Valid	0 No	1478	77.8	91.1
	1 Yes	144	7.6	8.9
	Total	1622	85.4	100.0
Missing	-99	17	.9	
	System	260	13.7	
	Total	277	14.6	
Total		1899	100.0	

Q53_5 Do you approve of students drinking so much that one gets into situations that may be regretted later?

		N	Total %	Valid %
Valid	0 No	1531	80.6	94.4
	1 Yes	91	4.8	5.6
	Total	1622	85.4	100.0
Missing	-99	17	.9	
	System	260	13.7	
	Total	277	14.6	
Total		1899	100.0	

Q53_6 Do you approve of students driving after they have had a few drinks?

		N	Total %	Valid %
Valid	0 No	1605	84.5	98.8
	1 Yes	20	1.1	1.2
	Total	1625	85.6	100.0
Missing	-99	14	.7	
	System	260	13.7	
	Total	274	14.4	
Total		1899	100.0	

Q54 Which statement below about drinking alcoholic beverages do you think best represents your own attitude?

		N	Total %	Valid %
Valid	1 Drinking is never a good thing to do.	178	9.4	11.0
	2 Drinking is all right, but a person should not get drunk.	339	17.9	21.0
	3 Occasionally getting drunk is okay as long as it doesn't interfere with academics or other responsibilities.	1023	53.9	63.4
	4 Occasionally getting drunk is okay even if it does interfere with academics or responsibilities.	38	2.0	2.4
	5 Frequently getting drunk is okay if that's what the individual wants to do.	36	1.9	2.2
	Total	1614	85.0	100.0
Missing	-99	12	.6	
	System	273	14.4	
	Total	285	15.0	
Total		1899	100.0	

Q55 Which statement below about drinking alcoholic beverages do you think best represents the most common attitude among students on your campus?

		N	Total %	Valid %
Valid	1 Drinking is never a good thing to do.	97	5.1	6.0
	2 Drinking is all right, but a person should not get drunk.	112	5.9	7.0
	3 Occasionally getting drunk is okay as long as it doesn't interfere with academics or other responsibilities.	810	42.7	50.4
	4 Occasionally getting drunk is okay even if it does interfere with academics or responsibilities.	332	17.5	20.7
	5 Frequently getting drunk is okay if that's what the individual wants to do.	256	13.5	15.9
	Total	1607	84.6	100.0
Missing	-99	19	1.0	
	System	273	14.4	
	Total	292	15.4	
Total		1899	100.0	

Q56 What do you think your campus administrations attitude is about alcohol?

		N	Total %	Valid %
Valid	1 Drinking is never a good thing to do.	595	31.3	37.0
	2 Drinking is all right, but a person should not get drunk.	562	29.6	35.0
	3 Occasionally getting drunk is okay as long as it doesn't interfere with academics or other responsibilities.	421	22.2	26.2
	4 Occasionally getting drunk is okay even if it does interfere with academics or responsibilities.	19	1.0	1.2
	5 Frequently getting drunk is okay if that's what the individual wants to do.	9	.5	.6
	Total	1606	84.6	100.0
Missing	-99	20	1.1	
	System	273	14.4	
	Total	293	15.4	
Total		1899	100.0	

Q57 Which of the following best fits your intentions to change the way you drink alcohol?

		N	Total %	Valid %
Valid	1 I am currently trying to drink in a healthier/safer way.	275	14.5	29.6
	2 I am ready to try drinking in a healthier/safer way.	46	2.4	5.0
	3 I am thinking about drinking in a healthier/safer way.	50	2.6	5.4
	4 I see no need to change the way I drink alcohol.	557	29.3	60.0
	Total	928	48.9	100.0
Missing	-99	6	.3	
	System	965	50.8	
	Total	971	51.1	
Total		1899	100.0	

Q66_1 Frequency of use in past year: - Marijuana

		N	Total %	Valid %
Valid	1 Never	1256	66.1	79.3
	2 1 - 6 times/year	197	10.4	12.4
	3 1 - 2 times/month	48	2.5	3.0
	4 1 - 2 times/week	19	1.0	1.2
	5 3 or more times/week	37	1.9	2.3
	6 Daily	27	1.4	1.7
	Total	1584	83.4	100.0
Missing	-99	15	.8	
	System	300	15.8	
	Total	315	16.6	
Total		1899	100.0	

Q66_2 Frequency of use in past year: - Marijuana Derivative (i.e., Wax/Dabs/Oils/Shatter)

		N	Total %	Valid %
Valid	1 Never	1385	72.9	88.0
	2 1 - 6 times/year	99	5.2	6.3
	3 1 - 2 times/month	36	1.9	2.3
	4 1 - 2 times/week	21	1.1	1.3
	5 3 or more times/week	20	1.1	1.3
	6 Daily	13	.7	.8
	Total	1574	82.9	100.0
Missing	-99	25	1.3	
	System	300	15.8	
	Total	325	17.1	
Total		1899	100.0	

Q66_3 Frequency of use in past year: - Marijuana Edible

		N	Total %	Valid %
Valid	1 Never	1276	67.2	81.2
	2 1 - 6 times/year	216	11.4	13.7
	3 1 - 2 times/month	51	2.7	3.2
	4 1 - 2 times/week	18	.9	1.1
	5 3 or more times/week	8	.4	.5
	6 Daily	3	.2	.2
	Total	1572	82.8	100.0
Missing	-99	27	1.4	
	System	300	15.8	
	Total	327	17.2	
Total	1899	100.0		

Q66_4 Frequency of use in past year: - Delta 8

		N	Total %	Valid %
Valid	1 Never	1325	69.8	84.3
	2 1 - 6 times/year	141	7.4	9.0
	3 1 - 2 times/month	45	2.4	2.9
	4 1 - 2 times/week	28	1.5	1.8
	5 3 or more times/week	20	1.1	1.3
	6 Daily	12	.6	.8
	Total	1571	82.7	100.0
Missing	-99	28	1.5	
	System	300	15.8	
	Total	328	17.3	
Total	1899	100.0		

AnyMarij Frequency of any marijuana use

		N	Total %	Valid %
Valid	1.00 Never	1167	61.5	73.6
	2.00 1-6x a yr	260	13.7	16.4
	3.00 1-2x a mo	60	3.2	3.8
	4.00 1-2x a wk	28	1.5	1.8
	5.00 3 or more x a wk	39	2.1	2.5
	6.00 Daily	32	1.7	2.0
	Total	1586	83.5	100.0
Missing	System	313	16.5	
Total	1899	100.0		

Q67 How often do you think the typical student on your campus uses marijuana?

		N	Total %	Valid %
Valid	1 Never	164	8.6	10.4
	2 1 - 6 times/year	412	21.7	26.0
	3 1 - 2 times/month	520	27.4	32.9
	4 1 - 2 times/week	329	17.3	20.8
	5 3 or more times/week	109	5.7	6.9
	6 Daily	48	2.5	3.0
	Total	1582	83.3	100.0
Missing	-99	17	.9	
	System	300	15.8	
	Total	317	16.7	
Total	1899	100.0		

Q168_1 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - Because it helps me enjoy a party

		N	Total %	Valid %
Valid	1 Almost never/never	165	8.7	51.6
	2 Some of the time	95	5.0	29.7
	3 Half of the time	24	1.3	7.5
	4 Most of the time	22	1.2	6.9
	5 Almost always/always	14	.7	4.4
	Total	320	16.9	100.0
Missing	-99	2	.1	
	System	1577	83.0	
	Total	1579	83.1	
Total	1899	100.0		

Q168_2 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - To be sociable

		N	Total %	Valid %
Valid	1 Almost never/never	191	10.1	59.7
	2 Some of the time	69	3.6	21.6
	3 Half of the time	26	1.4	8.1
	4 Most of the time	17	.9	5.3
	5 Almost always/always	17	.9	5.3
	Total	320	16.9	100.0
Missing	-99	2	.1	
	System	1577	83.0	
	Total	1579	83.1	
Total	1899	100.0		

Q168_3 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - Because it makes social gatherings more fun

		N	Total %	Valid %
Valid	1 Almost never/never	139	7.3	43.3
	2 Some of the time	86	4.5	26.8
	3 Half of the time	39	2.1	12.1
	4 Most of the time	37	1.9	11.5
	5 Almost always/always	20	1.1	6.2
	Total	321	16.9	100.0
Missing	-99	1	.1	
	System	1577	83.0	
	Total	1578	83.1	
Total		1899	100.0	

Q168_4 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - Because it improves parties and celebrations

		N	Total %	Valid %
Valid	1 Almost never/never	178	9.4	55.5
	2 Some of the time	65	3.4	20.2
	3 Half of the time	34	1.8	10.6
	4 Most of the time	30	1.6	9.3
	5 Almost always/always	14	.7	4.4
	Total	321	16.9	100.0
Missing	-99	1	.1	
	System	1577	83.0	
	Total	1578	83.1	
Total		1899	100.0	

Q168_5 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - To celebrate a special occasion with friends

		N	Total %	Valid %
Valid	1 Almost never/never	138	7.3	43.1
	2 Some of the time	76	4.0	23.8
	3 Half of the time	48	2.5	15.0
	4 Most of the time	34	1.8	10.6
	5 Almost always/always	24	1.3	7.5
	Total	320	16.9	100.0
Missing	-99	2	.1	
	System	1577	83.0	
	Total	1579	83.1	
Total		1899	100.0	

Q168_6 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - To forget my worries

		N	Total %	Valid %
Valid	1 Almost never/never	157	8.3	48.9
	2 Some of the time	64	3.4	19.9
	3 Half of the time	39	2.1	12.1
	4 Most of the time	37	1.9	11.5
	5 Almost always/always	24	1.3	7.5
	Total	321	16.9	100.0
Missing	-99	1	.1	
	System	1577	83.0	
	Total	1578	83.1	
Total		1899	100.0	

Q168_8 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - Because it helps me when I feel depressed or nervous

		N	Total %	Valid %
Valid	1 Almost never/never	154	8.1	48.0
	2 Some of the time	59	3.1	18.4
	3 Half of the time	31	1.6	9.7
	4 Most of the time	43	2.3	13.4
	5 Almost always/always	34	1.8	10.6
	Total	321	16.9	100.0
Missing	-99	1	.1	
	System	1577	83.0	
	Total	1578	83.1	
Total		1899	100.0	

Q168_9 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - To cheer me up when I am in a bad mood

		N	Total %	Valid %
Valid	1 Almost never/never	160	8.4	50.0
	2 Some of the time	64	3.4	20.0
	3 Half of the time	34	1.8	10.6
	4 Most of the time	34	1.8	10.6
	5 Almost always/always	28	1.5	8.8
	Total	320	16.9	100.0
Missing	-99	2	.1	
	System	1577	83.0	
	Total	1579	83.1	
Total		1899	100.0	

Q168_10 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - Because I feel more self-confident and sure of myself

		N	Total %	Valid %
Valid	1 Almost never/never	208	11.0	65.0
	2 Some of the time	48	2.5	15.0
	3 Half of the time	29	1.5	9.1
	4 Most of the time	19	1.0	5.9
	5 Almost always/always	16	.8	5.0
	Total	320	16.9	100.0
Missing	-99	2	.1	
	System	1577	83.0	
	Total	1579	83.1	
Total		1899	100.0	

Q168_11 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - To forget about my problems

		N	Total %	Valid %
Valid	1 Almost never/never	187	9.8	58.4
	2 Some of the time	51	2.7	15.9
	3 Half of the time	31	1.6	9.7
	4 Most of the time	23	1.2	7.2
	5 Almost always/always	28	1.5	8.8
	Total	320	16.9	100.0
Missing	-99	2	.1	
	System	1577	83.0	
	Total	1579	83.1	
Total		1899	100.0	

Q169_1 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - To get high

		N	Total %	Valid %
Valid	1 Almost never/never	53	2.8	16.6
	2 Some of the time	51	2.7	15.9
	3 Half of the time	29	1.5	9.1
	4 Most of the time	78	4.1	24.4
	5 Almost always/always	109	5.7	34.1
	Total	320	16.9	100.0
Missing	-99	2	.1	
	System	1577	83.0	
	Total	1579	83.1	
Total		1899	100.0	

Q169_2 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - Because I like the feeling

		N	Total %	Valid %
Valid	1 Almost never/never	62	3.3	19.4
	2 Some of the time	44	2.3	13.8
	3 Half of the time	41	2.2	12.8
	4 Most of the time	86	4.5	26.9
	5 Almost always/always	87	4.6	27.2
	Total	320	16.9	100.0
Missing	-99	2	.1	
	System	1577	83.0	
	Total	1579	83.1	
Total		1899	100.0	

Q169_3 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - Because it's exciting

		N	Total %	Valid %
Valid	1 Almost never/never	135	7.1	42.6
	2 Some of the time	76	4.0	24.0
	3 Half of the time	43	2.3	13.6
	4 Most of the time	31	1.6	9.8
	5 Almost always/always	32	1.7	10.1
	Total	317	16.7	100.0
Missing	-99	5	.3	
	System	1577	83.0	
	Total	1582	83.3	
Total		1899	100.0	

Q169_4 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - Because it gives me a pleasant feeling

		N	Total %	Valid %
Valid	1 Almost never/never	60	3.2	18.8
	2 Some of the time	52	2.7	16.3
	3 Half of the time	46	2.4	14.4
	4 Most of the time	87	4.6	27.2
	5 Almost always/always	75	3.9	23.4
	Total	320	16.9	100.0
Missing	-99	2	.1	
	System	1577	83.0	
	Total	1579	83.1	
Total		1899	100.0	

Q169_5 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - Because it's fun

		N	Total %	Valid %
Valid	1 Almost never/never	72	3.8	22.6
	2 Some of the time	59	3.1	18.6
	3 Half of the time	45	2.4	14.2
	4 Most of the time	70	3.7	22.0
	5 Almost always/always	72	3.8	22.6
	Total	318	16.7	100.0
Missing	-99	4	.2	
	System	1577	83.0	
	Total	1581	83.3	
Total		1899	100.0	

Q169_6 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - Because my friends pressure me to use marijuana (or cannabis/synthetic marijuana for UNL)

		N	Total %	Valid %
Valid	1 Almost never/never	259	13.6	80.9
	2 Some of the time	42	2.2	13.1
	3 Half of the time	10	.5	3.1
	4 Most of the time	4	.2	1.3
	5 Almost always/always	5	.3	1.6
	Total	320	16.9	100.0
Missing	-99	2	.1	
	System	1577	83.0	
	Total	1579	83.1	
Total		1899	100.0	

Q169_8 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - So that others won't tease me about not using marijuana (or cannabis/synthetic marijuana for UNL)

		N	Total %	Valid %
Valid	1 Almost never/never	295	15.5	92.2
	2 Some of the time	11	.6	3.4
	3 Half of the time	7	.4	2.2
	4 Most of the time	2	.1	.6
	5 Almost always/always	5	.3	1.6
	Total	320	16.9	100.0
Missing	-99	2	.1	
	System	1577	83.0	
	Total	1579	83.1	
Total		1899	100.0	

Q169_9 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - To fit in with the group I like

		N	Total %	Valid %
Valid	1 Almost never/never	279	14.7	87.5
	2 Some of the time	27	1.4	8.5
	3 Half of the time	5	.3	1.6
	4 Most of the time	2	.1	.6
	5 Almost always/always	6	.3	1.9
	Total	319	16.8	100.0
Missing	-99	3	.2	
	System	1577	83.0	
	Total	1580	83.2	
Total	1899	100.0		

Q169_10 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - To be liked

		N	Total %	Valid %
Valid	1 Almost never/never	288	15.2	90.0
	2 Some of the time	20	1.1	6.3
	3 Half of the time	8	.4	2.5
	4 Most of the time	1	.1	.3
	5 Almost always/always	3	.2	.9
	Total	320	16.9	100.0
Missing	-99	2	.1	
	System	1577	83.0	
	Total	1579	83.1	
Total	1899	100.0		

Q169_11 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - So I won't feel left out

		N	Total %	Valid %
Valid	1 Almost never/never	272	14.3	85.3
	2 Some of the time	30	1.6	9.4
	3 Half of the time	8	.4	2.5
	4 Most of the time	6	.3	1.9
	5 Almost always/always	3	.2	.9
	Total	319	16.8	100.0
Missing	-99	3	.2	
	System	1577	83.0	
	Total	1580	83.2	
Total	1899	100.0		

Q170_1 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - To know myself better

		N	Total %	Valid %
Valid	1 Almost never/never	205	10.8	64.5
	2 Some of the time	49	2.6	15.4
	3 Half of the time	23	1.2	7.2
	4 Most of the time	21	1.1	6.6
	5 Almost always/always	20	1.1	6.3
	Total	318	16.7	100.0
Missing	-99	4	.2	
	System	1577	83.0	
	Total	1581	83.3	
Total	1899	100.0		

Q170_2 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - Because it helps me be more creative and original

		N	Total %	Valid %
Valid	1 Almost never/never	178	9.4	56.2
	2 Some of the time	58	3.1	18.3
	3 Half of the time	29	1.5	9.1
	4 Most of the time	31	1.6	9.8
	5 Almost always/always	21	1.1	6.6
	Total	317	16.7	100.0
Missing	-99	5	.3	
	System	1577	83.0	
	Total	1582	83.3	
Total	1899	100.0		

Q170_3 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - To understand things differently

		N	Total %	Valid %
Valid	1 Almost never/never	164	8.6	51.9
	2 Some of the time	61	3.2	19.3
	3 Half of the time	36	1.9	11.4
	4 Most of the time	33	1.7	10.4
	5 Almost always/always	22	1.2	7.0
	Total	316	16.6	100.0
Missing	-99	6	.3	
	System	1577	83.0	
	Total	1583	83.4	
Total	1899	100.0		

Q170_4 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - To expand my awareness

		N	Total %	Valid %
Valid	1 Almost never/never	172	9.1	54.3
	2 Some of the time	56	2.9	17.7
	3 Half of the time	28	1.5	8.8
	4 Most of the time	34	1.8	10.7
	5 Almost always/always	27	1.4	8.5
	Total	317	16.7	100.0
Missing	-99	5	.3	
	System	1577	83.0	
	Total	1582	83.3	
Total		1899	100.0	

Q170_5 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - To be more open to experiences

		N	Total %	Valid %
Valid	1 Almost never/never	150	7.9	47.5
	2 Some of the time	68	3.6	21.5
	3 Half of the time	31	1.6	9.8
	4 Most of the time	36	1.9	11.4
	5 Almost always/always	31	1.6	9.8
	Total	316	16.6	100.0
Missing	-99	6	.3	
	System	1577	83.0	
	Total	1583	83.4	
Total		1899	100.0	

Q68 How often in the past year have you drove a vehicle after using marijuana (or cannabis/synthetic marijuana for UNL)?

		N	Total %	Valid %
Valid	1 0 times	234	12.3	72.9
	2 1 time	21	1.1	6.5
	3 2 times	15	.8	4.7
	4 3 - 5 times	17	.9	5.3
	5 More than 5 times	34	1.8	10.6
	Total	321	16.9	100.0
Missing	System	1578	83.1	
Total		1899	100.0	

Q69_1 Where marijuana (or cannabis/synthetic marijuana for UNL) used in past year: Residence hall (Bellevue=Student housing on campus)

		N	Total %	Valid %
Valid	0	254	13.4	87.0
	1 Residence hall	38	2.0	13.0
	Total	292	15.4	100.0
Missing	-99	3	.2	
	System	1604	84.5	
	Total	1607	84.6	
Total		1899	100.0	

Q69_2 Where marijuana (or cannabis/synthetic marijuana for UNL) used in past year: Your apartment/house

		N	Total %	Valid %
Valid	0	112	5.9	35.2
	1 Your apartment/house	206	10.8	64.8
	Total	318	16.7	100.0
Missing	-99	3	.2	
	System	1578	83.1	
	Total	1581	83.3	
Total		1899	100.0	

Q69_3 Where marijuana (or cannabis/synthetic marijuana for UNL) used in past year: Greek house

		N	Total %	Valid %
Valid	0	136	7.2	97.1
	1 Greek house	4	.2	2.9
	Total	140	7.4	100.0
Missing	System	1759	92.6	
Total		1899	100.0	

Q69_4 Where marijuana (or cannabis/synthetic marijuana for UNL) used in past year: Athletic events

		N	Total %	Valid %
Valid	0	303	16.0	95.3
	1 Athletic events	15	.8	4.7
	Total	318	16.7	100.0
Missing	-99	3	.2	
	System	1578	83.1	
	Total	1581	83.3	
Total		1899	100.0	

Q69_5 Where marijuana (or cannabis/synthetic marijuana for UNL) used in past year: Concerts

		N	Total %	Valid %
Valid	0	262	13.8	82.4
	1 Concerts	56	2.9	17.6
	Total	318	16.7	100.0
Missing	-99	3	.2	
	System	1578	83.1	
	Total	1581	83.3	
Total		1899	100.0	

Q69_6 Where marijuana (or cannabis/synthetic marijuana for UNL) used in past year: Bars

		N	Total %	Valid %
Valid	0	279	14.7	87.7
	1 Bars	39	2.1	12.3
	Total	318	16.7	100.0
Missing	-99	3	.2	
	System	1578	83.1	
	Total	1581	83.3	
Total		1899	100.0	

Q69_7 Where marijuana (or cannabis/synthetic marijuana for UNL) used in past year: Parties

		N	Total %	Valid %
Valid	0	234	12.3	73.6
	1 Parties	84	4.4	26.4
	Total	318	16.7	100.0
Missing	-99	3	.2	
	System	1578	83.1	
	Total	1581	83.3	
Total		1899	100.0	

Q69_8 Where marijuana (or cannabis/synthetic marijuana for UNL) used in past year: Social gathering or friends house (off-campus)

		N	Total %	Valid %
Valid	0	98	5.2	30.8
	1 Social gathering or friend's house (off-campus)	220	11.6	69.2
	Total	318	16.7	100.0
Missing	-99	3	.2	
	System	1578	83.1	
	Total	1581	83.3	
Total		1899	100.0	

Q69_9 Where marijuana (or cannabis/synthetic marijuana for UNL) used in past year: Outdoors

		N	Total %	Valid %
Valid	0	200	10.5	62.9
	1 Outdoors	118	6.2	37.1
	Total	318	16.7	100.0
Missing	-99	3	.2	
	System	1578	83.1	
	Total	1581	83.3	
Total		1899	100.0	

Q69_10 Where marijuana (or cannabis/synthetic marijuana for UNL) used in past year: In a car

		N	Total %	Valid %
Valid	0	226	11.9	71.1
	1 In a car	92	4.8	28.9
	Total	318	16.7	100.0
Missing	-99	3	.2	
	System	1578	83.1	
	Total	1581	83.3	
Total		1899	100.0	

Q69_11 Where marijuana (or cannabis/synthetic marijuana for UNL) used in past year: Other (specify)

		N	Total %	Valid %
Valid	0	310	16.3	97.5
	1 Other (please specify)	8	.4	2.5
	Total	318	16.7	100.0
Missing	-99	3	.2	
	System	1578	83.1	
	Total	1581	83.3	
Total		1899	100.0	

Q69_11_TEXT Where marijuana (or cannabis/synthetic marijuana for UNL) used in past year:
Other (specify) - Text

	N	Total %	Valid %
Valid	1578	83.1	83.1
-99	315	16.6	16.6
Airport	1	.1	.1
Beligum and Minnesota	1	.1	.1
Everywhere	1	.1	.1
Football game	1	.1	.1
NA	1	.1	.1
out of the United States	1	.1	.1
Total	1899	100.0	100.0

Q70 When used marijuana (or cannabis/synthetic marijuana for UNL) in a car, usual the status of the car

		N	Total %	Valid %
Valid	1 Parked on campus	5	.3	5.4
	2 Parked off campus	71	3.7	77.2
	3 Being driven	16	.8	17.4
	Total	92	4.8	100.0
Missing	System	1807	95.2	
Total		1899	100.0	

Q71 Which best fits intentions to change the way you use marijuana/cannabis/synthetic marijuana (Delta 8, K2, etc.)?

		N	Total %	Valid %
Valid	1 I am currently trying to use marijuana/cannabis/synthetic marijuana (Delta 8, K2, etc.) less often and/or quit.	91	4.8	28.7
	2 I am ready to try to use marijuana/cannabis/synthetic marijuana (Delta 8, K2, etc.) less frequently and/or quit.	20	1.1	6.3
	3 I am thinking about using marijuana/cannabis/synthetic marijuana (Delta 8, K2, etc.) less and/or quit.	38	2.0	12.0
	4 I see no need to change my marijuana/cannabis/synthetic marijuana (Delta 8, K2, etc.) use.	168	8.8	53.0
	Total	317	16.7	100.0
Missing	-99	3	.2	
	System	1579	83.1	
	Total	1582	83.3	
Total		1899	100.0	

Q72_1 Frequency of use in past year: - Cocaine

		N	Total %	Valid %
Valid	1 Never	1546	81.4	98.2
	2 1 - 6 times/year	26	1.4	1.7
	3 1 - 2 times/month	2	.1	.1
	Total	1574	82.9	100.0
Missing	-99	13	.7	
	System	312	16.4	
	Total	325	17.1	
Total		1899	100.0	

Q72_2 Frequency of use in past year: - Hallucinogens (mushrooms, LSD, MDMA, Ecstasy)

		N	Total %	Valid %
Valid	1 Never	1522	80.1	96.8
	2 1 - 6 times/year	46	2.4	2.9
	3 1 - 2 times/month	5	.3	.3
	Total	1573	82.8	100.0
Missing	-99	14	.7	
	System	312	16.4	
	Total	326	17.2	
Total		1899	100.0	

Q72_3 Frequency of use in past year: - Opioids (heroin, fentanyl, oxycodone, etc.)

		N	Total %	Valid %
Valid	1 Never	1546	81.4	98.7
	2 1 - 6 times/year	20	1.1	1.3
	3 1 - 2 times/month	1	.1	.1
	Total	1567	82.5	100.0
Missing	-99	20	1.1	
	System	312	16.4	
	Total	332	17.5	
Total		1899	100.0	

Q72_5 Frequency of use in past year: - Methamphetamines (meth, ice, speed)

		N	Total %	Valid %
Valid	1 Never	1560	82.1	99.8
	2 1 - 6 times/year	2	.1	.1
	3 1 - 2 times/month	1	.1	.1
	Total	1563	82.3	100.0
Missing	-99	24	1.3	
	System	312	16.4	
	Total	336	17.7	
Total		1899	100.0	

Q72_4 Frequency of use in past year: - Other (specify):

		N	Total %	Valid %
Valid	1 Never	1171	61.7	99.3
	2 1 - 6 times/year	4	.2	.3
	3 1 - 2 times/month	2	.1	.2
	4 1 - 2 times/week or more	2	.1	.2
	Total	1179	62.1	100.0
Missing	-99	408	21.5	
	System	312	16.4	
	Total	720	37.9	
Total	1899	100.0		

Q72_4 TEXT Frequency of use in past year: - Other (specify): - Text

		N	Total %	Valid %
Valid	-99	312	16.4	16.4
	Caffeine	1583	83.4	83.4
	I have a prescription for focalin XR for my ADHD, which was prescribed and taken once daily	1	.1	.1
	Protein shake	1	.1	.1
	Prozac	1	.1	.1
	Total	1899	100.0	100.0

Q73_1 Frequency of use in past year: - Cigarettes

		N	Total %	Valid %
Valid	1 Never	1365	71.9	86.9
	2 1 - 6 times/year	150	7.9	9.5
	3 1 - 3 times/month	36	1.9	2.3
	4 1 - 2 times/week	9	.5	.6
	5 3 - 6 times/week	5	.3	.3
	6 Daily	6	.3	.4
	Total	1571	82.7	100.0
Missing	-99	14	.7	
	System	314	16.5	
	Total	328	17.3	
Total	1899	100.0		

Q73_2 Frequency of use in past year: - Cigars

		N	Total %	Valid %
Valid	1 Never	1436	75.6	91.5
	2 1 - 6 times/year	118	6.2	7.5
	3 1 - 3 times/month	14	.7	.9
	5 3 - 6 times/week	1	.1	.1
	Total	1569	82.6	100.0
Missing	-99	16	.8	
	System	314	16.5	
	Total	330	17.4	
Total		1899	100.0	

Q73_3 Frequency of use in past year: - Smokeless tobacco

		N	Total %	Valid %
Valid	1 Never	1512	79.6	96.6
	2 1 - 6 times/year	35	1.8	2.2
	3 1 - 3 times/month	8	.4	.5
	4 1 - 2 times/week	3	.2	.2
	5 3 - 6 times/week	3	.2	.2
	6 Daily	5	.3	.3
	Total	1566	82.5	100.0
Missing	-99	19	1.0	
	System	314	16.5	
	Total	333	17.5	
Total		1899	100.0	

Q73_4 Frequency of use in past year: - Tobacco pipes

		N	Total %	Valid %
Valid	1 Never	1551	81.7	99.1
	2 1 - 6 times/year	10	.5	.6
	3 1 - 3 times/month	1	.1	.1
	4 1 - 2 times/week	2	.1	.1
	5 3 - 6 times/week	1	.1	.1
	Total	1565	82.4	100.0
Missing	-99	20	1.1	
	System	314	16.5	
	Total	334	17.6	
Total		1899	100.0	

Q73_5 Frequency of use in past year: - Hookah

		N	Total %	Valid %
Valid	1 Never	1536	80.9	98.1
	2 1 - 6 times/year	26	1.4	1.7
	3 1 - 3 times/month	3	.2	.2
	4 1 - 2 times/week	1	.1	.1
	Total	1566	82.5	100.0
Missing	-99	19	1.0	
	System	314	16.5	
	Total	333	17.5	
Total	1899	100.0		

Q73_6 Frequency of use in past year: - E-cigarettes

		N	Total %	Valid %
Valid	1 Never	1356	71.4	86.9
	2 1 - 6 times/year	77	4.1	4.9
	3 1 - 3 times/month	25	1.3	1.6
	4 1 - 2 times/week	18	.9	1.2
	5 3 - 6 times/week	15	.8	1.0
	6 Daily	69	3.6	4.4
	Total	1560	82.1	100.0
Missing	-99	25	1.3	
	System	314	16.5	
	Total	339	17.9	
Total	1899	100.0		

Q73_7 Frequency of use in past year: - JUUL (UNL & SCC also included vapes; Northeast CC included vapes instead of JUUL)

		N	Total %	Valid %
Valid	1 Never	1466	77.2	94.0
	2 1 - 6 times/year	47	2.5	3.0
	3 1 - 3 times/month	14	.7	.9
	4 1 - 2 times/week	12	.6	.8
	5 3 - 6 times/week	5	.3	.3
	6 Daily	16	.8	1.0
	Total	1560	82.1	100.0
Missing	-99	25	1.3	
	System	314	16.5	
	Total	339	17.9	
Total	1899	100.0		

Q73_8 Frequency of use in past year: - Other (specify):

		N	Total %	Valid %
Valid	1 Never	1081	56.9	98.3
	2 1 - 6 times/year	5	.3	.5
	3 1 - 3 times/month	2	.1	.2
	5 3 - 6 times/week	4	.2	.4
	6 Daily	8	.4	.7
	Total	1100	57.9	100.0
Missing	-99	485	25.5	
	System	314	16.5	
	Total	799	42.1	
Total	1899	100.0		

Q73_8 TEXT Frequency of use in past year: - Other (specify): - Text

		N	Total %	Valid %	
Valid	-99	1571	82.7	82.7	
	dab pen	1	.1	.1	
	disposable vapes	1	.1	.1	
	vape	2	.1	.1	
	Vape	3	.2	.2	
	Vape (quit now)	1	.1	.1	
	Vitamin D Pills	1	.1	.1	
	Zyn	5	.3	.3	
	Total	1899	100.0	100.0	

Q75_1 How often do this when driving? - Wear a safety belt

		N	Total %	Valid %
Valid	1 Never	5	.3	.5
	2 Rarely	6	.3	.5
	3 Sometimes	12	.6	1.1
	4 Most of the time	42	2.2	3.8
	5 Always	1034	54.4	94.0
	88 I do not drive	1	.1	.1
	Total	1100	57.9	100.0
Missing	System	799	42.1	
Total		1899	100.0	

Q75_2 How often do this when driving? - Talk on a cell phone

		N	Total %	Valid %
Valid	1 Never	217	11.4	19.8
	2 Rarely	390	20.5	35.6
	3 Sometimes	407	21.4	37.1
	4 Most of the time	58	3.1	5.3
	5 Always	24	1.3	2.2
	88 I do not drive	1	.1	.1
	Total	1097	57.8	100.0
Missing	-99	3	.2	
	System	799	42.1	
	Total	802	42.2	
Total	1899	100.0		

Q75_3 How often do this when driving? - Text message on a cell phone

		N	Total %	Valid %
Valid	1 Never	307	16.2	27.9
	2 Rarely	426	22.4	38.7
	3 Sometimes	291	15.3	26.5
	4 Most of the time	59	3.1	5.4
	5 Always	16	.8	1.5
	88 I do not drive	1	.1	.1
	Total	1100	57.9	100.0
Missing	System	799	42.1	
Total		1899	100.0	

Q76_1 How likely to: - Tell someone if I heard what sounded like yelling or fighting through my residence hall/apartment walls.

		N	Total %	Valid %
Valid	1 Never would	41	2.2	2.6
	2 Unlikely	310	16.3	19.9
	3 Likely	438	23.1	28.2
	4 Very likely	391	20.6	25.1
	5 Definitely would	375	19.7	24.1
	Total	1555	81.9	100.0
Missing	-99	18	.9	
	System	326	17.2	
	Total	344	18.1	
Total	1899	100.0		

Q76_2 How likely to: - Get help if I saw a friend grabbing, pushing, or insulting their boyfriend/girlfriend/partner.

		N	Total %	Valid %
Valid	1 Never would	8	.4	.5
	2 Unlikely	63	3.3	4.0
	3 Likely	315	16.6	20.2
	4 Very likely	461	24.3	29.6
	5 Definitely would	709	37.3	45.6
	Total	1556	81.9	100.0
Missing	-99	17	.9	
	System	326	17.2	
	Total	343	18.1	
Total		1899	100.0	

Q76_3 How likely to: - Speak up and express concern if I heard a stranger talking about coercing someone to have sex.

		N	Total %	Valid %
Valid	1 Never would	10	.5	.6
	2 Unlikely	138	7.3	8.9
	3 Likely	277	14.6	17.8
	4 Very likely	390	20.5	25.1
	5 Definitely would	738	38.9	47.5
	Total	1553	81.8	100.0
Missing	-99	20	1.1	
	System	326	17.2	
	Total	346	18.2	
Total		1899	100.0	

Q76_4 How likely to: - Speak up and express concern if I heard a friend talking about coercing someone to have sex.

		N	Total %	Valid %
Valid	1 Never would	11	.6	.7
	2 Unlikely	26	1.4	1.7
	3 Likely	183	9.6	11.8
	4 Very likely	384	20.2	24.7
	5 Definitely would	948	49.9	61.1
	Total	1552	81.7	100.0
Missing	-99	21	1.1	
	System	326	17.2	
	Total	347	18.3	
Total		1899	100.0	

Q80 In the past two weeks, how stressed have you felt?

		N	Total %	Valid %
Valid	1 Minimal	100	5.3	6.4
	2 A little stress	224	11.8	14.4

	3 Stressed, but managing	700	36.9	45.1
	4 Overwhelmed	441	23.2	28.4
	5 My stress is unbearable.	60	3.2	3.9
	88 I have experienced no stress.	27	1.4	1.7
	Total	1552	81.7	100.0
Missing	-99	13	.7	
	System	334	17.6	
	Total	347	18.3	
Total		1899	100.0	

Q81 To what extent has stress impacted or interfered with your academic life?

		N	Total %	Valid %
Valid	1 Not at all	166	8.7	10.9
	2 Somewhat	500	26.3	32.9
	3 Moderately	460	24.2	30.2
	4 Considerably	292	15.4	19.2
	5 A great deal	103	5.4	6.8
	Total	1521	80.1	100.0
Missing	-99	13	.7	
	System	365	19.2	
	Total	378	19.9	
Total		1899	100.0	

Q82 To what extent has stress impacted or interfered with your personal life?

		N	Total %	Valid %
Valid	1 Not at all	129	6.8	8.5
	2 Somewhat	424	22.3	27.8
	3 Moderately	459	24.2	30.1
	4 Considerably	357	18.8	23.4
	5 A great deal	154	8.1	10.1
	Total	1523	80.2	100.0
Missing	-99	11	.6	
	System	365	19.2	
	Total	376	19.8	
Total		1899	100.0	

Q83_1 Main source of stress: School/Academics

		N	Total %	Valid %
Valid	0	100	5.3	6.6
	1 School/Academics	1417	74.6	93.4
	Total	1517	79.9	100.0
Missing	-99	12	.6	
	System	370	19.5	
	Total	382	20.1	
Total		1899	100.0	

Q83_2 Main source of stress: Financial concerns

		N	Total %	Valid %
Valid	0	753	39.7	49.6
	1 Financial concerns	764	40.2	50.4
	Total	1517	79.9	100.0
Missing	-99	12	.6	
	System	370	19.5	
	Total	382	20.1	
Total		1899	100.0	

Q83_3 Main source of stress: Job

		N	Total %	Valid %
Valid	0	913	48.1	60.2
	1 Job	604	31.8	39.8
	Total	1517	79.9	100.0
Missing	-99	12	.6	
	System	370	19.5	
	Total	382	20.1	
Total		1899	100.0	

Q83_4 Main source of stress: Dating/relationship with partner

		N	Total %	Valid %
Valid	0	1201	63.2	79.2
	1 Dating/relationship with partner	316	16.6	20.8
	Total	1517	79.9	100.0
Missing	-99	12	.6	
	System	370	19.5	
	Total	382	20.1	
Total		1899	100.0	

Q83_5 Main source of stress: Family

		N	Total %	Valid %
Valid	0	1112	58.6	73.3
	1 Family	405	21.3	26.7
	Total	1517	79.9	100.0
Missing	-99	12	.6	
	System	370	19.5	
	Total	382	20.1	
Total		1899	100.0	

Q83_6 Main source of stress: Friends

		N	Total %	Valid %
Valid	0	1183	62.3	78.0
	1 Friends	334	17.6	22.0
	Total	1517	79.9	100.0
Missing	-99	12	.6	
	System	370	19.5	
	Total	382	20.1	
Total		1899	100.0	

Q83_7 Main source of stress: Roommates

		N	Total %	Valid %
Valid	0	1307	68.8	86.2
	1 Roommates	210	11.1	13.8
	Total	1517	79.9	100.0
Missing	-99	12	.6	
	System	370	19.5	
	Total	382	20.1	
Total		1899	100.0	

Q83_8 Main source of stress: Time management

		N	Total %	Valid %
Valid	0	742	39.1	48.9
	1 Time management	775	40.8	51.1
	Total	1517	79.9	100.0
Missing	-99	12	.6	
	System	370	19.5	
	Total	382	20.1	
Total		1899	100.0	

Q83_9 Main source of stress: Physical health

		N	Total %	Valid %
Valid	0	1036	54.6	68.3
	1 Physical health	481	25.3	31.7
	Total	1517	79.9	100.0
Missing	-99	12	.6	
	System	370	19.5	
	Total	382	20.1	
Total		1899	100.0	

Q83_10 Main source of stress: Future plans (e.g., graduation, finding a job)

		N	Total %	Valid %
Valid	0	700	36.9	46.1
	1 Future plans (e.g., graduation, finding a job)	817	43.0	53.9
	Total	1517	79.9	100.0
Missing	-99	12	.6	
	System	370	19.5	
	Total	382	20.1	
Total		1899	100.0	

Q83_11 Main source of stress: Outside organizations/responsibilities

		N	Total %	Valid %
Valid	0	1281	67.5	84.4
	1 Outside organizations/responsibilities (e.g., Athletics, fraternity/sorority)	236	12.4	15.6
	Total	1517	79.9	100.0
Missing	-99	12	.6	
	System	370	19.5	
	Total	382	20.1	
Total		1899	100.0	

Q83_12 Main source of stress: Mental health issues

		N	Total %	Valid %
Valid	0	970	51.1	63.9
	1 Mental health issues	547	28.8	36.1
	Total	1517	79.9	100.0
Missing	-99	12	.6	
	System	370	19.5	
	Total	382	20.1	
Total		1899	100.0	

Q83_14 Main source of stress: Adverse events (e.g. natural disasters)

		N	Total %	Valid %
Valid	0	1453	76.5	95.8
	1 Adverse events (e.g., natural disasters)	64	3.4	4.2
	Total	1517	79.9	100.0
Missing	-99	12	.6	
	System	370	19.5	
	Total	382	20.1	
Total		1899	100.0	

Q83_13 Main source of stress: Other (specify)

		N	Total %	Valid %
Valid	0	1483	78.1	97.8
	1 Other (please specify)	34	1.8	2.2
	Total	1517	79.9	100.0
Missing	-99	12	.6	
	System	370	19.5	
	Total	382	20.1	
Total		1899	100.0	

Q83_13_TEXT Main source of stress:- Other (specify) - TEXT

		N	Total %	Valid %
Valid		370	19.5	19.5
	-99	1500	79.0	79.0
	Athletics	1	.1	.1
	Being harassed online for months	1	.1	.1
	Being required to take the vaccine to go to college	1	.1	.1
	Driving practice	1	.1	.1
	ectopic pregnancy + loss of pregnancy + surgery	1	.1	.1
	Gender Identity	1	.1	.1
	Gender Identity Concerns	1	.1	.1
	Grief	1	.1	.1
	Had a baby	1	.1	.1
	How little our generation cares about leaving a positive impact on the world around us and doing the "right thing" even when it doesn't sound desirable or sounds inconvenient.	1	.1	.1
	I lost alot of people close to me unexpected death or somewhat.	1	.1	.1
	I've trained myself to let go of stress.	1	.1	.1
	ilness	1	.1	.1
	Lack of sleep	1	.1	.1
	late stage capitalism/police state/knowning that the system is working as intended	1	.1	.1
	literally everything	1	.1	.1

	My baby daddy drama, being a single mother because my daughter's dad isn't involved, but they still find ways to harass me and to put me down as a mother when he's not even involved in her life	1	.1	.1
	Non	1	.1	.1
	Politics	1	.1	.1
	pregnancy lol	1	.1	.1
	read depressing books	1	.1	.1
	Recent car accident	1	.1	.1
	Religious affiliations	1	.1	.1
	Sleep Deprivation	1	.1	.1
	sport	1	.1	.1
	The genocide on Gaza has me really worried.	1	.1	.1
	Too much to do and everything happening at once. Also a conflict with someone	1	.1	.1
	war in Israel	1	.1	.1
	World events	1	.1	.1
	Total	1899	100.0	100.0

Q84_1 Stress relief in past 2 weeks: Made a list of what you needed to do

		N	Total %	Valid %
Valid	0	704	37.1	46.7
	1 Made a list of what you needed to do	805	42.4	53.3
	Total	1509	79.5	100.0
Missing	-99	20	1.1	
	System	370	19.5	
	Total	390	20.5	
Total		1899	100.0	

Q84_2 Stress relief in past 2 weeks: Exercised

		N	Total %	Valid %
Valid	0	635	33.4	42.1
	1 Exercised	874	46.0	57.9
	Total	1509	79.5	100.0
Missing	-99	20	1.1	
	System	370	19.5	
	Total	390	20.5	
Total		1899	100.0	

Q84_3 Stress relief in past 2 weeks: Ate healthy foods

		N	Total %	Valid %
Valid	0	855	45.0	56.7
	1 Ate healthy foods	654	34.4	43.3
	Total	1509	79.5	100.0
Missing	-99	20	1.1	
	System	370	19.5	
	Total	390	20.5	
Total		1899	100.0	

Q84_4 Stress relief in past 2 weeks: Talked with a friend

		N	Total %	Valid %
Valid	0	507	26.7	33.6
	1 Talked with a friend	1002	52.8	66.4
	Total	1509	79.5	100.0
Missing	-99	20	1.1	
	System	370	19.5	
	Total	390	20.5	
Total		1899	100.0	

Q84_5 Stress relief in past 2 weeks: Talked with family

		N	Total %	Valid %
Valid	0	689	36.3	45.7
	1 Talked with family	820	43.2	54.3
	Total	1509	79.5	100.0
Missing	-99	20	1.1	
	System	370	19.5	
	Total	390	20.5	
Total		1899	100.0	

Q84_6 Stress relief in past 2 weeks: Said "No" to additional time pressures

		N	Total %	Valid %
Valid	0	978	51.5	64.8
	1 Said "No" to additional time pressures	531	28.0	35.2
	Total	1509	79.5	100.0
Missing	-99	20	1.1	
	System	370	19.5	
	Total	390	20.5	
Total		1899	100.0	

Q84_7 Stress relief in past 2 weeks: Smiled/Laughed

		N	Total %	Valid %
Valid	0	541	28.5	35.9
	1 Smiled/Laughed	968	51.0	64.1
	Total	1509	79.5	100.0
Missing	-99	20	1.1	
	System	370	19.5	
	Total	390	20.5	
Total		1899	100.0	

Q84_8 Stress relief in past 2 weeks: Online, video, or computer games

		N	Total %	Valid %
Valid	0	884	46.6	58.6
	1 Online, video, or computer games	625	32.9	41.4
	Total	1509	79.5	100.0
Missing	-99	20	1.1	
	System	370	19.5	
	Total	390	20.5	
Total		1899	100.0	

Q84_9 Stress relief in past 2 weeks: Took a nap/slept

		N	Total %	Valid %
Valid	0	507	26.7	33.6
	1 Took a nap/slept	1002	52.8	66.4
	Total	1509	79.5	100.0
Missing	-99	20	1.1	
	System	370	19.5	
	Total	390	20.5	
Total		1899	100.0	

Q84_10 Stress relief in past 2 weeks: Listened to music

		N	Total %	Valid %
Valid	0	419	22.1	27.8
	1 Listened to music	1090	57.4	72.2
	Total	1509	79.5	100.0
Missing	-99	20	1.1	
	System	370	19.5	
	Total	390	20.5	
Total		1899	100.0	

Q84_11 Stress relief in past 2 weeks: Religious practices

		N	Total %	Valid %
Valid	0	1097	57.8	72.7
	1 Religious practices	412	21.7	27.3
	Total	1509	79.5	100.0
Missing	-99	20	1.1	
	System	370	19.5	
	Total	390	20.5	
Total		1899	100.0	

Q84_12 Stress relief in past 2 weeks: Drank alcoholic beverages

		N	Total %	Valid %
Valid	0	1267	66.7	84.0
	1 Drank alcoholic beverages	242	12.7	16.0
	Total	1509	79.5	100.0
Missing	-99	20	1.1	
	System	370	19.5	
	Total	390	20.5	
Total		1899	100.0	

Q84_13 Stress relief in past 2 weeks: Used tobacco (e.g. cigarettes, vape)

		N	Total %	Valid %
Valid	0	1427	75.1	94.6
	1 Used tobacco (e.g. cigarettes, vape)	82	4.3	5.4
	Total	1509	79.5	100.0
Missing	-99	20	1.1	
	System	370	19.5	
	Total	390	20.5	
Total		1899	100.0	

Q84_14 Stress relief in past 2 weeks: Used marijuana/cannabis/synthetic marijuana (Delta 8, K2, etc.)

		N	Total %	Valid %
Valid	0	1385	72.9	91.8
	1 Used marijuana/cannabis/synthetic marijuana (Delta 8, K2, etc.)	124	6.5	8.2
	Total	1509	79.5	100.0
Missing	-99	20	1.1	
	System	370	19.5	
	Total	390	20.5	
Total		1899	100.0	

Q84_16 Stress relief in past 2 weeks: Watched tv/movies

		N	Total %	Valid %
Valid	0	609	32.1	40.4
	1 Watched tv/movies	900	47.4	59.6
	Total	1509	79.5	100.0
Missing	-99	20	1.1	
	System	370	19.5	
	Total	390	20.5	
Total		1899	100.0	

Q84_17 Stress relief in past 2 weeks: Make things (e.g. arts, crafts)

		N	Total %	Valid %
Valid	0	1172	61.7	77.7
	1 Make things (e.g. arts, crafts)	337	17.7	22.3
	Total	1509	79.5	100.0
Missing	-99	20	1.1	
	System	370	19.5	
	Total	390	20.5	
Total		1899	100.0	

Q84_18 Stress relief in past 2 weeks: Read

		N	Total %	Valid %
Valid	0	977	51.4	64.7
	1 Read	532	28.0	35.3
	Total	1509	79.5	100.0
Missing	-99	20	1.1	
	System	370	19.5	
	Total	390	20.5	
Total		1899	100.0	

Q84_15 Stress relief in past 2 weeks: Other (specify)

		N	Total %	Valid %
Valid	0	1479	77.9	98.0
	1 Other (please specify)	30	1.6	2.0
	Total	1509	79.5	100.0
Missing	-99	20	1.1	
	System	370	19.5	
	Total	390	20.5	
Total		1899	100.0	

Q84_15_TEXT Which of the following have you done in the past two weeks to relieve stress?
(Check all) - Other (specify) - Text

	N	Total %	Valid %
Valid	370	19.5	19.5
-99	1500	79.0	79.0
Ate unhealthy food	1	.1	.1
Breathing exercises	1	.1	.1
counseling and psychiatric services.	1	.1	.1
cuddled with my cat	1	.1	.1
Drive in my car without a plan.	1	.1	.1
Hallow app	1	.1	.1
I also create online books	1	.1	.1
i like stress, I did these, but not with the intent of eliminating or minimizing my stress.	1	.1	.1
I not only ate healthy foods but also unhealthy. I have a bad habit of snacking when stressed.	1	.1	.1
Journal	1	.1	.1
Learning to be okay with not being perfect and not knowing all the answers to my future.	1	.1	.1
Meditate, journal, breathing exercises	1	.1	.1
meditation	1	.1	.1
Meditation/breathing exercises	1	.1	.1
Nature walks	1	.1	.1
no do my homework	1	.1	.1
Non	1	.1	.1
Nothing	1	.1	.1
OVERWATCH	1	.1	.1
Played music	1	.1	.1
Played piano	1	.1	.1
Pretty much nothing helps, even if i try	1	.1	.1
Stress is not a problem.	1	.1	.1
Talk to mentor	1	.1	.1
therapy	1	.1	.1
Therapy	3	.2	.2
Went to counseling	1	.1	.1
Total	1899	100.0	100.0

Q87_1 Experienced in the past year? Depression

		N	Total %	Valid %
Valid	0	857	45.1	56.9
	1 Depression	649	34.2	43.1
	Total	1506	79.3	100.0
Missing	-99	44	2.3	
	System	349	18.4	
	Total	393	20.7	
Total		1899	100.0	

Q87_2 Experienced in the past year? Sexual assault

		N	Total %	Valid %
Valid	0	1446	76.1	96.0
	1 Sexual assault	60	3.2	4.0
	Total	1506	79.3	100.0
Missing	-99	44	2.3	
	System	349	18.4	
	Total	393	20.7	
Total		1899	100.0	

Q87_3 Experienced in the past year? Eating disorder(s)

		N	Total %	Valid %
Valid	0	1227	64.6	81.5
	1 Eating disorder(s)	279	14.7	18.5
	Total	1506	79.3	100.0
Missing	-99	44	2.3	
	System	349	18.4	
	Total	393	20.7	
Total		1899	100.0	

Q87_4 Experienced in the past year? Chronic sleep issues

		N	Total %	Valid %
Valid	0	1150	60.6	76.4
	1 Chronic sleep issues	356	18.7	23.6
	Total	1506	79.3	100.0
Missing	-99	44	2.3	
	System	349	18.4	
	Total	393	20.7	
Total		1899	100.0	

Q87_5 Experienced in the past year? Self-injury (not suicidal behavior)

		N	Total %	Valid %
Valid	0	1428	75.2	94.8
	1 Self-injury (not suicidal behavior)	78	4.1	5.2
	Total	1506	79.3	100.0
Missing	-99	44	2.3	
	System	349	18.4	
	Total	393	20.7	
Total		1899	100.0	

Q87_6 Experienced in the past year? Anxiety

		N	Total %	Valid %
Valid	0	471	24.8	31.3
	1 Anxiety	1035	54.5	68.7
	Total	1506	79.3	100.0
Missing	-99	44	2.3	
	System	349	18.4	
	Total	393	20.7	
Total		1899	100.0	

Q87_7 Experienced in the past year? Abusive relationship

		N	Total %	Valid %
Valid	0	1452	76.5	96.4
	1 Abusive relationship	54	2.8	3.6
	Total	1506	79.3	100.0
Missing	-99	44	2.3	
	System	349	18.4	
	Total	393	20.7	
Total		1899	100.0	

Q87_8 Experienced in the past year? Alcohol abuse/dependency

		N	Total %	Valid %
Valid	0	1481	78.0	98.3
	1 Alcohol abuse/dependency	25	1.3	1.7
	Total	1506	79.3	100.0
Missing	-99	44	2.3	
	System	349	18.4	
	Total	393	20.7	
Total		1899	100.0	

Q87_9 Experienced in the past year? Panic attacks

		N	Total %	Valid %
Valid	0	1137	59.9	75.5
	1 Panic attacks	369	19.4	24.5
	Total	1506	79.3	100.0
Missing	-99	44	2.3	
	System	349	18.4	
	Total	393	20.7	
Total		1899	100.0	

Q87_10 Experienced in the past year? Bipolar disorder

		N	Total %	Valid %
Valid	0	1453	76.5	96.5
	1 Bipolar disorder	53	2.8	3.5
	Total	1506	79.3	100.0
Missing	-99	44	2.3	
	System	349	18.4	
	Total	393	20.7	
Total		1899	100.0	

Q87_11 Experienced in the past year? Other (specify)

		N	Total %	Valid %
Valid	0	1475	77.7	97.9
	1 Other (please specify)	31	1.6	2.1
	Total	1506	79.3	100.0
Missing	-99	44	2.3	
	System	349	18.4	
	Total	393	20.7	
Total		1899	100.0	

Q87_11_TEXT Which of the following have you experienced in the past year? (Check all) - Other (specify) - Text

	N	Total %	Valid %
Valid	349	18.4	18.4
-99	1523	80.2	80.2
ADHD	2	.1	.1
ADHD, Narcolepsy	1	.1	.1
Assault	1	.1	.1
Borderline PD	1	.1	.1
Borderline personality disorder	1	.1	.1
Borderline personality disorder, PTSD	1	.1	.1
BPD	2	.1	.1
Dysphoria	1	.1	.1
Episodes of PTSD-like symptoms.	1	.1	.1
Flatulence	1	.1	.1
I don't know if semi-chronic stress eating would technically be considered an eating disorder.	1	.1	.1
Increased chest pain and headaches	1	.1	.1
lack of sleep	1	.1	.1
marijuana dependency	1	.1	.1
obsessive compulsive disorder	1	.1	.1
OCD	4	.2	.2
ocd adhd	1	.1	.1
ptsd	1	.1	.1
PTSD	1	.1	.1
PTSD Flashbacks	1	.1	.1
suicidal ideation	1	.1	.1
trouble with appetite	1	.1	.1
Total	1899	100.0	100.0

Q87_88 Experienced in the past year? I have not experienced any of these.

	N	Total %	Valid %
Valid	0	61.5	77.5
1 I have not experienced any of these.	339	17.9	22.5
Total	1506	79.3	100.0
Missing	-99	2.3	
System	349	18.4	
Total	393	20.7	
Total	1899	100.0	

Q89 Have you ever (in your lifetime) had suicidal thoughts?

		N	Total %	Valid %
Valid	0 No	911	48.0	59.7
	1 Yes	615	32.4	40.3
	Total	1526	80.4	100.0
Missing	-99	21	1.1	
	System	352	18.5	
	Total	373	19.6	
Total		1899	100.0	

Q90 In the past year, have you had suicidal thoughts?

		N	Total %	Valid %
Valid	0 No	355	18.7	57.8
	1 Yes	259	13.6	42.2
	Total	614	32.3	100.0
Missing	-99	1	.1	
	System	1284	67.6	
	Total	1285	67.7	
Total		1899	100.0	

Q91 In the past year, have you attempted suicide?

		N	Total %	Valid %
Valid	0 No	595	31.3	96.7
	1 Yes	20	1.1	3.3
	Total	615	32.4	100.0
Missing	System	1284	67.6	
Total		1899	100.0	

Q92 Have you sought assistance for your suicide attempt/thoughts in the past year?

		N	Total %	Valid %
Valid	0 No	126	6.6	48.5
	1 Yes	134	7.1	51.5
	Total	260	13.7	100.0
Missing	System	1639	86.3	
Total		1899	100.0	

Q95 In the past year, have you been concerned about a friend having suicidal thoughts or behaviors?

		N	Total %	Valid %
Valid	0 No	971	51.1	63.6
	1 Yes	556	29.3	36.4
	Total	1527	80.4	100.0
Missing	-99	18	.9	
	System	354	18.6	
	Total	372	19.6	
Total		1899	100.0	

Q96_1 How likely are you to bring up the topic of suicide with someone you think is at risk?

		N	Total %	Valid %
Valid	1 Very unlikely	128	6.7	8.4
	2 Unlikely	161	8.5	10.6
	3 Neither unlikely nor likely	337	17.7	22.1
	4 Likely	625	32.9	41.0
	5 Very likely	274	14.4	18.0
	Total	1525	80.3	100.0
Missing	-99	20	1.1	
	System	354	18.6	
	Total	374	19.7	
Total		1899	100.0	

Q96_2 How likely are you to refer someone who tells you they are thinking about suicide to a local resource?

		N	Total %	Valid %
Valid	1 Very unlikely	70	3.7	4.6
	2 Unlikely	55	2.9	3.6
	3 Neither unlikely nor likely	176	9.3	11.6
	4 Likely	568	29.9	37.3
	5 Very likely	652	34.3	42.9
	Total	1521	80.1	100.0
Missing	-99	24	1.3	
	System	354	18.6	
	Total	378	19.9	
Total		1899	100.0	

Q97_0 Gender: Woman

		N	Total %	Valid %
Valid	0	413	21.7	28.4
	1 Woman	1041	54.8	71.6
	Total	1454	76.6	100.0
Missing	-99	14	.7	
	System	431	22.7	
	Total	445	23.4	
Total		1899	100.0	

Q97_1 Gender: Man

		N	Total %	Valid %
Valid	0	1072	56.5	73.7
	1 Man	382	20.1	26.3
	Total	1454	76.6	100.0
Missing	-99	14	.7	
	System	431	22.7	
	Total	445	23.4	
Total		1899	100.0	

Q97_2 Gender: Transgender

		N	Total %	Valid %
Valid	0	1434	75.5	98.6
	1 Transgender	20	1.1	1.4
	Total	1454	76.6	100.0
Missing	-99	14	.7	
	System	431	22.7	
	Total	445	23.4	
Total		1899	100.0	

Q97_3 Gender: Gender Queer

		N	Total %	Valid %
Valid	0	1441	75.9	99.1
	1 Gender Queer	13	.7	.9
	Total	1454	76.6	100.0
Missing	-99	14	.7	
	System	431	22.7	
	Total	445	23.4	
Total		1899	100.0	

Q97_99 Gender: Nonbinary

		N	Total %	Valid %
Valid	0	1429	75.3	98.3
	1 Nonbinary	25	1.3	1.7
	Total	1454	76.6	100.0
Missing	-99	14	.7	
	System	431	22.7	
	Total	445	23.4	
Total		1899	100.0	

Q97_4 Gender: Self-Identify (specify)

		N	Total %	Valid %
Valid	0	1450	76.4	99.7
	1 Self-Identify (please specify)	4	.2	.3
	Total	1454	76.6	100.0
Missing	-99	14	.7	
	System	431	22.7	
	Total	445	23.4	
Total		1899	100.0	

Q99 Are you currently a Nebraska athlete?

		N	Total %	Valid %
Valid	0 No	1156	60.9	87.1
	1 Yes	171	9.0	12.9
	Total	1327	69.9	100.0
Missing	-99	10	.5	
	System	562	29.6	
	Total	572	30.1	
Total		1899	100.0	

Q100_1 Sexual orientation: Bisexual

		N	Total %	Valid %
Valid	0	1261	66.4	88.1
	1 Bisexual	171	9.0	11.9
	Total	1432	75.4	100.0
Missing	-99	35	1.8	
	System	432	22.7	
	Total	467	24.6	
Total		1899	100.0	

Q100_2 Sexual orientation: Gay

		N	Total %	Valid %
Valid	0	1416	74.6	98.9
	1 Gay	16	.8	1.1
	Total	1432	75.4	100.0
Missing	-99	35	1.8	
	System	432	22.7	
	Total	467	24.6	
Total		1899	100.0	

Q100_3 Sexual orientation: Lesbian

		N	Total %	Valid %
Valid	0	1412	74.4	98.6
	1 Lesbian	20	1.1	1.4
	Total	1432	75.4	100.0
Missing	-99	35	1.8	
	System	432	22.7	
	Total	467	24.6	
Total		1899	100.0	

Q100_4 Sexual orientation: Heterosexual/straight

		N	Total %	Valid %
Valid	0	289	15.2	20.2
	1 Heterosexual/straight	1143	60.2	79.8
	Total	1432	75.4	100.0
Missing	-99	35	1.8	
	System	432	22.7	
	Total	467	24.6	
Total		1899	100.0	

Q100_5 Sexual orientation: Queer

		N	Total %	Valid %
Valid	0	1401	73.8	97.8
	1 Queer	31	1.6	2.2
	Total	1432	75.4	100.0
Missing	-99	35	1.8	
	System	432	22.7	
	Total	467	24.6	
Total		1899	100.0	

Q100_6 Sexual orientation: Questioning

		N	Total %	Valid %
Valid	0	1389	73.1	97.0
	1 Questioning	43	2.3	3.0
	Total	1432	75.4	100.0
Missing	-99	35	1.8	
	System	432	22.7	
	Total	467	24.6	
Total		1899	100.0	

Q100_7 Sexual orientation: Asexual

		N	Total %	Valid %
Valid	0	1389	73.1	97.0
	1 Asexual	43	2.3	3.0
	Total	1432	75.4	100.0
Missing	-99	35	1.8	
	System	432	22.7	
	Total	467	24.6	
Total		1899	100.0	

Q100_8 Sexual orientation: Pansexual

		N	Total %	Valid %
Valid	0	1395	73.5	97.4
	1 Pansexual	37	1.9	2.6
	Total	1432	75.4	100.0
Missing	-99	35	1.8	
	System	432	22.7	
	Total	467	24.6	
Total		1899	100.0	

Q100_9 Sexual orientation: Other (specify):

		N	Total %	Valid %
Valid	0	1421	74.8	99.2
	1 Other (Please specify):	11	.6	.8
	Total	1432	75.4	100.0
Missing	-99	35	1.8	
	System	432	22.7	
	Total	467	24.6	
Total		1899	100.0	

Q100_9 TEXT Sexual orientation:- Other (specify): - Text

		N	Total %	Valid %
Valid		432	22.7	22.7
	-99	1459	76.8	76.8
	Aromantic	2	.1	.1
	Come on now, that's all nonsense and you know it	1	.1	.1
	demisexual	1	.1	.1
	Demisexual	2	.1	.1
	I don't date.	1	.1	.1
	Man	1	.1	.1
	Total	1899	100.0	100.0

Q108 Student status

		N	Total %	Valid %
Valid	1 Full-time student	1436	75.6	94.1
	2 Part-time student	86	4.5	5.6
	3 Exclusively enrolled in web- based distance learning	4	.2	.3
	Total	1526	80.4	100.0
Missing	-99	10	.5	
	System	363	19.1	
	Total	373	19.6	
Total		1899	100.0	