


# Nebraska Assessment of College Health Behaviors

All Sites



Prepared by:

# MERC

Methodology & Evaluation  
Research Core Facility

370 Prem S. Paul Research Center at Whittier School  
2200 Vine St.  
Lincoln, NE. 68583-0866  
(402) 472-7670  
merc@unl.edu



**Nebraska Assessment of College Health Behaviors: Wave 3: All Sites  
August 2024**

If you have any questions or concerns regarding the information reported within, please contact us at:

Methodology and Evaluation Research Core Facility  
University of Nebraska – Lincoln  
370 Prem S. Paul Research Center at Whittier School  
2200 Vine Street  
Lincoln, NE 68583-0866  
402-472-7217  
merc@unl.edu  
merc.unl.edu

The Methodology and Evaluation Research Core Facility (MERC) provides a range of evaluation and data services to meet our clients' diverse needs. We support clients by sharing our expertise in human data collection and analysis, fostering good data practices, providing a professional outside perspective, telling the story of data, and highlighting inequalities and disparities. MERC also provides education and training to develop these skills in others.

Prepared by:

**Peter Educate**

Evaluation Project Associate

**Debbie Miller, PhD**

Data Specialist

**Francine Goh, PhD**

Evaluation Project Manager

Prepared for:

**Megan Hopkins**

Project Director, Nebraska Collegiate Prevention Alliance (NECPA)  
University of Nebraska – Lincoln

The conduct of this study and the preparation of this report were sponsored by NECPA. Any opinions, findings, conclusions, or recommendations expressed in this publication are those of the authors and do not necessarily reflect the views of the NECPA.

The University of Nebraska does not discriminate based upon any protected status.

Contents

Contents ..... iii

Nebraska Assessment of College Health Behaviors Survey ..... 1

Methodology..... 1

Overall Findings..... 2

    Demographics ..... 2

    Alcohol Use and Related Behaviors ..... 3

    Sexual Experiences and Bystander Intervention ..... 21

    Drug Use and Related Behaviors..... 23

    Mental Health ..... 29

    Miscellaneous ..... 34

Appendices..... 35

    Appendix A: 2024 NACHB Survey ..... 35

    Appendix B: Total Frequencies ..... 86

## Nebraska Assessment of College Health Behaviors Survey

This report is an analysis of data from the 2024 administration of the Nebraska Assessment of College Health Behaviors (NACHB) survey to currently enrolled students at 23 member institutions of the Nebraska Collegiate Prevention Alliance (NECPA). The NACHB survey is designed to assess students' personal attitudes and behaviors related to alcohol, drugs, mental health, and personal violence (e.g., drinking and sexual behaviors). The survey also helps understand individuals' attitudes towards campus and community policies, other students' behavior, and bystander interventions. The data from the survey will make it possible to research trends of these behaviors on campus over time. This is the third administration of the NACHB, and it is scheduled to be administered in even numbered years to college students aged 18-24 at participating institutions across the state. The Methodology and Evaluation Research Core (MERC) Facility at the University of Nebraska-Lincoln (UNL) is contracted to conduct the survey and analyze/report the data collected from the survey.

Results from the NACHB survey provide estimates of the drinking and drug use patterns of currently enrolled students. Unlike the Y1CBP (Year One College Behavior Profile - previously the Year One College Alcohol Profile), which data reflect students' drinking and drug use before coming to campus, NACHB data are valid as a measure of campus-wide drinking and drug use. Therefore, NACHB data can be used as a substitute for a valid campus-level survey of students for obtaining general student drinking and drug use indicators such as ACHA or CORE. Participating NECPA member institutions can use NACHB data to create or update their social norm messages and prevention programming for their students. They can also use NACHB data over time to detect changes in the drinking and drug use patterns of enrolled students that might suggest a need for further prevention and intervention. **Please note: the 2020 administration of the NACHB occurred during the COVID-19 pandemic and trend data from this year should be interpreted bearing this context in mind.**

## Methodology

The NACHB survey is a cross-sectional survey implemented on a web-based platform (Qualtrics). MERC programmed the survey into the Qualtrics online web platform and provided the anonymous survey link to participating NECPA member institutions<sup>1</sup>. These schools emailed the survey link to their enrolled students. Across all 23 schools, 76,611 invitations were sent and 7,282 responses were collected. The number of students who completed and provided sincere responses was 6,235 which resulted in a response rate of 8.1%. Student response data were stored on a secured shared drive/server at UNL.

IBM SPSS V.29 was used for data analysis. For each question, individual responses were aggregated into averages and/or frequencies to provide summary statistics. Differences between demographic subgroups (men/women, non-Greek/Greek members, underage/of-age, non-athlete/athlete, and urban/rural) were compared. Age groups were collapsed into two groups: underage (18-20) vs. of-age (21-24). Urban schools are those located in and around Lincoln and Omaha, as indicated by a U in the footnote. Group differences are only noted when statistically significant.

---

<sup>1</sup> Bellevue University (U), Bryan LGH College of Health Sciences (U), Central Community College, Chadron State College, Clarkson College (U), College of Saint Mary (U), Concordia University, Creighton University (U), Doane University, Metropolitan Community College (U), Midland University, Nebraska College of Technical Agriculture, Nebraska Methodist College (U), Nebraska Wesleyan University (U), Northeast Community College, Peru State College, Southeast Community College (U), Union College (U), University of Nebraska-Kearney, University of Nebraska-Lincoln (U), University of Nebraska-Omaha (U), , , Western Nebraska Community College, and Wayne State College.

## Overall Findings

### Demographics

Table 1: Descriptive Person Statistics				
	n	%/ave	min	max
<b>Age</b>				
	6,235	20	18	24
18	874	14%		
19	1,599	26%		
20	1,347	22%		
21	1,188	19%		
22	675	11%		
23	312	5%		
24	240	4%		
<b>Sex</b>				
Female	4,347	70%		
Male	1,883	30%		
<b>Gender</b>				
Woman	3,133	68%		
Man	1,377	30%		
Transgender	62	1%		
Gender Queer	54	1%		
Self-Identity	26	1%		
Nonbinary	98	2%		
Hispanic/Latino	744	12%		
<b>Race</b>				
American Indian or Alaska Native	130	2%		
Arab or Non-Arab North African/Middle-Eastern	70	1%		
Asian or Asian-American	456	8%		
Black, African-American, or Native African	268	4%		
Native Caribbean or Afro-Caribbean Islander	15	<1%		
Native Hawaiian or Pacific Islander	47	1%		
White, European-American, or Caucasian	5,185	86%		
Bi-racial or Multi-racial	246	4%		
Other	91	2%		
<b>Sexual Orientation</b>				
Asexual	144	3%		
Bisexual	524	12%		
Gay	74	2%		
Lesbian	76	2%		
Heterosexual	3,569	79%		
Pansexual	120	3%		
Queer	112	2%		
Questioning	120	3%		
Other	51	1%		
Nebraska resident	4,603	74%		

Additionally, participants were questioned about their characteristics as students (see Table 2).

Table 2: Descriptive Student Statistics					
		n	%/ave	min	max
Greek (fraternity/sorority)		933	19%		
Year in School					
	1st (freshman)	1,953	31%		
	2nd (sophomore)	1,501	24%		
	3rd (junior)	1,318	21%		
	4th+ (senior)	950	15%		
	5 <sup>th</sup> or more	189	5%		
	NA or graduate student	311	5%		
Athlete		521	13%		
Student Enrollment					
	Full-time student	4,381	94%		
	Part-time student	239	5%		
	Exclusively enrolled in web-based distance learning	66	1%		

### Alcohol Use and Related Behaviors

Consistent with Y1CBP, calculations were conducted to create measures for drinking behaviors (e.g., average drinks, drinks per week) prior to data analysis. All drinking behaviors were computed from the daily drinking diary in the NACHB survey. The diary asked students to report their typical drinking for the past month on a one-week calendar by recording the number of drinks and the number of hours drinking each day of the week. The standard definition for binge drinking is having five (5) or more drinks for men and four (4) or more drinks for women in a single setting. From the diary, a student was classified as an infrequent binger if they report having 5 (men) or 4 (women) drinks on a single day in the diary. Furthermore, a student was classified as a frequent binger if they reported having 5 (men) or 4 (women) drinks on more than one day in the diary. Abstainers were defined as students who reported never drinking or not drinking within the past year. The number of days drinking per month was computed by taking the number of days on which drinking was reported in the one-week diary and multiplying by 4.2. Average drinks per occasion were computed by dividing the total number of drinks reported for the week by the number of days on which drinking is indicated.

When asked about their personal behaviors regarding alcohol consumption, the average age at which students indicated they first started drinking alcohol was approximately 18 years old. Two-thirds (66%) of all students (or 95% of those who have ever consumed alcohol) indicated that they consumed alcohol in the last year. More of-age students reported consuming alcohol in the past year than their counterparts (Figure 1).

**Figure 1. Group differences in percentage of all students who consumed alcohol in the past year**




Overall, nearly two in five (38%) students reported being abstainers. Students (n=6,017 drinkers) reported drinking about approximately two and a half drinks per occasion. Additionally, students reported drinking more than five times (5.2) per week. Less than half (47%) of students drank without bingeing. Eight percent were infrequent bingers and seven percent were frequent bingers. Meanwhile, students reported drinking an average of more than four (4.4) times per month. Male students were more likely to have more drink more per occasion, week, month, and drink more beverages than female students (Table 3). The rate of abstaining alcohol is the highest rate among all students since 2020 (Figure 2). Furthermore, the rate of frequent bingeing is the lowest rate among all students since 2020.

**Table 3: Group differences in drinks consumed (n=2,421-3,717)**

	<u>Sex</u>		<u>Age</u>		<u>Greek</u>		<u>Athlete</u>		<u>Rurality</u>	
	<i>Women</i>	<i>Men</i>	<i>Under-age</i>	<i>Of-age</i>	<i>Greek</i>	<i>Non-Greek</i>	<i>Greek</i>	<i>Non-Athlete</i>	<i>Urban</i>	<i>Rural</i>
Drinks per occasion	2.2	3.1			3.4	2.3				
Drinks per week	4.5	7.0			7.9	4.7			5.4	4.5
Times per week	1.0	1.1	0.9	1.2	1.3	1.0	1.0	1.3	1.1	0.9
Times per month	4.2	4.7	3.8	4.9	5.4	4.3	4.2	5.3	4.6	3.8

**Figure 2: Trend: Percentage of all students who consumed alcohol in the past year**



Students were asked to think of an occasion during the past month when they drank the most, indicate the number and type of alcoholic drinks they consumed, as well as the number of hours they drank that day. Figure 3 displays the average number of beer, wine, and liquor drinks consumed in addition to the average number of hours students spent drinking. Male students were more likely to drink more beer than female students (Table 4). The days students reported drinking for the longest amount of time were Friday (1.7 hours on average) and Saturday (2.1 hours on average).

Figure 3: Most drinks consumed and time spent drinking in one occasion (n=3,091)




Table 4: Group differences when drinking the most in the last month: drinks consumed and time spent (n=3,091)

	<u>Sex</u>		<u>Age</u>		<u>Greek</u>		<u>Athlete</u>		<u>Rurality</u>	
	Women	Men	Under-age	Of-age	Greek	Non-Greek	Greek	Non-Athlete	Urban	Rural
Beer servings	1.1	3.8			2.5	1.8	2.5	1.9		
Wine servings	0.7	0.3							0.7	0.5
Liquor servings					3.9	2.8	2.6	3.1	3.1	2.6
Hours drinking			3.1	3.6	4.2	3.3	3.0	3.5	3.5	3.1

Students who consumed alcohol in the past year were asked to describe a typical drinking week by indicating the number of standard drinks they had each day and the number of hours they drank. Figure 4 displays the number of alcoholic drinks consumed by drinkers in a day by students. Liquor consumption was the highest on Saturday (1.5 drinks on average). Male students were more likely to drink more on the weekend than female students, but there were the most group differences on Thursday (Table 5).

Figure 4: Alcoholic drinks consumed each day (n=2,338)





Table 5: Group differences in alcoholic drinks consumed each day (n=2,338)

	<u>Sex</u>		<u>Greek</u>		<u>Athlete</u>		<u>Rurality</u>	
	Women	Men	Greek	Non-Greek	Athlete	Non-Athlete	Urban	Rural
Tuesday	0.1	0.3						
Wednesday	0.2	0.3						
Thursday	0.4	0.9	1.3	0.4	0.4	0.6	0.6	0.4
Friday	1.7	3.0	3.2	1.9				
Saturday	2.2	3.4	3.7	2.3				
Sunday	0.2	0.5	0.2	0.3				

Among those who consumed alcohol in the past year, the most common places students reported consuming alcohol were at social gatherings (71%), where they live (52%), and bars/restaurants (45%) (Figure 5). See Appendix B for all locations where students consume alcohol. The biggest group difference, unsurprisingly, was based on age: of-age students were more likely to consume alcohol at bars/restaurants than underage students (Table 6). Greek students were more likely than non-Greek peers to drink at several locations – but not at their own home, or a family member’s. Additionally, the rate of students drinking alcohol at a social gathering/friend’s house has increased every year since 2020 (Figure 6).


**Figure 5: Most common locations of alcohol consumption (n=3,372)**



**Table 6: Group differences in location of alcohol consumption (n=3,372)**


	Sex		Age		NE Resident		Greek		Athlete		Rurality	
	W	M	<21	21+	Yes	No	Yes	No	Yes	No	Urban	Rural
Bars/restaurants			12%	76%			53%	44%			48%	37%
Social gathering or friend's house			74%	69%			86%	69%	77%	72%		
Fraternity/sorority house	8%	4%	11%	2%			15%	4%	0%	8%	7%	3%
Residence hall	6%	9%	12%	2%	5%	11%	11%	7%			8%	4%
Sporting events	8%	13%	5%	13%	8%	12%	18%	8%			12%	3%
At a family member's home	38%	30%	39%	33%	38%	30%	26%	36%			34%	39%
Where I live			43%	60%	53%	49%	46%	55%	42%	55%	54%	48%

**Figure 6: Trend: Location of alcohol consumption**



Respondents were asked to indicate where they typically pre-party/pre-game (Figure 7). One in five students (19%) said they do not pre-party. Half of students (50%) reported that they typically pre-party at a social gathering or friend’s house and nearly two-fifths (37%) indicated that they do so where they live. See Appendix B for all locations for where students pre-party/pre-game. Non-Greek students were less likely to pre-party than Greek students (Table 7).

**Figure 7: Location of pre-party/pre-game (n=3,356)**




**Table 7: Group differences in location of pre-party/pre-game (n=3,356)**


	<u>Sex</u>		<u>Age</u>		<u>NE Resident</u>		<u>Greek</u>		<u>Athlete</u>		<u>Rurality</u>	
	<i>W</i>	<i>M</i>	<i>&lt;21</i>	<i>21+</i>	<i>Yes</i>	<i>No</i>	<i>Yes</i>	<i>No</i>	<i>Yes</i>	<i>No</i>	<i>Urban</i>	<i>Rural</i>
I do not pre-party			38%	34%	37%	30%	14%	40%	26%	36%	32%	44%
Bars/restaurants	8%	10%	3%	13%			12%	7%	12%	7%		
Social gathering/ friend's house			48%	52%	49%	55%	75%	45%	57%	50%	53%	42%
Greek house			5%	1%			10%	1%	1%	3%		
Residence hall			13%	2%	6%	10%	12%	6%			8%	5%
Sporting events	6%	9%	8%	6%			14%	5%			8%	3%
Parking lot	4%	7%	6%	4%	5%	4%	6%	4%				
In transit	4%	6%	7%	3%					9%	4%		
At a family member's home	11%	8%			11%	8%						
Where I live			29%	43%			42%	36%			39%	31%

Students were asked to think back to the last time they consumed the most alcohol and indicate where that took place (Figure 8). The most common answers were at a social gathering (40%), followed by bars/restaurants (25%), and where they live (18%). Less than 5% of students said they consumed the most alcohol in a fraternity or sorority house, in a residence hall, at a sporting event, or at a fraternity or sorority community in a residence hall. Students have been less likely to report drinking the greatest amount at home since 2020 (Figure 9).

**Figure 8: Locations of greatest alcohol consumption (n=3,348)**




**Figure 9: Trend: Locations of greatest alcohol consumption**



Students who had consumed alcohol in the past year were asked what contributed to their decision to drink (Figure 10 shows the more common reasons). Two out of three respondents (66%) said to have fun with friends. Refer to Appendix B for the full list of factors. Table 8 shows significant group differences based on reasons to drink. The most common differences were based on sex (with men more likely than women to select most reasons – except to have fun with friends) and rurality. Students at urban schools were more likely to report seven of the nine reasons with significant differences. Students outside of more urban areas were more likely to say they had nothing better to do or drank to escape their problems.

**Figure 10: Factors contributing to alcohol consumption (n=3,292)**




**Table 8: Group differences factors contributing to alcohol consumption (n=3,292)**

	<u>Sex</u>		<u>Age</u>		<u>NE Resident</u>		<u>Greek</u>		<u>Athlete</u>		<u>Rurality</u>	
	W	M	<21	21+	Yes	No	Yes	No	Yes	No	Urban	Rural
To relax	33%	45%			37%	34%						
To have fun with friends	88%	83%			86%	89%	94%	86%			87%	85%
To get drunk			30%	25%	28%	24%	33%	26%			28%	24%
Because my friends are drinking			28%	24%			31%	25%				
No negative consequences	3%	6%										
Nothing better to do	7%	12%	11%	6%							8%	10%
I like the taste	22%	29%	19%	28%								
I like how it makes me feel	24%	29%	28%	23%							27%	23%
To escape/so I can forget problems			13%	10%	12%	9%					10%	14%
No negative affect on my academics	19%	22%	22%	18%			24%	19%			21%	17%
So I can lose my inhibitions	4%	6%							2%	6%	5%	3%
I can handle any consequences	10%	14%	13%	9%							12%	9%
Alcohol is readily available	3%	5%										
Increases chances of hooking up	1%	3%									2%	1%

In contrast, students were asked what factors contribute to their decision to drink less or to not drink alcohol at all (Figure 11). High cost of alcohol was the most common factor (61%), but not being in the mood to drink and academic obligations the next day were chosen by nearly three out of five respondents (59% and 58%). See Appendix B for the full list of factors. Male students were less likely to drink alcohol compared to female students because of the high cost and because of their health/calories (Tables 9a and 9b).

**Figure 11: Factors contributing to drinking less or not drinking alcohol (n=3,291)**



**Table 9a: Group differences in factors contributing to drinking less or not drinking alcohol (n=3,291)**


	<u>Sex</u>		<u>Age</u>		<u>NE Resident</u>		<u>Greek</u>		<u>Athlete</u>		<u>Rurality</u>	
	<i>W</i>	<i>M</i>	<i>&lt;21</i>	<i>21+</i>	<i>Yes</i>	<i>No</i>	<i>Yes</i>	<i>No</i>	<i>Yes</i>	<i>No</i>	<i>Urban</i>	<i>Rural</i>
High cost	33%	45%			37%	34%						
Strict enforcement of alcohol laws	88%	83%			86%	89%	94%	86%			87%	85%
Academic obligations			30%	25%	28%	24%	33%	26%			28%	24%
Chance of getting sick/a hangover			28%	24%			31%	25%				
My friends drinking habits	3%	6%										
Possibility of getting caught	7%	12%	11%	6%							8%	10%
Potential of regret	22%	29%	19%	28%								
Being a designated driver	24%	29%	28%	23%							27%	23%
Parents finding out			13%	10%	12%	9%					10%	14%
Religious/moral reasons	19%	22%	22%	18%			24%	19%			21%	17%
Alcoholism	4%	6%							2%	6%	5%	3%
Health/calories	10%	14%	13%	9%							12%	9%

**Table 9b: Group differences in factors contributing to drinking less or not drinking alcohol (n=3,291)**

	Sex		Age		NE Resident		Greek		Athlete		Rurality	
	W	M	<21	21+	Yes	No	Yes	No	Yes	No	Urban	Rural
Don't like the taste	25%	19%	25%	21%			20%	24%			24%	21%
Family obligations					16%	12%	17%	13%				
Work obligations	38%	33%	33%	39%	38%	31%	39%	34%	28%	37%	37%	33%
Not in the mood	61%	53%					63%	57%				
No interest in alcohol	25%	21%					17%	25%			22%	28%
I am not motivated to drink less or not drink alcohol											1%	3%

Students were asked how often they engaged in certain behaviors at parties or social gatherings where alcohol was available in the past year (Figure 12). Most students indicated that they know where their drink has been at all times (89%), and more than four in five (81%) students reported making sure they go home with a friend. Nearly two-thirds avoided trying to “keep up” or “out-drink” others (66%). Female students were more likely to take several of these steps compared to male students (Table 10).

**Figure 12: Actions taken when alcohol was available (n=3,157-3,177)**




**Table 10: Group differences in actions usually/always taken when alcohol was available (n=3,157-3,177)**

	<u>Sex</u>		<u>Age</u>		<u>NE Resident</u>		<u>Greek</u>		<u>Athlete</u>		<u>Rurality</u>	
	W	M	<21	21+	Yes	No	Yes	No	Yes	No	Urban	Rural
Stopped at a predetermined time	44%	39%					38%	42%				
Avoid mixing different types	50%	42%	47%	49%								
Drink shots of liquor			40%	30%			40%	34%				
Put extra ice in your drink	25%	17%										
Purposefully limited budget			57%	62%			61%	58%				
Went home with a friend	86%	68%	83%	79%	80%	84%	87%	80%				
Have a friend let you know when you've had too much to drink	57%	42%	59%	48%			54%	51%				
Know where your drink has been at all times	93%	79%	88%	90%					85%	89%		
Avoid trying to keep up or out-drink others	70%	57%										
Received free, NA drinks as a designated sober driver			20%	18%							17%	24%

Alcohol-using students were asked about what drinking activities they participated in during the past academic year (Figure 13). About a third of students (32%) did not participate in any of the listed activities. Drinking games were the most common for students (60%), and less than half as many students said they took part in drink specials (27%). Non-Greek students were twice as likely to not have participated in any drinking games compared to Greek students (Table 11).

**Figure 13: Drinking activities engaged in (n=3,199)**




**Table 11: Group differences in drinking activities engaged in (n=3,199)**

	<u>Sex</u>		<u>Age</u>		<u>NE Resident</u>		<u>Greek</u>		<u>Athlete</u>		<u>Rurality</u>	
	<i>W</i>	<i>M</i>	<i>&lt;21</i>	<i>21+</i>	<i>Yes</i>	<i>No</i>	<i>Yes</i>	<i>No</i>	<i>Yes</i>	<i>No</i>	<i>Urban</i>	<i>Rural</i>
21 birthday shots			2%	13%			11%	8%				
Beer bong and/or keg stand	14%	27%	19%	17%			29%	15%	26%	17%		
Drinking games					59%	64%	79%	58%			61%	57%
Drink specials			11%	41%			37%	26%			28%	24%
None of the above			35%	30%	33%	29%	16%	33%			30%	37%

Students were asked about whether they approved of several scenarios (Figure 14). One in ten respondents approved of drinking to blackout. Male students and older students were more likely to approve of all four behaviors compared to female and younger students (Table 12).

**Figure 14: Approval of drinking behaviors (n=5,114-5,121)**




**Table 12: Group differences in approval of drinking behaviors (n=5,114-5,121)**

	<u>Sex</u>		<u>Age</u>		<u>Athlete</u>		<u>Rurality</u>	
	<i>Women</i>	<i>Men</i>	<i>Under-age</i>	<i>Of-age</i>	<i>Athlete</i>	<i>Non-Athlete</i>	<i>Urban</i>	<i>Rural</i>
Drinking so much that they get sick	5%	10%	6%	8%				
Drinking so much that one cannot remember part of the previous evening	8%	14%	9%	11%			11%	9%
Drinking so much that one gets into situations that may be regretted later	4%	10%	5%	7%				
Driving after they have had a few drinks	1%	4%	2%	3%	3%	2%		

Students were asked to choose statements that best represented their attitude about drinking alcoholic beverages, as well as their perceptions of their peers' and campus administration's attitudes (Figure 15). The most common choice for themselves and their peers was that occasional drunkenness was okay as long as it did not interfere with obligations (61% and 44%, respectively). Students believed more than a fifth (21%) approved frequently getting drunk is okay if that's what the individual wants to do compared to their actual beliefs.

**Figure 15: Alcohol consumption attitudes (n=5,176-5,195)**



Seven percent of students (n=3,152) had experienced alcohol poisoning in the last year. Among those students, more than half (52%) said that someone stayed with them to make sure they were okay and two-fifths (39%) said that friends let them sleep it off. See Appendix B for full list of student experiences of alcohol poisoning. Female students were more likely to have friends let them sleep off their alcohol poisoning than male students (Table 13).

**Table 13: Group differences in experiences due to alcohol poisoning (n=194)**

	<u>Sex</u>		<u>Greek</u>		<u>Athlete</u>	
	<i>Women</i>	<i>Men</i>	<i>Greek</i>	<i>Non-Greek</i>	<i>Athlete</i>	<i>Non-athlete</i>
I was left alone					0%	13%
I vomited in my sleep			33%	14%		
Friends let me sleep it off	44%	29%				
I was taken for medical attention					0%	4%
Someone stayed with me to make sure I was okay					75%	46%


If in the presence of a student they suspected had alcohol poisoning, nearly two-thirds of students (64%) indicated that they would call 9-1-1 and more than one-fourth (26%) said they would take the student to the hospital themselves. See Appendix B for full list of what students would do in the presence of another student whom they suspected had alcohol poisoning. Non-athletes were more likely to call 911 if they were in the presence of a student whom they suspected had alcohol poisoning than student athletes (Table 14).

**Table 14: Group differences in what students would do if they were in the presence of a student whom they suspected had alcohol poisoning (n=5,349)**

	Sex		Age		NE Resident		Greek		Athlete		Rurality	
	W	M	<21	21+	Yes	No	Yes	No	Yes	No	Urban	Rural
I would call 911	66%	60%	62%	67%			68%	64%	54%	66%	65%	60%
I would take them to the hospital myself	25%	27%	27%	25%	26%	24%	24%	26%	34%	25%	24%	29%
I would not do anything - afraid that I would get in trouble	1%	2%			1%	2%	2%	1%	2%	1%	1%	2%
I would not do anything - uncomfortable getting involved	3%	5%	4%	3%	4%	3%	2%	4%	4%	3%	4%	3%

Figure 16 shows how often respondents experienced other problems/harms while they were drinking or because of their drinking in the past six months. Nearly three-fifths (56%) of students reported having a hangover, and 44% experienced nausea or vomiting. See Appendix B for full list of harms/problems experienced as a result of drinking.

**Figure 16: Harms/problems experienced during or as a result of drinking (n=3,128-3,139)**



Three-fifths (60%) of student drinkers (n=3,078) did not see a need to change the way they drink alcohol. In contrast, nearly three in ten (29%) were trying to drink in a healthier/safer way. Male

students and non-Greek were more likely than their counterparts to say they see no need to change the way they drink alcohol (Table 15).

**Table 15: Group difference in intentions to change the way students drink alcohol (n=3,078)**

	<u>Sex</u>		<u>Greek</u>	
	<i>Women</i>	<i>Men</i>	<i>Greek</i>	<i>Non-Greek</i>
I am currently trying to drink in a healthier/safer way	32%	23%	36%	27%
I am ready to try drinking in a healthier/safer way			5%	4%
I am thinking about drinking in a healthier/safer way	6%	7%	9%	5%
I see no need to change the way I drink alcohol	58%	66%	50%	64%

Approximately five percent of students who consumed alcohol in the past year (n=3,399 drinkers) reported drinking and driving in the past 30 days. Students reported up to 20 occasions (n=2 students) of drinking and driving in the past month, but 95% of reports were between one and four days. Six percent of students (n=5,599) reported riding with a drunk driver in the past 30 days. Students reported up to 30 occasions (n=1) of riding with a drunk driver in the past month, and 95% were between one and five days.


Of the students who were asked about who their designated driver was (including those who did not use a designated driver), more than two-thirds (67%) had a friend, family, or acquaintance, and more than a third (35%) used a ride share service (Uber, Lyft, etc.). Less than 10% said they used a designated driver from a fraternity or sorority, a university DD program, or a taxi service. Approximately one in six (16%) reported not using a designated driver. Greek students were more likely to use a ride share service than non-Greek students (Table 16).

**Table 16: Group differences in designated driver (n=1,459-3,349)**

	<u>Sex</u>		<u>Age</u>		<u>NE Resident</u>		<u>Greek</u>		<u>Athlete</u>		<u>Rurality</u>	
	<i>W</i>	<i>M</i>	<i>&lt;21</i>	<i>21+</i>	<i>Yes</i>	<i>No</i>	<i>Yes</i>	<i>No</i>	<i>Yes</i>	<i>No</i>	<i>Urban</i>	<i>Rural</i>
Uber, Lyft, etc.			31%	38%	30%	47%	61%	31%	27%	39%	45%	6%
Friend, family, acquaintance	70%	61%	66%	69%			59%	68%	74%	65%	63%	78%
Greek designated driver	7%	15%	13%	6%			30%	3%				
Other University DD program			4%	1%							1%	6%
I did not use a designated driver	14%	20%	17%	14%	17%	11%	6%	18%			15%	18%

More than a third (34%) of students reported never drinking alcohol. Students who reported never drinking alcohol were asked to identify reasons why they choose not to drink alcohol (Figure 17). The most common reasons included not having to worry about any negative consequences (60%), personal beliefs/values (60%), and because drinking is against the law/policy (54%). See Appendix B for the complete list of reasons for why students choose not to drink alcohol. The majority of differences were related to age, although only two reasons are explicitly impacted by the legal drinking age: access and legality (Tables 17a and 17b).

**Figure 17: Reasons for choosing not to drink alcohol (n=1,936-1,990)**



**Table 17a: Group differences in reasons for choosing not to drink alcohol (n=1,936-1,990)**

	<u>Sex</u>		<u>Age</u>		<u>NE Resident</u>		<u>Greek</u>		<u>Athlete</u>		<u>Rurality</u>	
	W	M	<21	21+	Yes	No	Yes	No	Yes	No	Urban	Rural
My friends don't drink			23%	17%								
It's hard to access alcohol			10%	4%								
Too many personal responsibilities									57%	48%		
Too many academic responsibilities	53%	45%	52%	43%								
To be the designated driver					18%	14%					16%	20%
Drinking is against the law/policy			63%	6%								
Religious/moral	38%	45%	38%	53%								
Alcohol costs too much					15%	20%	28%	15%			15%	19%
I don't like the taste			27%	37%							32%	23%
I don't like how it feels	15%	11%									15%	11%
Personal beliefs/values	57%	65%	58%	68%								

**Table 17b: Group differences in reasons for choosing not to drink alcohol (n=1,936-1,990)**


	<u>Sex</u>		<u>Age</u>		<u>Athlete</u>		<u>Rurality</u>	
	<i>Women</i>	<i>Men</i>	<i>Under-age</i>	<i>Of-age</i>	<i>Athlete</i>	<i>Non-Athlete</i>	<i>Urban</i>	<i>Rural</i>
I don't want to do something I later regret	52%	57%	56%	43%				
I have a personal or family history with alcohol	31%	26%			22%	30%		
I have health concerns or a current medical condition	14%	11%					14%	10%

Minors (students 18-20 years old) who completed the survey were asked how they obtain alcohol. More than one in four students (28% including those who responded not applicable) reported that they had a friend who was over 21 who bought for them. Family members buy alcohol was the second most common means obtaining alcohol (11%), followed by from parent/caregiver's home (10%). See Appendix B for all means of obtaining alcohol. More than half (51%) of students reported that they had never obtained alcohol, the highest rate since 2020 (Figure 18). Male students were less likely to illegally obtain alcohol compared to female students (Table 18). Among those who had used a fake ID (n=147) or borrowed someone else's ID to obtain alcohol, a third (33%) had been denied access in the past year.

**Table 18: Group differences in minors' means of illegally obtaining alcohol (n=3,332)**

	<u>Sex</u>		<u>NE Resident</u>		<u>Greek</u>		<u>Athlete</u>		<u>Rurality</u>	
	<i>Women</i>	<i>Men</i>	<i>Resi- dent</i>	<i>Non- Res</i>	<i>Greek</i>	<i>Non- Greek</i>	<i>Athlete</i>	<i>Non- Athlete</i>	<i>Urban</i>	<i>Rural</i>
I have a friend who is over 21 buy for me	30%	24%			39%	27%				
I use a fake or manufactured ID			3%	6%	13%	3%			6%	1%
Family members buy alcohol for me	12%	7%			14%	10%				
I have a friend with a fake ID			7%	11%	17%	8%			11%	3%
From parent/caregivers home	11%	8%	10%	8%						
I know people who work in bars or restaurants who will serve me									1%	0%
I go to a place where IDs aren't checked					11%	4%			6%	3%
I know people who work in convenience or grocery stores who will sell to me					3%	1%			1%	0%
From a fraternity or sorority					8%	4%	2%	5%	6%	1%
Not applicable/never obtained alcohol	49%	57%			32%	54%				


**Figure 18: Trend: Minors who have never illegally obtained alcohol**



The Rutgers Alcohol Problem Index (RAPI) was developed as a 23-item self-administered screening tool for assessing drinking-related harms in students; 16 drinking-related problems were adapted into the NACHB survey. Students (n=3,749 drinkers) averaged 3.2 reported problems/harms on the RAPI, down from 3.5 in 2022 and 4.1 in 2020. More than one in four (24%) of the drinkers reported five (5) or more problems (compared to 31% in 2022 and 36% in 2020), which is considered an important cut-off for negative drinking outcomes.

More than three-fifths (61%) of all respondents (n=6,209) said their campus provides information about alcohol and drug prevention, and 37% were unsure. Greek students were more likely to say “yes” compared to non-Greek students (Figure 19).


**Figure 19. Group differences in belief campus provides program about alcohol and drug prevention**



Five in six (83%) students believed that their campus was concerned about the prevention of alcohol and drug use, an increase from 2022 but lower than students from 2020 (Figure 20). Nebraska residents and Greek students were more likely to think the campus was concerned compared to their peers (Figure 21). Fewer students (66%) believed that campus alcohol policies were consistently enforced. Students in Greek organizations, athletes, and students at rural schools were more likely to think these policies were

enforced compared to their counterparts (Figure 22). Likewise, only about 35% of students (n=6,071) indicated that policy was enforced “to a great extent” or “to a very great extent” on campus and 13% percent of students believed that alcohol policy was enforced “to a great extent” or “to a very great extent” off campus.

**Figure 20: Trend: Campus policy about prevention of alcohol and drug use**



**Figure 21: Group differences in belief that campus is concerned about alcohol and drug prevention**




**Figure 22: Group differences in belief that campus consistently enforces alcohol policies**



## Sexual Experiences and Bystander Intervention


Nine percent of students (n=5,172) said they had used alcohol or drugs to help them feel more comfortable with a sexual partner in the past year. Greek students were more likely to use alcohol or drugs to feel more comfortable with a sexual partner than non-Greek students (Figure 23).

**Figure 23: Group differences in students using alcohol or drugs to feel more comfortable with a sexual partner**



Almost two in five surveyed students (38%) said they had not had a sexual partner in the last year, but of those who did (n=3,376), 9% said they had done more sexually than they had originally planned due to drinking alcohol or using drugs. Greek students were more likely to say they had done more sexually than they had originally planned due to drinking alcohol or using drugs (Figure 24).

**Figure 24: Group differences in students having done more sexually than they had originally planned due to drinking alcohol/using drugs**



Students were asked if they approved of a series of statements regarding alcohol and sexual assault. Nearly all students approved of someone intervening if they saw someone taking advantage of another person (96%) and if they saw someone being taken advantage of sexually (96%). When asked how they

agreed or disagreed with the statement “If both people are drunk, it can’t be rape”, the majority of students (83%) indicated some level of disagreement with the statement (Figure 25). Female students were more likely to “strongly disagree” with the statement compared to male students (Table 19).

**Figure 25: Level of agreement with rape scenario (n=5,328)**




**Table 19: Group differences in level of agreement with rape scenario (n=5,328)**

	Sex		Rurality	
	Women	Men	Urban	Rural
Strongly agree	1%	2%	1%	2%
Agree	2%	4%		
Neither agree nor disagree	10%	20%	12%	16%
Disagree	22%	25%		
Strongly disagree	65%	48%	61%	56%

Figure 26 shows how often students experienced sexual harms while they were drinking or because of their drinking in the past six months. Less than one in four (22%) students reported not using protection when they had sex because of drinking. Five percent of respondents said someone had sex with them without consent, representing 155 students. Nineteen students reported having sex with someone without their consent (0.6%). Non-resident students were more likely to use protection during sex compared to resident students (81% vs 77%).


**Figure 26: Sexual harms experienced during or as a result of drinking (n=3,117-3,123)**



Respondents were asked questions regarding bystander intervention and help-seeking behaviors (Figure 27). Students were more likely to intervene if friends were involved: if they heard a friend talking about coercing someone to have sex or witnessed a friend being physical or insulting their partner. The scenario in which students were least likely to intervene was if they heard what sounded like yelling or

fighting through their residence hall/apartment walls. Female students were more likely than male students to definitely speak up and express concern if in each scenario (Table 20).

**Figure 27: Likelihood of intervening as bystander (n=4,528-4,538)**




**Table 20: Group differences in likelihood of definitely intervening as bystander (n=4,528-4,538)**

	Sex		Rurality	
	Women	Men	Urban	Rural
Tell someone if I heard what sounded like yelling or fighting through my residence hall/apartment walls	25%	22%	23%	26%
Get help if I saw a friend grabbing, pushing, or insulting their boyfriend, girlfriend, partner, etc.	46%	40%		
Speak up and express concern if I heard a stranger talking about coercing someone to have sex.	46%	40%		
Speak up and express concern if I heard a friend talking about coercing someone to have sex.	63%	55%		

### Drug Use and Related Behaviors

Respondents were asked how often they had used marijuana in the past year (Figure 28). The percentages of students who used marijuana, marijuana derivatives, and/or marijuana edibles were 21%, 13%, and 20% respectively. Rural students were less likely to use marijuana than urban students in the last year (Table 21). More than one in six (18%) students used Delta-8 in the past year.

**Figure 28: Marijuana use in the past year (n=5,056-5,080)**




**Table 21: Group differences in who abstained from marijuana in the past year (n=5,056-5,080)**

	<u>Sex</u>		<u>Age</u>		<u>NE Resident</u>		<u>Greek</u>		<u>Athlete</u>		<u>Rurality</u>	
	<i>W</i>	<i>M</i>	<i>&lt;21</i>	<i>21+</i>	<i>Yes</i>	<i>No</i>	<i>Yes</i>	<i>No</i>	<i>Yes</i>	<i>No</i>	<i>Urban</i>	<i>Rural</i>
	Marijuana			80%	75%	78%	79%	71%	78%			76%
Marijuana Derivative	87%	86%	88%	86%							86%	89%
Delta 8					80%	86%	75%	82%			80%	86%
Vaping									88%	80%		


Twenty-nine percent of students used some sort of marijuana in the past year, which was less than the percentage in 2022 but still a slight increase from 2020 (Figure 29). There were differences in perception of weekly use based on sex, Nebraska residency, and participation in Greek organizations. Female students believed more of their peers used marijuana at least weekly compared to male students (24% vs 20%). Nebraska residents believed more of their peers used marijuana at least weekly compared to non-resident students (23% vs 21%). Furthermore, Greek students believed more of their peers used marijuana at least 1-2 times/week compared to non-Greek students (28% vs 24%). When asked what their intentions are regarding changing their marijuana use, about two-thirds of respondents (64%) said they saw no need to change their marijuana use.

**Figure 29: Trend: Personal marijuana use (any) and peer perception of marijuana use**



The most common reasons for using marijuana were to get high, because respondents like the feeling, and because respondents get a pleasant feeling (Figure 30). See Appendix B for the complete list of reasons respondents used marijuana. Group differences are shown in Tables 22a and 22b. Greek status had the most differences, but the large percentage difference was between urban and rural students who selected they use marijuana to get high: 38% of students from urban counties chose this reason compared to 25% of students in rural counties.

**Figure 30: Reasons for using marijuana (n=1,005-1,093)**



**Table 22a: Group differences in reasons for almost always/always using marijuana (n=1,005-1,093)**


	<u>Sex</u>		<u>Age</u>		<u>NE Resident</u>		<u>Greek</u>		<u>Athlete</u>		<u>Rurality</u>	
	W	M	<21	21+	Yes	No	Yes	No	Yes	No	Urban	Rural
Because it helps me enjoy a party							4%	7%				
To be sociable											6%	7%
Makes gatherings more fun							5%	10%				
Improves parties and celebrations			7%	8%			5%	9%	21%	27%		
To celebrate with friends									9%	10%	24%	25%
To forget my worries							5%	8%				
When depressed or nervous	12%	7%			12%	6%	6%	10%				
To cheer me up							5%	8%				
More self-confidence	7%	4%	7%	6%			3%	6%			6%	9%
To get high											38%	25%
Because I like the feeling											31%	20%
Because it gives me a pleasant feeling	25%	27%										

**Table 22b: Group differences in reasons for almost always/always using marijuana (n=1,005-1,093)**

	<u>Sex</u>		<u>Age</u>		<u>NE Resident</u>		<u>Greek</u>		<u>Athlete</u>		<u>Rurality</u>	
	<i>W</i>	<i>M</i>	<i>&lt;21</i>	<i>21+</i>	<i>Yes</i>	<i>No</i>	<i>Yes</i>	<i>No</i>	<i>Yes</i>	<i>No</i>	<i>Urban</i>	<i>Rural</i>
To know myself better	6%	5%			6%	3%						
More creativity					8%	5%						
To understand things differently					9%	5%						
To expand my awareness	9%	8%										
To be more open to experiences											10%	11%

Over a third of marijuana using students (35%) said they drove a vehicle after using marijuana in the past year. This was the lowest rate among students since 2020 (Figure 31). Male students were more likely to have driven a vehicle after using marijuana than female students (Table 23).

**Figure 31: Trend: Driving after using marijuana**




**Table 23: Group differences in frequency of driving after using marijuana (n=1,092)**

	<u>Sex</u>		<u>NE Resident</u>	
	<i>Women</i>	<i>Men</i>	<i>Resident</i>	<i>Non-Resident</i>
Never	68%	59%	62%	2%
1 time	9%	8%	10%	6%
2 times	6%	8%	7%	5%
3-5 times	7%	8%	8%	6%
More than 5 times	10%	17%	14%	8%

Students who used marijuana in the past year commonly reported using marijuana at a social gathering/friend’s house (70%), in their apartment/house (63%) and outdoors (36%), as shown in Figure 32. See Appendix B for all locations of students’ marijuana use. Of those that used marijuana in a car (n=350), 73% reported the car being parked off-campus, and 21% said it was being driven. Underage students and Nebraska residents were more likely to use marijuana in a car than their counterparts (Table 24).

**Figure 32: Location of marijuana use (n=1,057)**




**Table 24: Group differences in location of marijuana use (n=1,057)**

	Sex		Age		NE Resident		Greek		Athlete		Rurality	
	W	M	<21	21+	Yes	No	Yes	No	Yes	No	Urban	Rural
Residence hall			22%	7%			24%	14%			16%	11%
At home			54%	74%	65%	56%			43%	66%	66%	52%
Greek house							17%	4%			7%	2%
Athletic events	3%	10%										
Bars			6%	22%			21%	11%				
Parties							37%	28%				
Outdoors	33%	42%									37%	30%
In a car			36%	27%	34%	28%						


Less than seven percent of students (n=4,894) reported taking hallucinogens in the past year, and the majority of those students used 1-6 times a year (Figure 33). Two percent said they used cocaine, and most used it 1-6 times a year. Less than three percent used opioids and or methamphetamines in the past year.

**Figure 33: Illicit drug use in the past year (n=4894)**



When asked about their tobacco use in the past year, the most commonly used item was cigarettes, with one in six (16%) indicating use (Figure 34). Four percent of students used JUUL and/or e-cigarettes daily. One in ten students (9%) used cigars in the past year. Differences in use by group were typically small, and most common based on age (Table 25).

**Figure 34: Tobacco use in the past year (n= 4,850-4,890)**




**Table 25: Group differences in never having used tobacco in the past year (n= 4,850-4,890)**

	<u>Sex</u>		<u>Age</u>		<u>Greek</u>		<u>Athlete</u>		<u>Rurality</u>	
	Women	Men	Under-Age	Of-age	Greek	Non-Greek	Athlete	Non-Athlete	Urban	Rural
Cigarettes			88%	81%						
Smokeless tobacco			97%	95%						
E-cigarettes	88%	90%	90%	86%	87%	90%			90%	84%
JUUL or vapes	85%	89%	88%	84%	80%	87%	90%	84%	85%	90%

The rate of e-cigarette use among students was the lowest since 2020. In contrast, cigarette use increased slightly from 2022 but nearly consistent with students from 2020 (Figure 35). In addition, JUUL use among students slightly increased from 2022 but remains far lower than the rate among students from 2020.


**Figure 35: Trend: Cigarette, e-cigarette, and JUUL use**



## Mental Health

A series of questions pertaining to mental health included how stressed students felt in the past two weeks. Nearly a third (30%) indicated that they were overwhelmed by their stress or that their level of stress was unbearable. However, this was a decrease from students in 2022 and from 2020 (Figure 36). Meanwhile, 46% said that they were “stressed but managing”, and 25% reported little to no stress. Women and non-athletes were more likely to report experiencing “overwhelming” or “unbearable” stress compared to men and student athletes (Table 26).

**Figure 36: Trend: Overwhelming or unbearable stress**




**Table 26: Group differences in level of stress in the past two weeks (n=4,838)**

	Sex		Athlete	
	Women	Men	Athlete	Non-Athlete
I have experienced no stress	1%	4%	3%	2%
Minimal	5%	14%	12%	8%
A little stress	12%	21%	16%	14%
Stressed, but managing	46%	45%	43%	46%
Overwhelmed	31%	13%	23%	26%
My stress is unbearable	4%	3%	2%	4%

Students were also asked to report the degree to which stress impacted or interfered with their academic life and personal life (Figure 37). The percentages of students who said that stress impacted or interfered considerably or a great deal with their academic life and personal life were 25% and 33%, respectively. Female students were more likely than male students to say their stress had a great deal of impact with their academic life (9% vs 5%) and their personal life (12% vs 7%). Student in urban areas were more likely than those in rural areas to say stress interfered considerably or a great deal with their academic life, while Nebraska residents reported slightly higher stress than non-residents.


**Figure 37: Degree to which stress impacted/interfered with academic & personal life (n=4,885-4,888)**



When asked about their main source of stress, more than nine out of ten (92%) students said school/academics, and more than half (54%) said future plans and/or financial concerns (52%; Figure 38). Refer to Appendix B for all stressors reported by students. Across groups, jobs had the greatest

number of differences; however, the largest percentage differences were in outside organizations and responsibilities based on participation in Greek organizations and athletics (Table 27). Members of those two groups were more than twice as likely to say that was a main stressor than their counterparts.

**Figure 38: Main stressors (n=4,873)**




**Table 27: Group differences in main stressors (n=4,873)**

	<u>Sex</u>		<u>Age</u>		<u>NE Resident</u>		<u>Greek</u>		<u>Athlete</u>		<u>Rurality</u>	
	<i>W</i>	<i>M</i>	<i>&lt;21</i>	<i>21+</i>	<i>Yes</i>	<i>No</i>	<i>Yes</i>	<i>No</i>	<i>Yes</i>	<i>No</i>	<i>Urban</i>	<i>Rural</i>
School/Academics	94%	88%					94%	92%			93%	90%
Financial concerns	54%	49%	50%	56%	54%	48%					51%	56%
Job	43%	36%	39%	44%	44%	33%	35%	41%	30%	41%		
Dating/relationship with partner	19%	26%							26%	20%	20%	23%
Family	30%	23%			29%	25%	21%	27%			26%	33%
Friends	23%	19%	24%	17%	21%	24%	25%	21%				
Roommates	18%	11%	18%	13%	14%	20%	21%	16%				
Time management			53%	48%	52%	48%						
Physical health	33%	27%										
Future plans			51%	60%								
Outside orgs or responsibilities					16%	21%	36%	14%	43%	14%	16%	21%
Mental health issues	42%	25%			38%	35%			29%	40%		
Adverse events			3%	5%								

Students were asked what they did in the past two weeks to relieve stress (Figure 39). Listening to music (74%), taking a nap/sleeping (67%), and talking with a friend (65%) were the most common ways students relieved their stress. See Appendix B for all methods to relieve stress. There were many group differences in methods to relive stress, but the one that applied to the most group was using marijuana

(Table 28). The largest percentage differences were between women and men: 62% of women made a to-do list vs. 36% of men, and 63% of men played games vs. 35% of women.

**Figure 39: Methods to relieve stress (n=4,752)**




**Table 28: Group differences in methods to relieve stress (n=4,873)**

	Sex		Age		NE Resident		Greek		Athlete		Rurality	
	W	M	<21	21+	Yes	No	Yes	No	Yes	No	Urban	Rural
Made a to-do list	62%	36%	53%	56%	53%	57%	60%	53%				
Exercised	52%	62%					61%	54%	77%	52%		
Ate healthy foods			36%	46%	39%	43%			45%	39%	41%	37%
Talked with a friend	68%	57%					70%	64%				
Talked with family	55%	42%			49%	55%						
Refused time pressures	34%	31%	32%	35%			44%	32%			34%	30%
Smiled/Laughed	65%	59%					71%	62%			62%	66%
Online, video, or computer games	35%	63%			45%	38%	40%	45%	36%	45%		
Took a nap/slept	71%	58%										
Listened to music			76%	70%					68%	74%		
Religious practices					26%	30%	31%	26%	36%	25%	25%	33%
Drank alcohol			12%	23%			26%	16%				
Used tobacco			6%	8%	7%	6%			4%	8%		
Used marijuana	9%	11%	8%	11%	10%	7%			5%	11%	10%	7%
Watched tv/movies	63%	55%							53%	62%		
Make things	29%	14%					20%	26%	19%	26%		
Read	38%	27%	33%	37%			30%	36%	29%	35%		

Students were asked about their mental health experiences in the past year (Figure 40). The most common conditions reported were anxiety (67%), depression (44%), and panic attacks (27%). See Appendix B for all mental health experiences among students in the past year. Twenty-four percent of

students said they had not experienced any of the listed mental health conditions. Male students were twice as likely as female students to say they had not experienced any of the listed mental health conditions (Table 29).

**Figure 40: Mental health experiences in the past year (n=4,833)**




**Table 29: Group differences in mental health experiences in the past year (n=4,833)**

	<u>Sex</u>		<u>Age</u>		<u>NE Resident</u>		<u>Greek</u>		<u>Athlete</u>		<u>Rurality</u>	
	<i>W</i>	<i>M</i>	<i>&lt;21</i>	<i>21+</i>	<i>Yes</i>	<i>No</i>	<i>Yes</i>	<i>No</i>	<i>Yes</i>	<i>No</i>	<i>Urban</i>	<i>Rural</i>
Depression	49%	34%	43%	46%	46%	41%			39%	45%		
Sexual assault	5%	2%	4%	3%								
Eating disorders	21%	9%	19%	16%					13%	19%		
Chronic sleep issues	23%	17%					17%	21%			21%	24%
Self-injury (not suicidal behavior)	7%	4%	8%	5%							6%	8%
Anxiety	74%	49%	66%	68%	68%	64%			62%	67%		
Abusive relationship					4%	3%						
Panic attacks	32%	15%							24%	28%		
Bipolar disorder							2%	4%				
Not experienced any of these	18%	37%			23%	26%						

More than two-fifths (43%) of respondents reported suicidal thoughts at some point in their lives. Less than half of those students (45% or 19% of all students) had such thoughts in the last year. This is the lowest rate among students from 2022 and 2020 (Figure 41). Forty-six percent of those students sought help (9% overall). Sixty-four respondents (or 3% of those with suicidal thoughts, or 1% of all respondents) attempted suicide in the past year. Lifetime suicidal thoughts were more likely for women, Nebraska residents, non-Greek students and non-athletes (Table 30).

**Figure 41: Trend: Suicidal thoughts**




**Table 30: Group differences in ever having suicidal thoughts in students' lifetime (n=4,752)**

	<u>Sex</u>		<u>NE Resident</u>		<u>Greek</u>		<u>Athlete</u>	
	Women	Men	Resident	Non-Resident	Greek	Non-Greek	Athlete	Non-Athlete
Lifetime suicidal thoughts	45%	39%	44%	39%	34%	44%	33%	45%

More than a third (35%) of students were concerned about a friend having suicidal thoughts or behaviors. Fifty-six percent of respondents said they were likely or very likely to bring up the topic of suicide with someone they think is at risk (Figure 42). They were more likely to refer someone to a local resource, with 79% saying likely or very likely. Female students were more likely to bring up the topic of suicide with someone who they think is at risk compared to male students (41% vs 36%). Additionally, Female students were more likely to refer someone to a local resource compared to male students (Table 31).

**Figure 42: Suicide risk interventions (n=4,593-4,602)**




**Table 31: Group differences in likelihood of referring someone who tells student they are thinking about suicide to a local resource (n=4,593)**

	<u>Sex</u>		<u>Athlete</u>		<u>Rurality</u>	
	Women	Men	Athlete	Non-Athlete	Urban	Rural
Very unlikely	4%	6%	7%	4%	4%	6%
Unlikely	4%	5%	5%	4%	4%	5%
Neither unlikely nor likely	11%	16%	14%	12%		
Likely	38%	37%	39%	38%	38%	39%
Very likely	43%	37%	34%	42%	42%	38%

## Miscellaneous

Nine in ten (89%) students indicated that they always wore a safety belt when they were driving (Figure 43). Half (50%) of students said they never or rarely talk on a cell phone while driving, and nearly two-thirds (64%) indicated that they never or rarely text while driving.

**Figure 43: Driving behaviors (n=3,243-3,245)**



## Appendices

### Appendix A: 2024 NACHB Survey

## NACHB 2024 Base

---

#### Start of Block: Default Question Block



Q1 You have been selected for the 2024 Nebraska Assessment of College Health Behaviors Survey because you are currently enrolled in [SCHOOL NAME]. You are being asked to participate in this evaluation to assess the alcohol and drug attitudes and behaviors of students in Nebraska. This data allows us to assess trends of these behaviors on campus over time. The questions will ask about your personal attitudes and behaviors (e.g., drinking, sexual, and illegal behaviors) and the choices you make. You must be 18 years or older to participate in this survey. Your participation in the survey is voluntary and anonymous; you may stop or leave the survey at any time. The survey takes approximately 20-30 minutes to complete.

Your answers will not be associated with your e-mail address, name, or any contact information. Your participation will have no effect on your grades or relationship with faculty and staff at [SCHOOL NAME]. There are no identifiers to link you to your responses. Your complete honesty is appreciated. Data collected from the survey will be stored for 7 years before it is destroyed, accessible only to our research staff. Because your answers are not associated with your e-mail address, name or any contact information, your confidentiality will be maintained by staff. The only data that will be published or shared will be overall responses, such as "97% of college students in Nebraska would be active bystanders and help someone they suspected had alcohol poisoning".

There is a risk of experiencing discomfort when disclosing personal information. You may also become more aware of attitudes and behaviors related to substance use and more aware of programs offered on campus that address substance abuse issues. If you have any questions, concerns, or emotional difficulties that arise during this survey, please contact [SCHOOL CONTACT]. If you would like to seek counseling for any reason as a result of this survey, please contact [SCHOOL CONTACT]. If you have any questions regarding human subject research, contact the [SCHOOL NAME] IRB Committee. When you have completed the survey, please keep a copy of this e-mail as the consent form for your personal records. Thank you for your consideration!

- I have read the informed consent information and AGREE to participate. (1)
- I have read the informed consent information and DO NOT AGREE to participate. (0)

*Skip To: Q134 If You have been selected for the 2024 Nebraska Assessment of College Health Behaviors Survey becaus... != I have read the informed consent information and AGREE to participate.*

Q2

Welcome to the Nebraska Assessment of College Health Behaviors Survey. In this part, you will be asked about various demographic information. Your answers will be anonymous.

---



Q3 Age:

- 17 or younger (17)
- 18 (18)
- 19 (19)
- 20 (20)
- 21 (21)
- 22 (22)
- 23 (23)
- 24 (24)
- 25 or older (25)

*Skip To: Q132 If Age: = 17 or younger*  
*Skip To: Q133 If Age: = 25 or older*



Q5 What is your sex assigned at birth? (This information is collected for the purpose of giving you accurate information about drinking and marijuana/cannabis use, which may affect your body.)

- Female (0)
  - Male (1)
- 



Q6 Are you a member of a fraternity or sorority?

- Yes (1)
  - No (0)
- 



Q7 Are you currently a resident of the state?

- Yes (1)
  - No (0)
- 



Q8 Ethnicity:

- Hispanic/Latino (1)
  - Non-Hispanic/Latino (0)
- 



Q9 Racial or ethnic background: (Check all that apply)

- American Indian or Alaska Native (1)
  - Asian or Asian-American (2)
  - Native Hawaiian or Pacific Islander (3)
  - White, European-American, or Caucasian (4)
  - Black, African-American, or Native African (5)
  - Arab or Non-Arab North African/Middle-Eastern (6)
  - Bi-racial or Multi-racial (7)
  - Native Caribbean or Afro-Caribbean Islander (8)
  - Other (please specify) (9) \_\_\_\_\_
- 



Q10 How many years have you been in school?

- 1 (i.e. freshman) (1)
  - 2 (i.e. sophomore) (2)
  - 3 (i.e. junior) (3)
  - 4 (i.e. senior) (4)
  - 5 or more (i.e. super senior) (5)
  - NA or graduate student (6)
- 

Q12 What is your weight in pounds? You can skip this question if you prefer not to respond. (This information is collected for the purpose of giving you accurate information about drinking and marijuana/cannabis use, which may affect your body.)

\_\_\_\_\_

---



Q13 Does your campus provide a program or information about alcohol and drug prevention?

- Yes (1)

- No (0)
  - Unsure (9)
- 



Q14 Do you believe that your campus is concerned about the prevention of alcohol and drug use?

- Yes (1)
  - No (0)
- 



Q15 Do you believe that your campus alcohol policies are consistently enforced?

- Yes (1)
  - No (0)
- 



Q16 To what extent do you believe the alcohol policy is enforced on-campus?

- To a very great extent (5)
  - To a great extent (4)
  - To a moderate extent (3)
  - To some extent (2)
  - To little or no extent (1)
- 



Q17 To what extent do you believe alcohol policy is enforced off-campus?

- To a very great extent (5)
  - To a great extent (4)
  - To a moderate extent (3)
  - To some extent (2)
  - To little or no extent (1)
- 



Q18 Does your campus have a sexual violence policy?

- Yes (1)

- No (0)
  - Unsure (9)
- 



Q19 Do you believe that your campus is concerned about sexual violence?

- Yes (1)
  - No (0)
- 

Q20 The following questions ask about alcohol use and related behaviors.

---



Q21 How old were you when you first started drinking alcohol?

- Never used alcohol (88)
  - Age (in years) (12) \_\_\_\_\_
- 

*Display This Question:*

*If How old were you when you first started drinking alcohol? = Never used alcohol*



Q22 Which of the following are reasons you choose not to drink alcohol? (Check all that apply)

- My friends don't drink (1)
  - So I don't have to worry about any negative consequences (2)
  - It's hard to access alcohol (4)
  - I have too many personal responsibilities (7)
  - I have too many academic responsibilities (8)
  - To be the designated driver (11)
  - Because drinking is against the law/policy (e.g., I am younger than 21, I live in a residence hall) (12)
  - Religious/moral (15)
- 

*Display This Question:*

*If How old were you when you first started drinking alcohol? = Never used alcohol*



Q167 Which of the following are reasons you choose not to drink alcohol? (Check all that apply)

- Alcohol costs too much (3)
  - I don't like the taste (5)
  - I don't like how it feels (6)
  - Personal beliefs/values (9)
  - I don't want to do something I later regret (10)
  - I have a personal or family history with alcohol (13)
  - I have health concerns or a current medical condition (14)
  - Other (please specify) (16) \_\_\_\_\_
- 



Q23 Do you identify as someone that is in recovery from an alcohol or other drug addiction?

- Yes (1)
  - No (0)
- 

*Display This Question:*

*If Do you identify as someone that is in recovery from an alcohol or other drug addiction? = Yes*



Q24 What recovery format do you practice?

- 12 Step Program (1)
  - Treatment or Counseling based (2)
  - Moderation Management/Harm-Reduction (3)
  - Other (4) \_\_\_\_\_
- 

*Display This Question:*

*If Do you identify as someone that is in recovery from an alcohol or other drug addiction? = Yes*



Q25

Does your campus have a campus recovery program, organization or center? (A collegiate recovery program (CRP) is a supportive environment within the campus culture that reinforces the decision to disengage from addictive behavior. It is designed to provide an educational opportunity alongside recovery support to ensure that students do not have to sacrifice one for the other.)

- Yes (1)
  - No (0)
  - Unsure (9)
-

*Display This Question:*

*If What recovery format do you practice? = Moderation Management/Harm-Reduction*

X→

Q26 How would you define Moderation Management? (Check all that apply):

- Attending official Moderation Management meeting or counseling (1)
- Self-directed practice using Moderation Management literature or approaches (2)
- A conscious choice to limit alcohol consumption (4)
- Only drinking on certain nights of the week (5)
- Limiting the kind of alcohol I consume (i.e., Only beer, only wine, etc.) (6)
- Other (Please specify) (7) \_\_\_\_\_

*Display This Question:*

*If Does your campus have a campus recovery program, organization or center? (A collegiate recovery p... = Yes*

X→

Q27 Have you participated in or with your campus recovery program, organization or center?

- Yes (1)
- No (0)
- Unsure (9)

*Display This Question:*

*If How old were you when you first started drinking alcohol? != Never used alcohol*

Q28 Have you consumed alcohol in the past year?

- Yes (1)
- No (2)

*Display This Question:*

*If Have you consumed alcohol in the past year? = Yes*

X→

Q29 Assuming you drink only "standard" drinks, the following is the definition of one standard drink.

Shots or mixed drinks: 1 mixed drink with 2 shots equals 2 drinks.

For the past month, describe a typical drinking week. For each day, fill in the number of standard drinks you had on that day and the number of hours you drank on that day. If you didn't have a drink in the past month, enter zero; if you had any drinks, enter at least one hour.

	Monday (1)	Tuesday (2)	Wednesday (3)	Thursday (4)	Friday (5)	Saturday (6)	Sunday (7)
Beer (1)							
Wine (2)							
Liquor (3)							
Hours (4)							

*Display This Question:*

*If Have you consumed alcohol in the past year? = Yes*

Q30 Think of one occasion during the past month when you drank the most. Fill in the number of standard drinks of each type you consumed and the number of hours you were drinking. If you didn't have a drink in the past month, enter zero; if you had any drinks, enter at least one hour.

- Beer (1) \_\_\_\_\_
- Wine (2) \_\_\_\_\_
- Liquor (3) \_\_\_\_\_
- Hours (4) \_\_\_\_\_

*Display This Question:*

*If Have you consumed alcohol in the past year? = Yes*

Q31 In the last month, how many days did you drive a vehicle shortly after having three or more drinks? Enter zero if you didn't.

\_\_\_\_\_

Q32 In the last month, how many days were you a passenger in a vehicle when the driver had three or more drinks? Enter zero if you didn't.

---

*Display This Question:*

*If Have you consumed alcohol in the past year? = Yes*

X→

Q34 Who was your designated driver (defined as a person chosen to abstain from intoxicants, such as alcohol, marijuana, or other drugs, so as to transport others safely who are not abstaining)? (Check all that apply)

- A taxi service (1)
- Uber, Lyft, etc. (2)
- Friend, family, or acquaintance (3)
- Fraternity or sorority designated driver (4)
- Other University DD program (5)
- I did not use a designated driver (99)

*Display This Question:*

*If Have you consumed alcohol in the past year? = Yes*

X→

Q35 Where do you typically consume alcohol? (Check all that apply)

- Bars/restaurants (1)
- Social gathering or friend's house (off-campus) (2)
- Fraternity or sorority house (3)
- Fraternity or sorority community in a residence hall (4)
- Residence hall (5)
- Sporting events (6)
- At a family member's home (e.g. parent's home) (99)
- Where I live (7)
- Other (please specify) (8) \_\_\_\_\_

*Display This Question:*

*If Have you consumed alcohol in the past year? = Yes*

X→

Q36

If you pre-party/pre-game (i.e., drink somewhere before you go out or before an event starts), where do you typically do so? (Check all that apply)

- I do not pre-party. (88)
- Bar/restaurant (1)
- Social gathering or friend's house (2)
- Fraternity or sorority house (3)
- Fraternity or sorority community in a residence hall (4)
- Residence hall (5)
- Sporting events (including tailgating) (6)
- Parking lot (7)
- In transit (e.g., driving, walking, etc., to a location) (8)
- At a family member's home (e.g. parent's home) (100)
- Where I live (9)
- Other (please specify) (10) \_\_\_\_\_

---

*Display This Question:*

*If Have you consumed alcohol in the past year? = Yes*

X→

Q37 Think back to the last time you consumed the most alcohol . . . where did you consume the majority of your drinks?

- Bars/restaurants (1)
- Social gathering or friend's house (off-campus) (2)
- Fraternity or sorority house (3)
- Fraternity or sorority community in a residence hall (4)
- Residence hall (5)
- Sporting events (6)
- At a family member's home (e.g. parent's home) (100)
- Where I live (7)
- Other (please specify) (8) \_\_\_\_\_

---

*Display This Question:*

*If Age: = 18*

*Or Age: = 19*

*Or Age: = 20*

X→

Q38 How do you obtain your alcohol? (Check all that apply)

- I have a friend who is over 21 buy for me (1)
- I use a fake or manufactured ID (2)
- I borrow or regularly use someone else's real ID (3)
- I have a friend with a fake ID (99)
- Family members buy alcohol for me (4)
- From parent/caregiver's home (100)
- I know people who work in bars/restaurants who will serve me (5)
- I go to a place where IDs aren't checked (6)
- I know people who work in convenience/grocery stores who will sell to me (7)
- From a fraternity or sorority (8)
- Other (please specify) (9) \_\_\_\_\_
- Not applicable/never obtained alcohol (88)

*Display This Question:*

*If How do you obtain your alcohol? (Check all that apply) = I use a fake or manufactured ID  
Or How do you obtain your alcohol? (Check all that apply) = I borrow or regularly use someone else's real ID*

X→

Q39 In the past year have you been denied access while using a fake/borrowed ID?

- Yes (1)
- No (2)

*Display This Question:*

*If Have you consumed alcohol in the past year? = Yes*

X→

Q40 When you drink, which of the following are contributing factors to your decision to drink alcohol?  
(Check all that apply)

- To relax (1)
- To have fun with friends (2)
- To get drunk (3)
- Because my friends are drinking (4)
- There won't be any negative consequences (5)
- I have nothing better to do (6)
- I like the taste (7)
- I like how it feels (8)

- To escape/so I can forget my problems (9)
- It doesn't negatively affect my academics (10)
- So I can lose my inhibitions (11)
- I can handle any consequences related to my drinking (12)
- Alcohol is always readily available (13)
- It increases my chances of hooking up with someone (14)
- Other (please specify) (15) \_\_\_\_\_

*Display This Question:*

*If Have you consumed alcohol in the past year? = Yes*



Q41 Which of the following motivates you to drink less or not to drink alcohol? (Check all that apply)

- High cost of drinks/alcohol (1)
- Strict enforcement of alcohol laws (2)
- Academic obligations the following day (3)
- Chance of getting sick or having a hangover (4)
- Possibility of getting caught by authorities (5)
- My friends' drinking habits (6)
- Potential of doing something I will regret later (7)
- Being a designated driver (8)
- My parents might find out (9)
- My behavior when I am drunk (10)
- Religious/moral reasons (11)
- Alcoholism (12)
- Health/calories (13)
- Don't like the taste (14)
- Family obligations (15)
- Work obligations (100)
- Not in the mood (16)
- No interest in alcohol (17)
- In recovery from alcohol or other drug addiction (18)
- Other (please specify) (19) \_\_\_\_\_
- I am not motivated to drink less or not drink alcohol (99)

Display This Question:

If Have you consumed alcohol in the past year? = Yes



Q42 In the past year, how often have you done the following at parties or social gatherings where alcohol was available?

	Always (1)	Usually (2)	Sometimes (3)	Occasionally (4)	Rarely (5)	Never (6)
Stopped drinking at a predetermined time (Q42_1)	<input type="radio"/>					
Avoid mixing different types of alcohol (Q42_2)	<input type="radio"/>					
Drink shots of liquor (Q42_3)	<input type="radio"/>					
Put extra ice in your drink (Q42_4)	<input type="radio"/>					
Purposefully limited amount of money spent on alcohol (Q42_5)	<input type="radio"/>					
Make sure you went home with a friend (Q42_6)	<input type="radio"/>					
Have a friend let you know when you've had too much to drink (Q42_7)	<input type="radio"/>					
Know where your drink has been at all times (Q42_8)	<input type="radio"/>					
Avoid trying to "keep up" or "out-drink" others (Q42_9)	<input type="radio"/>					

Received free, non-alcoholic drinks (e.g., soft drinks) at a bar/restaurant for being a designated sober driver (Q42\_10)

*Display This Question:*  
If Have you consumed alcohol in the past year? = Yes



Q43 Which of these activities have you done or attempted during the past academic year? (Check all that apply)

- 21 birthday shots (1)
- Beer bong and/or keg stand (2)
- Drinking games (3)
- Drink specials (4)
- None of the above (88)

*Display This Question:*  
If Have you consumed alcohol in the past year? = Yes



Q44 How many times did the following things happen to you while you were drinking - or because of your drinking - during the past six months?

	0 times (1)	1-2 times (2)	3-5 times (3)	6+ times (4)
Not able to do your homework or study for a test? (Q44_1)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Got into fights, acted badly, or did mean things? (Q44_2)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Went to work or school high or drunk? (Q44_3)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Caused shame or embarrassment to someone? (Q44_4)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Neglected your responsibilities? (Q44_5)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Felt it took more alcohol than it used to in order to get the same effect? (Q44_6)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Noticed a change in your personality? (Q44_7)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Missed a day (or part of a day) of school or work? (Q44_8)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Tried to cut down or quit drinking? (Q44_9)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Suddenly found yourself in a place that you could not remember getting to (blackout)? (Q44_10)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Had a fight, argument or bad feelings with a friend and/or family member? (Q44_11)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Kept drinking when you promised yourself not to? (Q44_12)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Had a bad time? (Q44_13)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Drove shortly after having more than four drinks? (Q44_14)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Experienced nausea or vomiting? (Q44_15)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Had a hangover?  
(Q44\_16)

*Display This Question:*

*If Have you consumed alcohol in the past year? = Yes*

X→

Q45

Some of the symptoms of alcohol poisoning are consuming alcohol until you: were unconscious and could not be awakened; vomited in your sleep; had cold, clammy or bluish skin; or had a breathing rate of less than 8 - 9 breaths per minute. Considering these symptoms, how often have you experienced alcohol poisoning in the last year?

- 0 times (1)
- 1 time (2)
- 2 times (3)
- More than 2 times (4)

*Display This Question:*

*If Some of the symptoms of alcohol poisoning are consuming alcohol until you: were unconscious and c... = 1 time*

*Or Some of the symptoms of alcohol poisoning are consuming alcohol until you: were unconscious and c... = 2 times*

*Or Some of the symptoms of alcohol poisoning are consuming alcohol until you: were unconscious and c... = More than 2 times*

X→

Q46 Which of the following occurred to you as a result of experiencing alcohol poisoning? (Check all that apply)

- I do not remember. (1)
- I was left alone. (2)
- I vomited in my sleep. (3)
- No one helped me. (4)
- Friends let me sleep it off. (5)
- I was taken for medical attention. (6)
- Someone stayed with me to make sure I was okay. (7)
- Other (please specify) (8) \_\_\_\_\_

X→

Q47 What would you do if you were in the presence of a student whom you suspected had alcohol poisoning?

- I would call 911. (1)
- I would take them to the hospital myself. (2)
- I would not do anything because I would be afraid that I would get in trouble with campus officials, or police. (3)
- I would not do anything because I would not feel comfortable getting involved. (4)
- Other, please describe (5) \_\_\_\_\_

Q48 The next set of questions is going to ask about sexual experiences with alcohol. We want you to be informed about the relationship between alcohol and instances of sexual assault and feel comfortable reaching out to us for help if you or someone you know needs it. Contact {school representative} to report an incident or ask for help.



Q49 How do you agree or disagree with the statement "If both people are drunk, it can't be rape?"

- Strongly agree (1)
- Agree (2)
- Neither agree nor disagree (3)
- Disagree (4)
- Strongly disagree (5)

*Display This Question:*

*If Have you consumed alcohol in the past year? = Yes*



Q50 Within the last 12 months, how many times did the following things happen to you when drinking alcohol?

	0 times (1)	1-2 times (2)	3-5 times (3)	6+ times (4)
Had sex with someone without their consent (Q50_1)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Someone had sex with me without my consent (Q50_2)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Had sex with someone you would	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

not have, had you been sober? (Q50\_3)

Did not use protection when you had sex? (Q50\_4)

Got into an argument with a romantic partner that became physical (e.g. throwing, pushing, slapping)? (Q50\_5)

Insulted or swore at my partner? (Q50\_6)

<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>



Q51 In the past year, have you used alcohol or drugs to help you feel more comfortable with a sexual partner?

- Yes (1)
- No (0)



Q52 In the past year, have you done more sexually than you had originally planned to do because you had been drinking alcohol or using drugs?

- Yes (1)
- No (0)
- Not applicable. No (zero) sexual partners in past year. (88)



Q53  
Please answer the following questions.

	Yes (1)	No (0)
Do you approve of someone intervening if they see someone	<input type="radio"/>	<input type="radio"/>

being taken advantage of sexually?  
(Q53\_1)

Do you approve of someone  
intervening if they see someone  
taking advantage of another  
person? (Q53\_2)

Do you approve of students  
drinking so much that they get  
sick? (Q53\_3)

Do you approve of students  
drinking so much that one cannot  
remember part of the previous  
evening? (Q53\_4)

Do you approve of students  
drinking so much that one gets into  
situations that may be regretted  
later? (Q53\_5)

Do you approve of students driving  
after they have had a few drinks?  
(Q53\_6)



Q54 Which statement below about drinking alcoholic beverages do you think best represents your own attitude?

- Drinking is never a good thing to do. (1)
- Drinking is all right, but a person should not get drunk. (2)
- Occasionally getting drunk is okay as long as it doesn't interfere with academics or other responsibilities. (3)
- Occasionally getting drunk is okay even if it does interfere with academics or responsibilities. (4)
- Frequently getting drunk is okay if that's what the individual wants to do. (5)



Q55

Which statement below about drinking alcoholic beverages do you think best represents the most common attitude among students on your campus?

- Drinking is never a good thing to do. (1)
- Drinking is all right, but a person should not get drunk. (2)
- Occasionally getting drunk is okay as long as it doesn't interfere with academics or other responsibilities. (3)

- Occasionally getting drunk is okay even if it does interfere with academics or responsibilities. (4)
- Frequently getting drunk is okay if that's what the individual wants to do. (5)



Q56 What do you think your campus administration's attitude is about alcohol?

- Drinking is never a good thing to do. (1)
- Drinking is all right, but a person should not get drunk. (2)
- Occasionally getting drunk is okay as long as it doesn't interfere with academics or other responsibilities. (3)
- Occasionally getting drunk is okay even if it does interfere with academics or responsibilities. (4)
- Frequently getting drunk is okay if that's what the individual wants to do. (5)

*Display This Question:*  
If Have you consumed alcohol in the past year? = Yes



Q57 Which of the following best fits your intentions to change the way you drink alcohol?

- I am currently trying to drink in a healthier/safer way. (1)
- I am ready to try drinking in a healthier/safer way. (2)
- I am thinking about drinking in a healthier/safer way. (3)
- I see no need to change the way I drink alcohol. (4)

Q58 The following questions ask about drug use and related behaviors.



Q59 In the past year, how often have you used these prescription drug(s) without a doctor's prescription?

	0 times (1)	1-6 times/year (2)	1-2 times/month (3)	1-2 times/week or more (4)
Stimulants (e.g., Dexedrine, Adderall, Ritalin, Concerta) (Q59_1)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Pain medication/Opiates (e.g., Vicodin, OxyContin, Tylenol 3 w/ Codeine, Demerol, Morphine) (Q59_2)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Sleeping medication (e.g., Ambien, Halcion, Restoril) (Q59_3)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Benzodiazepines/Sedatives (e.g., Xanax, Klonopin, Valium) (Q59_4)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Other (Please specify) (Q59_5)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

*Display This Question:*  
*If Have you consumed alcohol in the past year? = Yes*



Q60 In the past year, how often have you mixed alcohol with any prescription drugs used in a manner other than prescribed?

- 0 times (1)
- 1 time (2)
- 2 times (3)
- 3-5 times (4)
- More than 5 times (5)



Q61 How often in the past year have you drove a vehicle after taking prescription antidepressants, muscle relaxants, opioids, or sedatives?

- 0 times (1)
- 1 time (2)
- 2 times (3)
- 3-5 times (4)
- More than 5 times (5)



Q62 How do you obtain your prescription drugs without a doctor's prescription? (Check all that apply)

- I purchase them from other people (1)
- I steal them (2)
- I was given them (3)
- Other (Please specify) (4) \_\_\_\_\_

Not applicable/never obtained without a doctor's prescription. (88)

---



Q63 From whom do you access your prescription drugs without a doctor's prescription? (Check all that apply)

- Family (1)
  - Friends (2)
  - Floor mates/roommates (3)
  - Strangers (4)
  - Other (Please Specify) (5) \_\_\_\_\_
  - Not applicable/none of the above. (88)
- 



Q64 How easy do you think it is for the typical student to obtain prescription drugs without a doctor's prescription?

- Very easy (1)
  - Fairly easy (2)
  - Somewhat easy (3)
  - Difficult (4)
  - Very difficult (5)
- 



Q65 How much do you agree or disagree with the statement "Using prescription drugs without a prescription, or using prescription drugs other than as directed, is safer than using illegal drugs?"

- Strongly disagree, illegal drugs are safer. (1)
  - Disagree, they are equally dangerous. (2)
  - Agree, prescription drugs without a prescription are safer. (3)
- 



Q66 In the past year, how often have you used the following drug(s)?

	Never (1)	1 - 6 times/year (2)	1 - 2 times/month (3)	1 - 2 times/week (4)	3 or more times/week (5)	Daily (6)
--	-----------	----------------------------	-----------------------------	----------------------------	--------------------------------	-----------

---

Marijuana (Q66_1)	<input type="radio"/>					
Marijuana Derivative (i.e., Wax/Dabs/Oils/Shatter) (Q66_2)	<input type="radio"/>					
Marijuana Edible (Q66_3)	<input type="radio"/>					
Delta 8 (Q66_4)	<input type="radio"/>					

Q67 How often do you think the typical student on your campus uses marijuana?

- Never (1)
- 1 - 6 times/year (2)
- 1 - 2 times/month (3)
- 1 - 2 times/week (4)
- 3 or more times/week (5)
- Daily (6)

*Display This Question:*

*If In the past year, how often have you used the following drug(s)? = Marijuana [ 1 - 6 times/year ]*  
*Or In the past year, how often have you used the following drug(s)? = Marijuana [ 1 - 2 times/month ]*  
*Or In the past year, how often have you used the following drug(s)? = Marijuana [ 1 - 2 times/week ]*  
*Or In the past year, how often have you used the following drug(s)? = Marijuana [ 3 or more times/week ]*  
*Or In the past year, how often have you used the following drug(s)? = Marijuana [ Daily ]*

Q168 Thinking of all the times you use marijuana, how often would you say that you use marijuana for each of the following reasons?

	Almost never/never (1)	Some of the time (2)	Half of the time (3)	Most of the time (4)	Almost always/always (5)
Because it helps me enjoy a party (Q168_1)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
To be sociable (Q168_2)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Because it makes social gatherings more fun (Q168_3)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Because it improves parties and celebrations (Q168_4)	<input type="radio"/>				
To celebrate a special occasion with friends (Q168_5)	<input type="radio"/>				
To forget my worries (Q168_6)	<input type="radio"/>				
Because it helps me when I feel depressed or nervous (Q168_8)	<input type="radio"/>				
To cheer me up when I am in a bad mood (Q168_9)	<input type="radio"/>				
Because I feel more self-confident and sure of myself (Q168_10)	<input type="radio"/>				
To forget about my problems (Q168_11)	<input type="radio"/>				

*Display This Question:*  
*If In the past year, how often have you used the following drug(s)? = Marijuana [ 1 - 6 times/year ]*  
*Or In the past year, how often have you used the following drug(s)? = Marijuana [ 1 - 2 times/month ]*  
*Or In the past year, how often have you used the following drug(s)? = Marijuana [ 1 - 2 times/week ]*  
*Or In the past year, how often have you used the following drug(s)? = Marijuana [ 3 or more times/week ]*  
*Or In the past year, how often have you used the following drug(s)? = Marijuana [ Daily ]*

Q169 Thinking of all the times you use marijuana, how often would you say that you use marijuana for each of the following reasons?

	Almost never/never (1)	Some of the time (2)	Half of the time (3)	Most of the time (4)	Almost always/always (5)
--	------------------------	----------------------	----------------------	----------------------	--------------------------

To get high (Q169_1)	<input type="radio"/>				
Because I like the feeling (Q169_2)	<input type="radio"/>				
Because it's exciting (Q169_3)	<input type="radio"/>				
Because it gives me a pleasant feeling (Q169_4)	<input type="radio"/>				
Because it's fun (Q169_5)	<input type="radio"/>				
Because my friends pressure me to use marijuana (Q169_6)	<input type="radio"/>				
So that others won't tease me about not using marijuana (Q169_8)	<input type="radio"/>				
To fit in with the group I like (Q169_9)	<input type="radio"/>				
To be liked (Q169_10)	<input type="radio"/>				
So I won't feel left out (Q169_11)	<input type="radio"/>				

*Display This Question:*

*If In the past year, how often have you used the following drug(s)? = Marijuana [ 1 - 6 times/year ]  
Or In the past year, how often have you used the following drug(s)? = Marijuana [ 1 - 2 times/month ]*

*]*

*Or In the past year, how often have you used the following drug(s)? = Marijuana [ 1 - 2 times/week ]  
Or In the past year, how often have you used the following drug(s)? = Marijuana [ 3 or more times/week ]*

*Or In the past year, how often have you used the following drug(s)? = Marijuana [ Daily ]*

Q170 Thinking of all the times you use marijuana, how often would you say that you use marijuana for each of the following reasons?

	Almost never/never (1)	Some of the time (2)	Half of the time (3)	Most of the time (4)	Almost always/always (5)
To know myself better (1)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Because it helps me be more creative and original (2)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
To understand things differently (3)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
To expand my awareness (4)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
To be more open to experiences (5)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

*Display This Question:*

*If In the past year, how often have you used the following drug(s)? = Marijuana [ 1 - 6 times/year ]  
Or In the past year, how often have you used the following drug(s)? = Marijuana [ 1 - 2 times/month ]*

]

*Or In the past year, how often have you used the following drug(s)? = Marijuana [ 1 - 2 times/week ]  
Or In the past year, how often have you used the following drug(s)? = Marijuana [ 3 or more times/week ]*

*Or In the past year, how often have you used the following drug(s)? = Marijuana [ Daily ]*



Q68 How often in the past year have you drove a vehicle after using marijuana?

- 0 times (1)
- 1 time (2)
- 2 times (3)
- 3 - 5 times (4)
- More than 5 times (5)

*Display This Question:*

*If In the past year, how often have you used the following drug(s)? = Marijuana [ 1 - 6 times/year ]  
Or In the past year, how often have you used the following drug(s)? = Marijuana [ 1 - 2 times/month ]*

]

*Or In the past year, how often have you used the following drug(s)? = Marijuana [ 1 - 2 times/week ]*  
*Or In the past year, how often have you used the following drug(s)? = Marijuana [ 3 or more times/week ]*  
*Or In the past year, how often have you used the following drug(s)? = Marijuana [ Daily ]*



Q69 Where have you used marijuana in the past year? (Check all that apply)

- Residence hall (1)
- Your apartment/house (2)
- Greek house (3)
- Athletic events (4)
- Concerts (5)
- Bars (6)
- Parties (7)
- Social gathering or friend's house (off-campus) (8)
- Outdoors (9)
- In a car (10)
- Other (please specify) (11) \_\_\_\_\_

*Display This Question:*

*If Where have you used marijuana in the past year? (Check all that apply) = In a car*



Q70 When you used marijuana in a car, what is usually the status of the car?

- Parked on campus (1)
- Parked off campus (2)
- Being driven (3)

*Display This Question:*

*If In the past year, how often have you used the following drug(s)? = Marijuana [ 1 - 6 times/year ]*  
*Or In the past year, how often have you used the following drug(s)? = Marijuana [ 1 - 2 times/month ]*

*Or In the past year, how often have you used the following drug(s)? = Marijuana [ 1 - 2 times/week ]*  
*Or In the past year, how often have you used the following drug(s)? = Marijuana [ 3 or more times/week ]*  
*Or In the past year, how often have you used the following drug(s)? = Marijuana [ Daily ]*



Q71 Which of the following best fits your intentions to change the way you use marijuana?

- I am currently trying to use marijuana less often and/or quit. (1)

- I am ready to try to use marijuana less frequently and/or quit. (2)
- I am thinking about using marijuana less and/or quit. (3)
- I see no need to change my marijuana use. (4)



Q72 In the past year, how often have you used the following drug(s)?

	Never (1)	1 - 6 times/year (2)	1 - 2 times/month (3)	1 - 2 times/week or more (4)
Cocaine (Q72_1)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Hallucinogens (mushrooms, LSD, MDMA, Ecstasy) (Q72_2)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Opioids (heroin, fentanyl, oxycodone, etc.) (Q72_3)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Methamphetamines (meth, ice, speed) (Q72_5)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Other (please specify): (Q72_4)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>



Q73 In the past year, how often have you used the following tobacco products?

	Never (1)	1 - 6 times/year (2)	1 - 3 times/month (3)	1 - 2 times/week (4)	3 - 6 times/week (5)	Daily (6)
Cigarettes (Q73_1)	<input type="radio"/>					
Cigars (Q73_2)	<input type="radio"/>					
Smokeless tobacco (Q73_3)	<input type="radio"/>					

Tobacco pipes (Q73_4)	<input type="radio"/>					
Hookah (Q73_5)	<input type="radio"/>					
E-cigarettes (Q73_6)	<input type="radio"/>					
JUUL (Q73_7)	<input type="radio"/>					
Other (please specify): (Q73_8)	<input type="radio"/>					



Q74 Do you drive a vehicle while attending classes at your college/university?

- Yes (1)
- No (0)

*Display This Question:*  
If Do you drive a vehicle while attending classes at your college/university? = Yes



Q75 While driving a vehicle, how often do you do each of the following? (If you do not drive, please choose "do not drive".)

	Always (5)	Most of the time (4)	Sometimes (3)	Rarely (2)	Never (1)	I do not drive (88)
Wear a safety belt (Q75_1)	<input type="radio"/>					
Talk on a cell phone (Q75_2)	<input type="radio"/>					
Text message on a cell phone (Q75_3)	<input type="radio"/>					



Q76 Please indicate how likely you are to engage in each of the following behaviors in the future:

	Definitely would (5)	Very likely (4)	Likely (3)	Unlikely (2)	Never would (1)
Tell someone if I heard what sounded like yelling or fighting through my residence hall/apartment walls. (Q76_1)	<input type="radio"/>				
Get help if I saw a friend grabbing, pushing, or insulting their boyfriend/girlfriend/partner. (Q76_2)	<input type="radio"/>				
Speak up and express concern if I heard a stranger talking about coercing someone to have sex. (Q76_3)	<input type="radio"/>				
Speak up and express concern if I heard a friend talking about coercing someone to have sex. (Q76_4)	<input type="radio"/>				



Q77 If you were to get help for any of the above situations after they occurred, where would you go?  
(Check all that apply)

- Friends/Peers (1)
- Another Student (2)
- Health, Wellness or Counseling Center (3)
- Residence life staff (RA/CA) (4)
- Campus Health Center (5)
- Campus Staff/Faculty Member (7)
- Police (6)
- Family member (99)
- Other (please specify) (8) \_\_\_\_\_
- I would not get help. (88)

Display This Question:

*If Please indicate how likely you are to engage in each of the following behaviors in the future: = Tell someone if I heard what sounded like yelling or fighting through my residence hall/apartment walls. [ Never would ]*

*Or Please indicate how likely you are to engage in each of the following behaviors in the future: = Tell someone if I heard what sounded like yelling or fighting through my residence hall/apartment walls. [ Unlikely ]*

*Or Please indicate how likely you are to engage in each of the following behaviors in the future: = Get help if I saw a friend grabbing, pushing, or insulting their boyfriend/girlfriend/partner. [ Never would ]*

*Or Please indicate how likely you are to engage in each of the following behaviors in the future: = Get help if I saw a friend grabbing, pushing, or insulting their boyfriend/girlfriend/partner. [ Unlikely ]*

*Or Please indicate how likely you are to engage in each of the following behaviors in the future: = Speak up and express concern if I heard a stranger talking about coercing someone to have sex. [ Never would ]*

*Or Please indicate how likely you are to engage in each of the following behaviors in the future: = Speak up and express concern if I heard a stranger talking about coercing someone to have sex. [ Unlikely ]*

*Or Please indicate how likely you are to engage in each of the following behaviors in the future: = Speak up and express concern if I heard a friend talking about coercing someone to have sex. [ Never would ]*

*Or Please indicate how likely you are to engage in each of the following behaviors in the future: = Speak up and express concern if I heard a friend talking about coercing someone to have sex. [ Unlikely ]*



#### Q78

For the previous situations where you indicated that you would never or were unlikely to do something, why do you think you would not intervene? (Check all that apply)

- I don't think it's a problem. (1)
- I'm afraid I'd look stupid if I made a big deal out of nothing or if I did it wrong. (2)
- There would be other people around who would probably act so I wouldn't have to. (3)
- My friends would give me a hard time if I did anything. (4)
- It's not my responsibility (I am not the party police or their babysitter). (5)
- I could get physically hurt. (6)
- My personality traits would make it hard (e.g., I'm shy, I hate conflict). (7)
- I don't think the person would actually need my help. (8)
- Other people would be more qualified to help. (9)
- I wouldn't want to get in trouble. (10)
- It's not my concern and I don't want to get involved. (11)
- Other (please specify) (12) \_\_\_\_\_

Q79 The next set of questions are going to ask about mental health issues. We want you to feel comfortable reaching out to us for help if you or someone you know needs it. Contact {school representative} to report an incident or ask for help.

---



Q80 In the past two weeks, how stressed have you felt?

- I have experienced no stress. (88)
- Minimal (1)
- A little stress (2)
- Stressed, but managing (3)
- Overwhelmed (4)
- My stress is unbearable. (5)

*Skip To: Q85 If In the past two weeks, how stressed have you felt? = I have experienced no stress.*



Q81 To what extent has stress impacted or interfered with your academic life?

- Not at all (1)
  - Somewhat (2)
  - Moderately (3)
  - Considerably (4)
  - A great deal (5)
- 



Q82 To what extent has stress impacted or interfered with your personal life?

- Not at all (1)
  - Somewhat (2)
  - Moderately (3)
  - Considerably (4)
  - A great deal (5)
- 



Q83 Which of the following are the main sources of your stress? (Check all that apply)

- School/Academics (1)
- Financial concerns (2)

- Job (3)
  - Dating/relationship with partner (4)
  - Family (5)
  - Friends (6)
  - Roommates (7)
  - Time management (8)
  - Physical health (9)
  - Future plans (e.g., graduation, finding a job) (10)
  - Outside organizations/responsibilities (e.g., Athletics, fraternity/sorority) (11)
  - Mental health issues (12)
  - Adverse events (e.g. natural disasters, pandemic) (14)
  - Other (please specify) (13) \_\_\_\_\_
- 



Q84 Which of the following have you done in the past two weeks to relieve stress? (Check all that apply)

- Made a list of what you needed to do (1)
  - Exercised (2)
  - Ate healthy foods (3)
  - Talked with a friend (4)
  - Talked with family (5)
  - Said "No" to additional time pressures (6)
  - Smiled/Laughed (7)
  - Online, video, or computer games (8)
  - Took a nap/slept (9)
  - Listened to music (10)
  - Religious practices (11)
  - Drank alcoholic beverages (12)
  - Used tobacco (e.g. cigarettes, vape) (13)
  - Used Marijuana (14)
  - Watched tv/movies (16)
  - Make things (e.g. arts, crafts) (17)
  - Read (18)
  - Other (please specify) (15) \_\_\_\_\_
-



Q85 Whom do you feel you can go to on-campus when personal concerns arise? (Check all that apply)

- Friends/peers (1)
  - Campus Counseling Center (2)
  - Religious or spiritual advisor (3)
  - Residence life staff (4)
  - Campus Health Center (5)
  - Law enforcement/campus security (6)
  - Academic advisor (7)
  - Faculty/professor (8)
  - College/University staff member (9)
  - Other (please specify) (10) \_\_\_\_\_
  - I don't feel like I can go to anyone on campus when personal concerns arise. (88)
- 



Q86 Whom do you feel you can go to off-campus when personal concerns arise? (Check all that apply)

- Parents (1)
  - Sibling/extended family (2)
  - Friends/peers (3)
  - Mental health professional (counselor) (4)
  - Religious or spiritual advisor (5)
  - Chat rooms or online support groups (6)
  - Dating partner/spouse (7)
  - Other (please specify) (8) \_\_\_\_\_
  - I don't feel like I can go to anyone off campus when personal concerns arise. (88)
- 



Q87 Which of the following have you experienced in the past year? (Check all that apply)

- Depression (1)
- Sexual assault (2)
- Eating disorder(s) (3)
- Chronic sleep issues (4)
- Self-injury (not suicidal behavior) (5)

- Anxiety (6)
- Abusive relationship (7)
- Alcohol abuse/dependency (8)
- Panic attacks (9)
- Bipolar disorder (10)
- Other (please specify) (11) \_\_\_\_\_
- I have not experienced any of these. (88)

*Display This Question:*

*If Which of the following have you experienced in the past year? (Check all that apply) = Depression  
Or Which of the following have you experienced in the past year? (Check all that apply) = Sexual assault*

*Or Which of the following have you experienced in the past year? (Check all that apply) = Eating disorder(s)*

*Or Which of the following have you experienced in the past year? (Check all that apply) = Chronic sleep issues*

*Or Which of the following have you experienced in the past year? (Check all that apply) = Self-injury (not suicidal behavior)*

*Or Which of the following have you experienced in the past year? (Check all that apply) = Anxiety*

*Or Which of the following have you experienced in the past year? (Check all that apply) = Abusive relationship*

*Or Which of the following have you experienced in the past year? (Check all that apply) = Alcohol abuse/dependency*

*Or Which of the following have you experienced in the past year? (Check all that apply) = Panic attacks*

*Or Which of the following have you experienced in the past year? (Check all that apply) = Bipolar disorder*

*Or Which of the following have you experienced in the past year? (Check all that apply) = Other (please specify)*



**Q88** For the issues previously identified, where did you initially seek assistance? (Check up to two)

- I did not seek assistance (88)
- Campus Counseling Center (1)
- Campus Health Center (2)
- Religious or spiritual advisor (3)
- Hospital emergency room (4)
- Off-campus medical doctor (5)
- Off-campus mental health provider (6)
- In-patient psychiatric facility (7)
- Friends and family (8)

Other (please specify) (9) \_\_\_\_\_

---

X→

Q89 Have you ever (in your lifetime) had suicidal thoughts?

- Yes (1)
  - No (0)
- 

*Display This Question:*

*If Have you ever (in your lifetime) had suicidal thoughts? = Yes*

X→

Q90 In the past year, have you had suicidal thoughts?

- Yes (1)
  - No (0)
- 

*Display This Question:*

*If Have you ever (in your lifetime) had suicidal thoughts? = Yes*

X→

Q91 In the past year, have you attempted suicide?

- Yes (1)
  - No (0)
- 

*Display This Question:*

*If In the past year, have you had suicidal thoughts? = Yes  
Or In the past year, have you attempted suicide? = Yes*

X→

Q92 Have you sought assistance for your suicide attempt/thoughts in the past year?

- Yes (1)
  - No (0)
- 

*Display This Question:*

*If Have you sought assistance for your suicide attempt/thoughts in the past year? = Yes*

X→

Q93 Where did you primarily seek assistance for suicidal attempt/thoughts?

- Campus Counseling Center (1)
- Campus Health Center (2)
- Religious or spiritual advisor (3)
- Hospital emergency room (4)
- Off-campus medical doctor (5)
- Off-campus mental health center (6)
- Friends/family (99)
- Other (Please specify) (7) \_\_\_\_\_

*Display This Question:*

*If Where did you primarily seek assistance for suicidal attempt/thoughts? = Campus Counseling Center*

*Or Where did you primarily seek assistance for suicidal attempt/thoughts? = Campus Health Center*

*Or Where did you primarily seek assistance for suicidal attempt/thoughts? = Religious or spiritual advisor*

*Or Where did you primarily seek assistance for suicidal attempt/thoughts? = Hospital emergency room*

*Or Where did you primarily seek assistance for suicidal attempt/thoughts? = Off-campus medical doctor*

*Or Where did you primarily seek assistance for suicidal attempt/thoughts? = Off-campus mental health center*

*Or Where did you primarily seek assistance for suicidal attempt/thoughts? = Other (Please specify)*



Q94 How effective was the assistance you received?

- It negatively impacted me (1)
- Not effective at all (2)
- Slightly effective (3)
- Moderately effective (4)
- Very effective (5)
- Extremely effective (6)
- Not applicable/none of the above (88)



Q95 In the past year, have you been concerned about a friend having suicidal thoughts or behaviors?

- Yes (1)
- No (0)



Q96 How likely are you to do the following?

	Very unlikely (1)	Unlikely (2)	Neither unlikely or likely (3)	Likely (4)	Very likely (5)
To bring up the topic of suicide with someone you think is at risk? (Q96_1)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
To refer someone who tells you they are thinking about suicide to a local resource? (Q96_2)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>



Q97 Gender: (Check all that apply)

- Woman (0)
- Man (1)
- Transgender (2)
- Gender Queer (3)
- Nonbinary (99)
- Self-Identify (please specify) (4) \_\_\_\_\_



Q98 Do you currently take any prescription medication or over the counter drugs?

- Yes (1)
- No (0)



Q99 Are you currently an athlete?

- Yes (1)
- No (0)



Q100 Sexual Orientation: (Check all that apply)

- Bisexual (1)
- Gay (2)
- Lesbian (3)
- Heterosexual/straight (4)
- Queer (5)
- Questioning (6)
- Asexual (7)
- Pansexual (8)
- Other (Please specify): (9) \_\_\_\_\_



Q101 Please estimate your cumulative GPA: (e.g., 3.0)

- Please enter numbers with a decimal point: (1)  
\_\_\_\_\_
- No GPA yet. First semester at campus. (88)



Q102 Please describe your disability status: (Check all that apply)

- I have no disability. (88)
- Learning disability (1)
- ADD/ADHD (2)
- Deaf/hard of hearing (3)
- Blind/low vision (4)
- Physical health disability (5)
- Mental health disability (6)
- Orthopedic or mobility disability (7)
- Autism Spectrum Disorder (8)
- Speech/language disability (9)
- Neurological disability (traumatic brain injury) (10)
- Other (please specify) (11) \_\_\_\_\_

---

*Display This Question:*

*If Please describe your disability status: (Check all that apply) != I have no disability.*

X→

Q103 Do you currently access academic accommodations with your campus disability service office?

- Yes (1)
- No (0)

---

X→

Q104 Were you eligible to receive a Pell Grant this semester?

- Yes (1)
- No (0)
- Unsure (9)

---

X→

Q105 Did you graduate from a high school in Nebraska?

- Yes (1)
- No (0)

---

*Display This Question:*

*If Did you graduate from a high school in Nebraska? = Yes*

X→

Q106 What county in Nebraska was your high school located?

- Adams (1)
- Antelope (2)
- Arthur (3)
- Banner (4)
- Blaine (5)
- Boone (6)
- Box Butte (7)
- Boyd (8)
- Brown (9)
- Buffalo (10)
- Burt (11)
- Butler (12)

- Cass (13)
- Cedar (14)
- Chase (15)
- Cherry (16)
- Cheyenne (17)
- Clay (18)
- Colfax (19)
- Cuming (20)
- Custer (21)
- Dakota (22)
- Dawes (23)
- Dawson (24)
- Deuel (25)
- Dixon (26)
- Dodge (27)
- Douglas (28)
- Dundy (29)
- Fillmore (30)
- Franklin (31)
- Frontier (32)
- Furnas (33)
- Gage (34)
- Garden (35)
- Garfield (36)
- Gosper (37)
- Grant (38)
- Greeley (39)
- Hall (40)
- Hamilton (41)
- Harlan (42)
- Hayes (43)
- Hitchcock (44)
- Holt (45)
- Hooker (46)
- Howard (47)
- Jefferson (48)
- Johnson (49)
- Kearney (50)
- Keith (51)

- Keya Paha (52)
- Kimball (53)
- Knox (54)
- Lancaster (55)
- Lincoln (56)
- Logan (57)
- Loup (58)
- McPherson (59)
- Madison (60)
- Merrick (61)
- Morrill (62)
- Nance (63)
- Nemaha (64)
- Nuckolls (65)
- Otoe (66)
- Pawnee (67)
- Perkins (68)
- Phelps (69)
- Pierce (70)
- Platte (71)
- Polk (72)
- Red Willow (73)
- Richardson (74)
- Rock (75)
- Saline (76)
- Sarpy (77)
- Saunders (78)
- Scotts Bluff (79)
- Seward (80)
- Sheridan (81)
- Sherman (82)
- Sioux (83)
- Stanton (84)
- Thayer (85)
- Thomas (86)
- Thurston (87)
- Valley (88)
- Washington (89)
- Wayne (90)

- Webster (91)
  - Wheeler (92)
  - York (93)
  - I prefer not to respond. (99)
- 



Q107 Are you working on an associate degree, bachelor's degree, or graduate degree?

- Associate Degree (2 yr) (1)
  - Bachelor's Degree (4 yr) (2)
  - Graduate Degree (3)
  - Other (Please specify) (4) \_\_\_\_\_
- 



Q108 Which of the following best applies to you?

- Full-time student (1)
  - Part-time student (2)
  - Exclusively enrolled in web-based distance learning (3)
- 



Q109 In which subject area is your major? (If you have a double major, you may select up to two)

- Agriculture (1)
- Business (e.g., Accounting, Marketing) (2)
- Communication (e.g., Advertising, Mass Communication, Public Relations) (3)
- Computer Science (4)
- Divinity/Theology/Religious (5)
- Economics (6)
- Education (7)
- English (8)
- Engineering (9)
- Foreign Language (10)
- Health Sciences/Veterinary Science (e.g., Medicine, Nursing, Optometry, Pharmacy, Physical Therapy, Speech-Language Pathology) (11)
- Interdisciplinary (13)
- Journalism (14)

- Liberal Arts/Humanities (15)
- Mathematics (16)
- Physical Sciences (e.g., Biology, Biochemistry, Chemistry, Physics) (17)
- Social Sciences (e.g., Counseling, Criminal Justice, History, Political Science, Psychology, Social Work, Sociology) (18)
- Technology (19)
- Visual and Performing Arts (e.g., Art, Film, Fine Arts, Music, Photography, Theater, Voice) (20)
- Undecided or do not have a major yet. (21)
- Other (please specify) (22) \_\_\_\_\_



Q110 Please indicate your level of agreement with the following statement:

	Strongly Disagree (1)	Disagree (2)	Somewhat disagree (3)	Neither agree nor disagree (4)	Somewhat agree (5)	Agree (6)	Strongly agree (7)
I feel a sense of belonging to the campus community. (Q110_1)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
If I could start college over again, I would go to the same institution I am now attending. (Q110_2)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>



Q111 Are you a transfer student?

- Yes (1)
- No (0)

*Display This Question:*

*If Are you a transfer student? = Yes*

X→

Q112 Did you transfer from a two-year or four-year institution?

- Transferring from a 2 year institution (1)
- Transferring from a 4 year institution (2)

*Display This Question:*

*If Are you a transfer student? = Yes*

X→

Q113 What institution did you transfer from?

- Please specify: (1) \_\_\_\_\_

X→

Q114 Have you thought about transferring from your current college/university in the past year?

- Yes (1)
- No (0)

*Display This Question:*

*If Have you thought about transferring from your current college/university in the past year? = Yes*

X→

Q115 What reasons have contributed to you considering leaving your current college/university? (Check all that apply)

- Lack of friends/loneliness/homesick (1)
- Could not find a job (2)
- Do not have enough money to pay for school (3)
- Difficulties keeping up with academic expectations (4)
- Lack of entertainment ('things to do') in town (5)
- My drinking/partying (6)
- Others' drinking/partying (7)
- My drug use (8)
- Others' drug use (9)
- Do not feel as if I belong on campus (10)
- My major/area of interest is not offered (11)

- Mental health (99)
  - Other (please specify) (12) \_\_\_\_\_
- 



Q116 Have you thought of discontinuing your college/university education in the past year?

- Yes (1)
  - No (0)
- 

*Display This Question:*

*If Have you thought of discontinuing your college/university education in the past year? = Yes*



Q117 What reasons have contributed to you considering discontinuing your college/university education in the past year? (Check all that apply)

- Lack of friends/loneliness/homesick (1)
  - Could not find a job (2)
  - Do not have enough money to pay for school (3)
  - Difficulties keeping up with academic expectations (4)
  - Lack of entertainment ('things to do') in town (5)
  - My drinking/partying (6)
  - Others' drinking/partying (7)
  - My drug use (8)
  - Others drug use (9)
  - Do not feel as if I belong on campus (10)
  - My major/area of interest is not offered (11)
  - Mental health (100)
  - Other (please specify) (12) \_\_\_\_\_
- 



Q118 While attending classes, which of these living arrangements best apply to you?

- On-campus housing (e.g., residence hall, apartment, house) (1)
- Fraternity/sorority housing (2)
- Off-campus housing without parents (e.g., a rented property, home ownership) (3)
- Off-campus with parents/family (4)
- Other (please specify) (5) \_\_\_\_\_

---

*Display This Question:*

*If While attending classes, which of these living arrangements best apply to you? = On-campus housing (e.g., residence hall, apartment, house)*

X→

Q119 Where is your residence located?

- In a residence hall (1)
- In an apartment (2)
- In a house (3)
- Other (please specify) (4) \_\_\_\_\_

---

*Display This Question:*

*If While attending classes, which of these living arrangements best apply to you? = Fraternity/sorority housing*

X→

Q120 If you live in a social fraternity or sorority house, where is it located?

- In a residence hall (1)
- On campus, but not in a residence hall (2)
- Off campus (3)
- Other (please specify) (4) \_\_\_\_\_

---

X→

Q121 Are you an international student?

- Yes (1)
- No (0)

---

X→

Q122 What is your relationship status?

- Single (1)
  - Married/have a spouse and/or partner (2)
  - Involved in a long-term relationship (3)
  - Divorced or separated (4)
  - Widowed (5)
-



Q126 In which of these campus activities or organizations are you currently involved? (Check all that apply)

- Religious groups (1)
- Honors/academic/professional clubs (2)
- Service/volunteer groups (3)
- Student government (4)
- Fraternity (5)
- Sorority (6)
- Intercollegiate/varsity athletics (9)
- Intramurals/club sports (10)
- Performance arts (music, theater, visual art) group (11)
- Multicultural/LGBTQ (12)
- Armed services/ROTC (13)
- Political (14)
- Residential Life (as an employee or volunteer) (15)
- Other (please specify) (16) \_\_\_\_\_
- I am not involved in any campus activity/organization. (88)

*Display This Question:*

*If In which of these campus activities or organizations are you currently involved? (Check all that... != I am not involved in any campus activity/organization.*



Q127 In which activities or organizations do/did you have a leadership position? (Check all that apply)

	Yes, currently (1)	Yes, previously (2)	No (0)
Religious groups (Q127_1)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Honors/academic/professional clubs (Q127_2)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Service/volunteer groups (Q127_3)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Student government (Q127_4)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Fraternity (Q127_5)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Sorority (Q127_6)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Intercollegiate/varsity athletics (Q127_9)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Intramurals/club sports (Q127_10)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Performance arts (music, theater, visual art) group (Q127_11)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Multicultural/LGBTQ (Q127_12)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Armed services/ROTC (Q127_13)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Political (Q127_14)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Residential Life (as an employee or volunteer) (Q127_15)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Other (please specify) (Q127_16)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
I am not involved in any campus activity/organization. (Q127_17)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
I prefer not to respond. (Q127_18)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

*Display This Question:*

*If in which of these campus activities or organizations are you currently involved? (Check all that... != I am not involved in any campus activity/organization.*



**Q128**

In association with organizational involvement, was there any activity expected of someone joining or participating in the group? (Check all that apply)

- Participate in a drinking game (1)
- Drink large amounts of a non-alcoholic beverage (2)
- Sing or chant by self or with select others of groups in public (not related to an event, game, or practice) (3)
- Associate with specific people and not others (4)
- Drink large amounts of alcohol to the point of getting sick or passing out (5)
- Deprive yourself of sleep (6)
- Be screamed, yelled, or cursed at by other members (7)

- Be awakened during the night by other members (8)
- Forced physical activity (12)
- Personal servitude (13)
- Wear clothing that is embarrassing and not part of a uniform (14)
- Other (please specify): (99) \_\_\_\_\_
- None of the above (88)

*Display This Question:*

*If In which of these campus activities or organizations are you currently involved? (Check all that... != I am not involved in any campus activity/organization.*



Q129

Did you consider any of these activities to humiliate, degrade, abuse, or endanger yourself/someone else regardless of a person's willingness to participate?

- Yes (1)
- No (0)

Q130 Do you have any additional comments?

---



---



---



---



---

Q131 Thank you for participating in the survey. Your responses will allow us to assess the alcohol and drug attitudes and behaviors of students in Nebraska and to research trends of these behaviors on your campus over time. Again, feel free to contact [SCHOOL CONTACT] if you would like to seek counseling for any reason as a result of this survey and/or if you have any questions about any of the questions in this survey. Thank you again for your participation!

*Skip To: End of Survey If Thank you for participating in the survey. Your responses will allow us to assess the alcohol and... Displayed*

Q132 Thank you for your interest in this survey. However, participation is limited to students ages 18 and older.

*Skip To: End of Survey If Thank you for your interest in this survey. However, participation is limited to students ages 18... Displayed*

JS

Q133 Thank you for your interest in this survey. However, participation is limited to students between the ages of 18 and 24.

*Skip To: End of Survey If Thank you for your interest in this survey. However, participation is limited to students between... Displayed*

JS

Q134 Thank you for your interest in this survey, however consent is required to continue.

End of Block: Default Question Block

---

## Appendix B: Total Frequencies

### Q3 Age:

		N	Total %	Valid %
Valid	18 18	874	14.0	14.0
	19 19	1599	25.6	25.6
	20 20	1347	21.6	21.6
	21 21	1188	19.1	19.1
	22 22	675	10.8	10.8
	23 23	312	5.0	5.0
	24 24	240	3.8	3.8
Total		6235	100.0	100.0

### Q3 Bi under 21 vs. 21 or over

		N	Total %	Valid %
Valid	.00 21 or over	2415	38.7	38.7
	1.00 Under 21	3820	61.3	61.3
Total		6235	100.0	100.0

### Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
Q3 Age:	6235	18	24	20.17	1.574
Valid N (listwise)	6235				

### Q5 Sex assigned at birth?

		N	Total %	Valid %
Valid	0 Female	4347	69.7	69.8
	1 Male	1883	30.2	30.2
	Total	6230	99.9	100.0
Missing	-99	5	.1	
Total		6235	100.0	

### Q6 Are you a member of a fraternity or sorority?

		N	Total %	Valid %
Valid	0 No	3895	62.5	80.7
	1 Yes	933	15.0	19.3
	Total	4828	77.4	100.0
Missing	-99	6	.1	
	System	1401	22.5	
Total	Total	1407	22.6	
Total		6235	100.0	

*Q7 Are you currently a resident of the state of Nebraska?*

		N	Total %	Valid %
Valid	0 No	1624	26.0	26.1
	1 Yes	4603	73.8	73.9
	Total	6227	99.9	100.0
Missing	-99	8	.1	
Total		6235	100.0	

*Q8 Hispanic/Latino*

		N	Total %	Valid %
Valid	0 Non-Hispanic/Latino	5280	84.7	87.6
	1 Hispanic/Latino	744	11.9	12.4
	Total	6024	96.6	100.0
Missing	-99	211	3.4	
Total		6235	100.0	

*Descriptive Statistics*

	N	Minimum	Maximum	Mean	Std. Deviation
Q9_1 Background: American Indian or Alaskan Native	6050	0	1	.02	.145
Q9_2 Background: Asian or Asian-American	6050	0	1	.08	.264
Q9_3 Background: Native Hawaiian or Pacific Islander	6050	0	1	.01	.088
Q9_4 Background: White, European-American, or Caucasian	6050	0	1	.86	.350
Q9_5 Background: Black, African-American, or Native African	6050	0	1	.04	.206
Q9_6 Background: Arab or Non-Arab North African/Middle-Eastern	6050	0	1	.01	.107
Q9_8 Background: Native Caribbean or Afro-Caribbean Islander	6050	0	1	.00	.050
Q9_9 Background: Other (specify)	6050	0	1	.02	.122
Valid N (listwise)	6050				

Q9\_9 TEXT Background:- Other (specify) - Text

	N	Total %	Valid %
Valid	2	.0	.0
-99	6164	98.9	98.9
Afro-Colombian	1	.0	.0
American	1	.0	.0
Aryan	1	.0	.0
Bean	1	.0	.0
Cajun	1	.0	.0
Coloured(South African)	1	.0	.0
Egyption	1	.0	.0
Filipino-Caucasian	1	.0	.0
Greek	1	.0	.0
Guatemalan	1	.0	.0
hispanic	1	.0	.0
Hispanic	16	.3	.3
Hispanic/ Latino	1	.0	.0
Hispanic/Mexican	1	.0	.0
I'm Mexican	1	.0	.0
idk	1	.0	.0
Indian	1	.0	.0
Japanese	1	.0	.0
Jedi	1	.0	.0
Latina	3	.0	.0
latino	1	.0	.0
Latino	4	.1	.1
Latino...	1	.0	.0
Malaysian	1	.0	.0
Mexica	1	.0	.0
mexican	1	.0	.0
Mexican	6	.1	.1
Mexican American	2	.0	.0
Mexican-American	2	.0	.0
mexican?	1	.0	.0
N/a	1	.0	.0
Native Hispanic	1	.0	.0
no	1	.0	.0
Other	1	.0	.0
Polish, and Portuguese	1	.0	.0
prefer not to answer	1	.0	.0
Prefer not to say	1	.0	.0
Puerto Rican	1	.0	.0
Salvadorean	1	.0	.0
South African	2	.0	.0
Yezidi	1	.0	.0
Total	6235	100.0	100.0

*Q10 Years in school*

		N	Total %	Valid %
Valid	1 1 (i.e. freshman) (Bryan replaced with 1 i.e. first-year; MCC omitted freshman; SCC replaced freshman with year at SCC)	1953	31.3	31.4
	2 2 (i.e. sophomore) (MCC omitted sophomore; SCC replaced sophomore with year at SCC)	1501	24.1	24.1
	3 3 (i.e. junior) (MCC omitted junior; SCC replaced junior with year at SCC)	1318	21.1	21.2
	4 4 (i.e. senior) (MCC omitted senior; SCC replaced senior with 4 or more at SCC)	950	15.2	15.3
	5 5 or more (i.e. super senior) (MCC replaced super senior with 5 or more)	189	3.0	3.0
	6 NA or graduate student	311	5.0	5.0
	Total	6222	99.8	100.0
Missing	-99	13	.2	
Total		6235	100.0	

*Q13 Does your campus provide a program or information about alcohol and drug prevention?*

		N	Total %	Valid %
Valid	0 No	146	2.3	2.4
	1 Yes	3793	60.8	61.1
	9 Unsure	2270	36.4	36.6
	Total	6209	99.6	100.0
Missing	-99	14	.2	
	System	12	.2	
	Total	26	.4	
Total		6235	100.0	

*Q14 Do you believe that your campus is concerned about the prevention of alcohol and drug use?*

		N	Total %	Valid %
Valid	0 No	1039	16.7	16.7
	1 Yes	5165	82.8	83.3
	Total	6204	99.5	100.0
Missing	-99	19	.3	
	System	12	.2	
	Total	31	.5	
Total		6235	100.0	

*Q15 Do you believe that your campus alcohol policies are consistently enforced?*

		N	Total %	Valid %
Valid	0 No	2118	34.0	34.2
	1 Yes	4072	65.3	65.8
	Total	6190	99.3	100.0
Missing	-99	33	.5	
	System	12	.2	
	Total	45	.7	
Total		6235	100.0	

*Q16 To what extent do you believe the alcohol policy is enforced on-campus?*

		N	Total %	Valid %
Valid	1 To little or no extent	260	4.2	4.3
	2 To some extent	1106	17.7	18.2
	3 To a moderate extent	2582	41.4	42.5
	4 To a great extent	1609	25.8	26.5
	5 To a very great extent	514	8.2	8.5
	Total	6071	97.4	100.0
Missing	-99	33	.5	
	System	131	2.1	
	Total	164	2.6	
Total		6235	100.0	

*Q17 To what extent do you believe alcohol policy is enforced off-campus?*

		N	Total %	Valid %
Valid	1 To little or no extent	2250	36.1	37.9
	2 To some extent	1644	26.4	27.7
	3 To a moderate extent	1302	20.9	21.9
	4 To a great extent	511	8.2	8.6
	5 To a very great extent	234	3.8	3.9
	Total	5941	95.3	100.0
Missing	-99	37	.6	
	System	257	4.1	
	Total	294	4.7	
Total		6235	100.0	

*Q21 How old were you when you first started drinking alcohol? - Selected Choice*

		N	Total %	Valid %
Valid	12 Age (in years)	3935	63.1	65.9
	88 Never used alcohol	2038	32.7	34.1
	Total	5973	95.8	100.0
Missing	-99	67	1.1	
	System	195	3.1	
	Total	262	4.2	
Total		6235	100.0	

*Descriptive Statistics*

	N	Minimum	Maximum	Mean	Std. Deviation
Q21_12_TEXT How old were you when you first started drinking alcohol? - Age (in years) - Text	3906	4	24	17.61	2.182
Valid N (listwise)	3906				

*Q22\_1 Reasons not to drink: My friends don't drink*

		N	Total %	Valid %
Valid	0	1544	24.8	77.6
	1 My friends don't drink	446	7.2	22.4
	Total	1990	31.9	100.0
Missing	-99	28	.4	
	System	4217	67.6	
	Total	4245	68.1	
Total		6235	100.0	

*Q22\_2 Reasons not to drink: So I don't have to worry about any negative consequences*

		N	Total %	Valid %
Valid	0	801	12.8	40.3
	1 So I don't have to worry about any negative consequences	1189	19.1	59.7
	Total	1990	31.9	100.0
Missing	-99	28	.4	
	System	4217	67.6	
	Total	4245	68.1	
Total		6235	100.0	

*Q22\_4 Reasons not to drink: It's hard to access alcohol*

		N	Total %	Valid %
Valid	0	1816	29.1	91.3
	1 It's hard to access alcohol	174	2.8	8.7
	Total	1990	31.9	100.0
Missing	-99	28	.4	
	System	4217	67.6	
	Total	4245	68.1	
Total		6235	100.0	

*Q22\_7 Reasons not to drink: I have too many personal responsibilities*

		N	Total %	Valid %
Valid	0	1007	16.2	50.6
	1 I have too many personal responsibilities	983	15.8	49.4
	Total	1990	31.9	100.0
Missing	-99	28	.4	
	System	4217	67.6	
	Total	4245	68.1	
Total		6235	100.0	

*Q22\_8 Reasons not to drink: I have too many academic responsibilities*

		N	Total %	Valid %
Valid	0	983	15.8	49.4
	1 I have too many academic responsibilities	1007	16.2	50.6
	Total	1990	31.9	100.0
Missing	-99	28	.4	
	System	4217	67.6	
	Total	4245	68.1	
Total		6235	100.0	

*Q22\_11 Reasons not to drink: To be the designated driver*

		N	Total %	Valid %
Valid	0	1648	26.4	82.8
	1 To be the designated driver	342	5.5	17.2
	Total	1990	31.9	100.0
Missing	-99	28	.4	
	System	4217	67.6	
	Total	4245	68.1	
Total		6235	100.0	

*Q22\_12 Reasons not to drink: Because drinking is against the law/policy*

		N	Total %	Valid %
Valid	0	912	14.6	45.8
	1 Because drinking is against the law/policy (e.g., I am younger than 21, I live in a residence hall)	1078	17.3	54.2
	Total	1990	31.9	100.0
Missing	-99	28	.4	
	System	4217	67.6	
	Total	4245	68.1	
Total		6235	100.0	

*Q22\_15 Reasons not to drink: Religious/moral*

		N	Total %	Valid %
Valid	0	1185	19.0	59.5
	1 Religious/moral	805	12.9	40.5
	Total	1990	31.9	100.0
Missing	-99	28	.4	
	System	4217	67.6	
	Total	4245	68.1	
Total		6235	100.0	

*Q167\_3 Reasons not to drink: - Alcohol costs too much*

		N	Total %	Valid %
Valid	0	1621	26.0	83.7
	1 Alcohol costs too much	315	5.1	16.3
	Total	1936	31.1	100.0
Missing	-99	82	1.3	
	System	4217	67.6	
	Total	4299	68.9	
Total		6235	100.0	

*Q167\_5 Reasons not to drink: - I don't like the taste*

		N	Total %	Valid %
Valid	0	1376	22.1	71.1
	1 I don't like the taste	560	9.0	28.9
	Total	1936	31.1	100.0
Missing	-99	82	1.3	
	System	4217	67.6	
	Total	4299	68.9	
Total		6235	100.0	

*Q167\_6 Reasons not to drink: - I don't like how it feels*

		N	Total %	Valid %
Valid	0	1665	26.7	86.0
	1 I don't like how it feels	271	4.3	14.0
	Total	1936	31.1	100.0
Missing	-99	82	1.3	
	System	4217	67.6	
	Total	4299	68.9	
Total		6235	100.0	

*Q167\_9 Reasons not to drink: - Personal beliefs/values*

		N	Total %	Valid %
Valid	0	783	12.6	40.4
	1 Personal beliefs/values	1153	18.5	59.6
	Total	1936	31.1	100.0
Missing	-99	82	1.3	
	System	4217	67.6	
	Total	4299	68.9	
Total		6235	100.0	

*Q167\_10 Reasons not to drink: - I don't want to do something I later regret*

		N	Total %	Valid %
Valid	0	897	14.4	46.3
	1 I don't want to do something I later regret	1039	16.7	53.7
	Total	1936	31.1	100.0
Missing	-99	82	1.3	
	System	4217	67.6	
	Total	4299	68.9	
Total		6235	100.0	

*Q167\_13 Reasons not to drink: - I have a personal or family history with alcohol*

		N	Total %	Valid %
Valid	0	1372	22.0	70.9
	1 I have a personal or family history with alcohol	564	9.0	29.1
	Total	1936	31.1	100.0
Missing	-99	82	1.3	
	System	4217	67.6	
	Total	4299	68.9	
Total		6235	100.0	

*Q167\_14 Reasons not to drink: - I have health concerns or a current medical condition*

		N	Total %	Valid %
Valid	0	1691	27.1	87.3
	1 I have health concerns or a current medical condition	245	3.9	12.7
	Total	1936	31.1	100.0
Missing	-99	82	1.3	
	System	4217	67.6	
	Total	4299	68.9	
Total		6235	100.0	

*Q167\_16 Reasons not to drink: - Other (specify)*

		N	Total %	Valid %
Valid	0	1818	29.2	93.9
	1 Other (please specify)	118	1.9	6.1
	Total	1936	31.1	100.0
Missing	-99	82	1.3	
	System	4217	67.6	
	Total	4299	68.9	
Total		6235	100.0	

*Q28 Have you consumed alcohol in the past year?*

		N	Total %	Valid %
Valid	1 Yes	3749	60.1	94.2
	2 No	232	3.7	5.8
	Total	3981	63.8	100.0
Missing	System	2254	36.2	
Total		6235	100.0	

*Descriptive Statistics*

	N	Minimum	Maximum	Mean	Std. Deviation
Q29_1_1 For the past month, describe a typical drinking week. Monday - Beers	2678	0	24	.08	.721
Q29_1_2 For the past month, describe a typical drinking week. Tuesday - Beers	2624	0	18	.08	.664
Q29_1_3 For the past month, describe a typical drinking week. Wednesday - Beers	2609	0	15	.08	.635
Q29_1_4 For the past month, describe a typical drinking week. Thursday - Beers	2635	0	25	.29	1.345
Q29_1_5 For the past month, describe a typical drinking week. Friday - Beers	2738	0	40	.91	2.174
Q29_1_6 For the past month, describe a typical drinking week. Saturday - Beers	2779	0	20	1.08	2.351
Q29_1_7 For the past month, describe a typical drinking week. Sunday - Beers	2579	0	12	.14	.846
Q29_2_1 For the past month, describe a typical drinking week. Monday - Wine	2640	0	9	.04	.328
Q29_2_2 For the past month, describe a typical drinking week. Tuesday - Wine	2589	0	9	.03	.331

Q29_2_3 For the past month, describe a typical drinking week. Wednesday - Wine	2587	0	8	.08	.431
Q29_2_4 For the past month, describe a typical drinking week. Thursday - Wine	2592	0	8	.07	.423
Q29_2_5 For the past month, describe a typical drinking week. Friday - Wine	2655	0	10	.26	.837
Q29_2_6 For the past month, describe a typical drinking week. Saturday - Wine	2674	0	12	.28	.827
Q29_2_7 For the past month, describe a typical drinking week. Sunday - Wine	2541	0	7	.07	.397
Q29_3_1 For the past month, describe a typical drinking week. Monday - Liquor	2629	0	18	.05	.525
Q29_3_2 For the past month, describe a typical drinking week. Tuesday - Liquor	2589	0	10	.06	.458
Q29_3_3 For the past month, describe a typical drinking week. Wednesday - Liquor	2577	0	8	.08	.539
Q29_3_4 For the past month, describe a typical drinking week. Thursday - Liquor	2605	0	15	.30	1.136
Q29_3_5 For the past month, describe a typical drinking week. Friday - Liquor	2760	0	35	1.23	2.216
Q29_3_6 For the past month, describe a typical drinking week. Saturday - Liquor	2838	0	26	1.54	2.289
Q29_3_7 For the past month, describe a typical drinking week. Sunday - Liquor	2545	0	15	.13	.716

Q29_4_1 For the past month, describe a typical drinking week. Monday - Hours	2691	0	24	.12	.744
Q29_4_2 For the past month, describe a typical drinking week. Tuesday - Hours	2658	0	12	.12	.640
Q29_4_3 For the past month, describe a typical drinking week. Wednesday - Hours	2656	0	12	.18	.751
Q29_4_4 For the past month, describe a typical drinking week. Thursday - Hours	2682	0	14	.44	1.196
Q29_4_5 For the past month, describe a typical drinking week. Friday - Hours	2862	0	15	1.69	2.134
Q29_4_6 For the past month, describe a typical drinking week. Saturday - Hours	2926	0	24	2.10	2.364
Q29_4_7 For the past month, describe a typical drinking week. Sunday - Hours	2623	0	13	.27	.980
Q30_1 Number of standard drinks - Beer - when drank the most in last month	3003	0	40	1.93	3.811
Q30_2 Number of standard drinks - Wine - when drank the most in last month	2913	0	33	.61	1.599
Q30_3 Number of standard drinks - Liquor - when drank the most in last month	3066	0	28	2.95	3.396
Q30_4 Number of Hours drinking - when drank the most in last month	3091	0	48	3.39	3.337
Mondrink Monday Drinks	2610	.00	22.00	.1238	.85226
Tuedrink Tuesday Drinks	2567	.00	23.00	.1414	.92629
Weddrink Wednesday Drinks	2554	.00	22.00	.2011	1.01497
Thudrink Thursday Drinks	2561	.00	37.00	.5545	1.95882
Fridrink Friday Drinks	2592	.00	40.00	2.1180	3.36981
Satdrink Saturday Drinks	2590	.00	34.00	2.5363	3.37933
Sundrink Sunday Drinks	2514	.00	20.00	.2949	1.24393

Maxdrink Beer+Wine+Liquor past month occasion drank the most	2819	.00	71.00	5.0908	5.52293
Timesweek Times per week Drink	3724	.00	7.00	1.0443	1.21320
Weekdrink Drinks per Week	2421	.00	73.00	5.1792	6.72400
Avedrink Average Drinks per Occasion	2435	.00	24.33	2.4927	2.49374
Timemonth Times Drink per Month	3717	.00	29.40	4.3548	5.04890
Abstain Abstainer (includes never used alcohol or not in past year for 2024)	6019	.00	1.00	.3771	.48471
Q31 In the last month, # days did you drive a vehicle shortly after having 3+ drinks? Enter zero if didn't.	3399	0	20	.11	.793
Valid N (listwise)	2333				

*Descriptive Statistics*

	N	Minimum	Maximum	Mean	Std. Deviation
Q32 In the last month, # days were passenger in a vehicle when driver had 3+ drinks? Enter zero if didn't.	5599	0	30	.14	.875
Valid N (listwise)	5599				

*Bingecat Drinking Categories*

		N	Total %	Valid %
Valid	.00 Abstainer	2270	36.4	37.7
	1.00 Drink no Binge	2853	45.8	47.4
	2.00 Infrequent Binge	454	7.3	7.5
	3.00 Frequent Binge	440	7.1	7.3
	Total	6017	96.5	100.0
Missing	System	218	3.5	
Total		6235	100.0	

*Drive Drink and Drive last 30 days*

		N	Total %	Valid %
Valid	.00 No	3223	51.7	94.8
	1.00 Yes	176	2.8	5.2
	Total	3399	54.5	100.0
Missing	-99.00	20	.3	
	System	2816	45.2	
Total	Total	2836	45.5	
Total		6235	100.0	

*Ride Ride with Drunk Driver Last 30 Days*

		N	Total %	Valid %
Valid	.00 No	5249	84.2	93.7
	1.00 Yes	350	5.6	6.3
	Total	5599	89.8	100.0
Missing	-99.00	58	.9	
	System	578	9.3	
	Total	636	10.2	
Total		6235	100.0	

*Q34\_1 Designated driver: Taxi service*

		N	Total %	Valid %
Valid	0	3332	53.4	99.5
	1 A taxi service	17	.3	.5
	Total	3349	53.7	100.0
Missing	-99	57	.9	
	System	2829	45.4	
	Total	2886	46.3	
Total		6235	100.0	

*Q34\_2 Designated driver: Uber, Lyft, etc.*

		N	Total %	Valid %
Valid	0	2190	35.1	65.4
	1 Uber, Lyft, etc.	1159	18.6	34.6
	Total	3349	53.7	100.0
Missing	-99	57	.9	
	System	2829	45.4	
	Total	2886	46.3	
Total		6235	100.0	

*Q34\_3 Designated driver: Friend, family, acquaintance*

		N	Total %	Valid %
Valid	0	1090	17.5	32.5
	1 Friend, family, or acquaintance	2259	36.2	67.5
	Total	3349	53.7	100.0
Missing	-99	57	.9	
	System	2829	45.4	
	Total	2886	46.3	
Total		6235	100.0	

*Q34\_4 Designated driver: Fraternity or sorority designated driver*

		N	Total %	Valid %
Valid	0	2303	36.9	90.7
	1 Fraternity or sorority designated driver	237	3.8	9.3
	Total	2540	40.7	100.0
Missing	-99	44	.7	
	System	3651	58.6	
	Total	3695	59.3	
Total		6235	100.0	

*Q34\_5 Designated driver: Other University DD program*

		N	Total %	Valid %
Valid	0	1422	22.8	97.5
	1 Other University DD program	37	.6	2.5
	Total	1459	23.4	100.0
Missing	-99	32	.5	
	System	4744	76.1	
	Total	4776	76.6	
Total		6235	100.0	

*Q34\_99 Designated driver: I did not use a designated driver*

		N	Total %	Valid %
Valid	0	2830	45.4	84.5
	1 I did not use a designated driver	519	8.3	15.5
	Total	3349	53.7	100.0
Missing	-99	57	.9	
	System	2829	45.4	
	Total	2886	46.3	
Total		6235	100.0	

*Q35\_1 Typically drink where? Bars/restaurants*

		N	Total %	Valid %
Valid	0	1839	29.5	54.5
	1 Bars/restaurants	1533	24.6	45.5
	Total	3372	54.1	100.0
Missing	-99	15	.2	
	System	2848	45.7	
	Total	2863	45.9	
Total		6235	100.0	

*Q35\_2 Typically drink where? Social gathering or friends house (off-campus)*

		N	Total %	Valid %
Valid	0	967	15.5	28.7
	1 Social gathering or friend's house (off-campus)	2405	38.6	71.3
	Total	3372	54.1	100.0
Missing	-99	15	.2	
	System	2848	45.7	
	Total	2863	45.9	
Total		6235	100.0	

*Q35\_3 Typically drink where? Fraternity or sorority house (includes in community a residence hall for NE Wesleyan)*

		N	Total %	Valid %
Valid	0	1703	27.3	93.6
	1 Fraternity or sorority house	117	1.9	6.4
	Total	1820	29.2	100.0
Missing	-99	5	.1	
	System	4410	70.7	
	Total	4415	70.8	
Total		6235	100.0	

*Q35\_5 Typically drink where? Resident hall (Bellevue replaced with Student housing on campus)*

		N	Total %	Valid %
Valid	0	2940	47.2	93.0
	1 Residence hall	222	3.6	7.0
	Total	3162	50.7	100.0
Missing	-99	15	.2	
	System	3058	49.0	
	Total	3073	49.3	
Total		6235	100.0	

*Q35\_6 Typically drink where? Sporting events*

		N	Total %	Valid %
Valid	0	3052	48.9	90.5
	1 Sporting events	320	5.1	9.5
	Total	3372	54.1	100.0
Missing	-99	15	.2	
	System	2848	45.7	
	Total	2863	45.9	
Total		6235	100.0	

*Q35\_99 Typically drink where? At a family members home (e.g. parents home)*

		N	Total %	Valid %
Valid	0	2169	34.8	64.3
	1 At a family member's home (e.g., parent's home)	1203	19.3	35.7
	Total	3372	54.1	100.0
Missing	-99	15	.2	
	System	2848	45.7	
	Total	2863	45.9	
Total		6235	100.0	

*Q35\_7 Typically drink where? Where I live (Bellevue added off campus)*

		N	Total %	Valid %
Valid	0	1619	26.0	48.0
	1 Where I live	1753	28.1	52.0
	Total	3372	54.1	100.0
Missing	-99	15	.2	
	System	2848	45.7	
	Total	2863	45.9	
Total		6235	100.0	

*Q35\_8 Typically drink where? Other - specify*

		N	Total %	Valid %
Valid	0	3343	53.6	99.1
	1 Other (please specify)	27	.4	.8
	2	2	.0	.1
	Total	3372	54.1	100.0
Missing	-99	15	.2	
	System	2848	45.7	
	Total	2863	45.9	
Total		6235	100.0	

*Q35\_8 TEXT Typically drink where? TEXT for other*

		N	Total %	Valid %
Valid		2850	45.7	45.7
	-99	3361	53.9	53.9
	Can't drink anymore due to POTS disorder.	1	.0	.0
	casino	1	.0	.0
	cruise ship/ vacation	1	.0	.0
	Europe lol	1	.0	.0
	home	1	.0	.0
	Hotel	1	.0	.0
	I am in recovery from alcoholism	1	.0	.0
	I do not	1	.0	.0

I don't drink during the semester	1	.0	.0
I drink maybe once a year	1	.0	.0
I only did once. it was my first time	1	.0	.0
In Europe where it is legal for me to drink	1	.0	.0
Lake	1	.0	.0
Mexico City	1	.0	.0
Movie Theater	1	.0	.0
None	1	.0	.0
Only 1 drink at a time at home or internationally abroad	1	.0	.0
Outside the country	1	.0	.0
Park, riverside, church school	1	.0	.0
Special events	1	.0	.0
Special Events (e.g. weddings) vacation	1	.0	.0
Work events	1	.0	.0
Total	6235	100.0	100.0

*Q36\_88 Typically pre-party/pre-game where? I do not pre-party*

		N	Total %	Valid %
Valid	0	2161	34.7	64.4
	1 I do not pre-party.	1195	19.2	35.6
	Total	3356	53.8	100.0
Missing	-99	31	.5	
	System	2848	45.7	
	Total	2879	46.2	
Total		6235	100.0	

*Q36\_1 Typically pre-party/pre-game where? Bars/restaurants*

		N	Total %	Valid %
Valid	0	3076	49.3	91.7
	1 Bar/restaurant	280	4.5	8.3
	Total	3356	53.8	100.0
Missing	-99	31	.5	
	System	2848	45.7	
	Total	2879	46.2	
Total		6235	100.0	

*Q36\_2 Typically pre-party/pre-game where? Social gathering/friend's house*

		N	Total %	Valid %
Valid	0	1664	26.7	49.6
	1 Social gathering or friend's house	1692	27.1	50.4
	Total	3356	53.8	100.0
Missing	-99	31	.5	
	System	2848	45.7	
Total		2879	46.2	
Total		6235	100.0	

*Q36\_3 Typically pre-party/pre-game where? Fraternity/sorority house*

		N	Total %	Valid %
Valid	0	2333	37.4	97.0
	1 Fraternity or sorority house	73	1.2	3.0
	Total	2406	38.6	100.0
Missing	-99	18	.3	
	System	3811	61.1	
Total		3829	61.4	
Total		6235	100.0	

*Q36\_4 Typically pre-party/pre-game where? Fraternity/sorority community in a residence hall*

		N	Total %	Valid %
Valid	0	1338	21.5	99.6
	1 Fraternity or sorority community in a residence hall	6	.1	.4
	Total	1344	21.6	100.0
Missing	-99	8	.1	
	System	4883	78.3	
Total		4891	78.4	
Total		6235	100.0	

*Q36\_5 Typically pre-party/pre-game where? Residence hall (Bellevue replaced with Student Housing on Campus)*

		N	Total %	Valid %
Valid	0	3002	48.1	93.0
	1 Residence hall	227	3.6	7.0
	Total	3229	51.8	100.0
Missing	-99	29	.5	
	System	2977	47.7	
Total		3006	48.2	
Total		6235	100.0	

*Q36\_6 Sporting events (including tailgating)*

		N	Total %	Valid %
Valid	0	3130	50.2	93.3
	1 Sporting events	226	3.6	6.7
	Total	3356	53.8	100.0
Missing	-99	21	.3	
	System	2858	45.8	
	Total	2879	46.2	
Total		6235	100.0	

*Q36\_7 Typically pre-party/pre-game where? Parking lot*

		N	Total %	Valid %
Valid	0	3190	51.2	95.1
	1 Parking lot	166	2.7	4.9
	Total	3356	53.8	100.0
Missing	-99	31	.5	
	System	2848	45.7	
	Total	2879	46.2	
Total		6235	100.0	

*Q36\_8 Typically pre-party/pre-game where? In transit (e.g., driving, walking, etc., to a location)*

		N	Total %	Valid %
Valid	0	3196	51.3	95.2
	1 In transit (e.g., driving, walking, etc., to a location)	160	2.6	4.8
	Total	3356	53.8	100.0
Missing	-99	31	.5	
	System	2848	45.7	
	Total	2879	46.2	
Total		6235	100.0	

*Q36\_100 Typically pre-party/pre-game where? At a family members home (e.g. parents home)*

		N	Total %	Valid %
Valid	0	3009	48.3	89.7
	1 At a family member's home (e.g. parent's home)	347	5.6	10.3
	Total	3356	53.8	100.0
Missing	-99	31	.5	
	System	2848	45.7	
	Total	2879	46.2	
Total		6235	100.0	

*Q36\_9 Typically pre-party/pre-game where? Where I live (Bellevue added off campus)*

		N	Total %	Valid %
Valid	0	2128	34.1	63.4
	1 Where I live	1228	19.7	36.6
	Total	3356	53.8	100.0
Missing	-99	31	.5	
	System	2848	45.7	
	Total	2879	46.2	
Total		6235	100.0	

*Q36\_10 Typically pre-party/pre-game where? Other - specify*

		N	Total %	Valid %
Valid	0	3348	53.7	99.8
	1 Other (please specify)	8	.1	.2
	Total	3356	53.8	100.0
Missing	-99	31	.5	
	System	2848	45.7	
	Total	2879	46.2	
Total		6235	100.0	

*Q36\_10 TEXT Typically pre-party/pre-game where? TEXT for other*

		N	Total %	Valid %
Valid		2850	45.7	45.7
	-99	3380	54.2	54.2
	At the event just show up early.	1	.0	.0
	I drink at the event.	1	.0	.0
	underground cave	1	.0	.0
	When I was in europe	1	.0	.0
	With Bethany Fuchs	1	.0	.0
	Total	6235	100.0	100.0

*Q37 Think back to the last time you consumed the most alcohol . . . where did you consume the majority of your drinks? - Selected Choice*

		N	Total %	Valid %
Valid	1 Bars/restaurants	838	13.4	25.0
	2 Social gathering or friends house (off-campus)	1336	21.4	39.9
	3 Fraternity or sorority house	49	.8	1.5
	4 Fraternity or sorority community in a residence hall	2	.0	.1
	5 Residence hall (Bellevue=Student housing on campus)	100	1.6	3.0
	6 Sporting events (UNL also includes campus-student tailgate)	25	.4	.7

	7 Where I live (Bellevue added off campus)	609	9.8	18.2
	8 Other	48	.8	1.4
	100 At a family members home (e.g. parents home)	341	5.5	10.2
	Total	3348	53.7	100.0
Missing	-99	23	.4	
	System	2864	45.9	
	Total	2887	46.3	
Total		6235	100.0	

*Q37\_8\_TEXT Think back to the last time you consumed the most alcohol . . . where did you consume the majority of your drinks? - Other (specify) - Text*

	N	Total %	Valid %
Valid	2874	46.1	46.1
-99	3318	53.2	53.2
A wedding party in England 1, July, 2023	1	.0	.0
Apartment A or B was where i drank my first sip	1	.0	.0
arcade bar	1	.0	.0
At a campsite by a river in the middle of nowhere	1	.0	.0
At home, only 1 beverage	1	.0	.0
casino	1	.0	.0
club	1	.0	.0
Club back at home	1	.0	.0
Concert	4	.1	.1
Concert setting	1	.0	.0
Friend's residence (on-campus)	1	.0	.0
Group therapy	1	.0	.0
home	1	.0	.0
hotel	1	.0	.0
Hotel	3	.0	.0
I don't drink	1	.0	.0
In a field outside of David City	1	.0	.0
On a cruise	1	.0	.0
On a group therapy bike	1	.0	.0
On vacation at a bar, not in the US	1	.0	.0
Outside the country	1	.0	.0
Parking lot	1	.0	.0
party bus	1	.0	.0
Party bus	1	.0	.0
pubs in the czech republic	1	.0	.0
Resort in Mexico	1	.0	.0
Show	1	.0	.0

	Special Occasion (wedding)	1	.0	.0
	Undergrad	1	.0	.0
	vacation	1	.0	.0
	Vacation (resort)	1	.0	.0
	Vacation in Mexico	1	.0	.0
	vacation with family	1	.0	.0
	wedding	2	.0	.0
	Wedding	2	.0	.0
	wedding reception	1	.0	.0
	Total	6235	100.0	100.0

**Q38\_1 How do you obtain alcohol? I have a friend who is over 21 buy for me**

		N	Total %	Valid %
Valid	0	2383	38.2	71.5
	1 I have a friend who is over 21 buy for me	949	15.2	28.5
	Total	3332	53.4	100.0
Missing	-99	132	2.1	
	System	2771	44.4	
	Total	2903	46.6	
Total		6235	100.0	

**Q38\_2 How do you obtain alcohol? I use a fake or manufactured ID**

		N	Total %	Valid %
Valid	0	3195	51.2	95.9
	1 I use a fake or manufactured ID	137	2.2	4.1
	Total	3332	53.4	100.0
Missing	-99	132	2.1	
	System	2771	44.4	
	Total	2903	46.6	
Total		6235	100.0	

**Q38\_3 How do you obtain alcohol? I borrow or regularly use someone else's real ID**

		N	Total %	Valid %
Valid	0	3320	53.2	99.6
	1 I borrow or regularly use someone else's real ID	12	.2	.4
	Total	3332	53.4	100.0
Missing	-99	132	2.1	
	System	2771	44.4	
	Total	2903	46.6	
Total		6235	100.0	

*Q38\_99 How do you obtain alcohol? I have a friend with a fake ID*

		N	Total %	Valid %
Valid	0	3055	49.0	91.7
	1 I have a friend with a fake ID	277	4.4	8.3
	Total	3332	53.4	100.0
Missing	-99	132	2.1	
	System	2771	44.4	
	Total	2903	46.6	
Total		6235	100.0	

*Q38\_4 How do you obtain alcohol? Family members buy alcohol for me*

		N	Total %	Valid %
Valid	0	2966	47.6	89.0
	1 Family members buy alcohol for me	366	5.9	11.0
	Total	3332	53.4	100.0
Missing	-99	132	2.1	
	System	2771	44.4	
	Total	2903	46.6	
Total		6235	100.0	

*Q38\_100 How do you obtain alcohol? From parent/caregivers home*

		N	Total %	Valid %
Valid	0	3005	48.2	90.2
	1 From parent/caregiver's home	327	5.2	9.8
	Total	3332	53.4	100.0
Missing	-99	132	2.1	
	System	2771	44.4	
	Total	2903	46.6	
Total		6235	100.0	

*Q38\_5 How do you obtain alcohol? I know people who work in bars/restaurants who will serve me*

		N	Total %	Valid %
Valid	0	3302	53.0	99.1
	1 I know people who work in bars/restaurants who will serve me	30	.5	.9
	Total	3332	53.4	100.0
Missing	-99	132	2.1	
	System	2771	44.4	
	Total	2903	46.6	
Total		6235	100.0	

*Q38\_6 How do you obtain alcohol? I go to a place where IDs aren't checked*

		N	Total %	Valid %
Valid	0	3161	50.7	94.9
	1 I go to a place where IDs aren't checked	171	2.7	5.1
	Total	3332	53.4	100.0
Missing	-99	132	2.1	
	System	2771	44.4	
	Total	2903	46.6	
Total		6235	100.0	

*Q38\_7 How do you obtain alcohol? I know people who work in convenience/grocery stores who will sell to me*

		N	Total %	Valid %
Valid	0	3295	52.8	98.9
	1 I know people who work in convenience/grocery stores who will sell to me	37	.6	1.1
	Total	3332	53.4	100.0
Missing	-99	132	2.1	
	System	2771	44.4	
	Total	2903	46.6	
Total		6235	100.0	

*Q38\_8 How do you obtain alcohol? From a fraternity or sorority*

		N	Total %	Valid %
Valid	0	2832	45.4	96.0
	1 From a fraternity or sorority	118	1.9	4.0
	Total	2950	47.3	100.0
Missing	-99	60	1.0	
	System	3225	51.7	
	Total	3285	52.7	
Total		6235	100.0	

*Q38\_9 How do you obtain alcohol? Other (specify)*

		N	Total %	Valid %
Valid	0	3252	52.2	97.6
	1 Other (please specify)	80	1.3	2.4
	Total	3332	53.4	100.0
Missing	-99	132	2.1	
	System	2771	44.4	
	Total	2903	46.6	
Total		6235	100.0	

**Q38\_9 TEXT How do you obtain your alcohol? (Check all) - Other (specify) - TEXT**

	N	Total %	Valid %
Valid	2783	44.6	44.6
-99	3384	54.3	54.3
18 is legal to drink alcohol in Vietnam	1	.0	.0
18 is the drinking age in europe	1	.0	.0
a friends friends older sister who is 22	1	.0	.0
Alcohol is very easily obtained on campus from persons over 21. I personally do not drink on campus but I know how they get it.	1	.0	.0
ask people outside of a liquor store to buy for me	1	.0	.0
At restaurants out of country where I am of legal drinking age.	1	.0	.0
at the party	1	.0	.0
Back home I am allowed to drink, so I buy it myself	1	.0	.0
Don't do it often	1	.0	.0
drink	1	.0	.0
Drinking legally out of the US	1	.0	.0
Find it	1	.0	.0
Friend of friend	1	.0	.0
friend who gets it from someone else	1	.0	.0
From friends who get it from their parents	1	.0	.0
I bought it legally in Europe at 19	1	.0	.0
i don't really know	1	.0	.0
I drink at home where I am the legal drinking age	1	.0	.0
I drink if people offer	1	.0	.0
I have only drank in countries where it is legal for me to drink	1	.0	.0
I haven't bought Alcohol in America, but in Ireland I can purchase it myself at 18	1	.0	.0
I knew someone who was selling bottles of alcohol and I bought one from them	1	.0	.0
I last drank in my home country so I could obtain it legally.	1	.0	.0
I lived in Europe where the drinking age was 16/18 so I could purchase myself	1	.0	.0

---

I never drink, but when I did I was with family at our house and did it appropriately. Family was aware as well	1	.0	.0
I used to steal that shit Walmart my hoe for real.	1	.0	.0
I was abroad	1	.0	.0
I was abroad where i was able to by alcohol.	1	.0	.0
I was in a different country where legal drinking age it 19	1	.0	.0
I was in another country where I was of drinking age, so at the bar	1	.0	.0
I was in Europe where the drinking age is older	1	.0	.0
I'm just that fucking good	1	.0	.0
I'm legal in my Home country	1	.0	.0
I'm old enough to buy myself in England.	1	.0	.0
In my country, drink age is over 18 years old.	1	.0	.0
International consumption (legally used my passport as ID)	1	.0	.0
It is hard to find someone willing to break the law	1	.0	.0
It was legal to be 18 where I consumed alcohol	1	.0	.0
It's legal where I live	1	.0	.0
Its free at parties	1	.0	.0
its just given to me	1	.0	.0
Legally can buy alcohol in England	1	.0	.0
My parents give me sips every once in a while	1	.0	.0
My roommate is 21	1	.0	.0
My sister lets me drink whatever she opens and doesn't want to finish.	1	.0	.0
Never had anyone buy me alcohol just took sips from drinks	1	.0	.0
No comment	1	.0	.0
Offered by others	1	.0	.0
On vacation outside the country where I am of legal drinking age	1	.0	.0
Only has alcohol once in Mexico never have touched it since	1	.0	.0
Other country	1	.0	.0

---

Out of state	1	.0	.0
Out of the country on vacation	1	.0	.0
Own ID	1	.0	.0
parties	1	.0	.0
people who have alcohol leave it with me and dont ask for it back	1	.0	.0
Person	1	.0	.0
Rather not say	1	.0	.0
Social Event	1	.0	.0
Someone just came with a bookbag full of it	1	.0	.0
Someone's house	1	.0	.0
Take whatever is offered at a gathering	1	.0	.0
theft lol	1	.0	.0
This seems like a trap	1	.0	.0
Vacation	1	.0	.0
Whatever is provided at the gathering, have not bought or had someone buy for myself	1	.0	.0
Work	1	.0	.0
would not like to answer	1	.0	.0
Total	6235	100.0	100.0

*Q38\_88 How do you obtain alcohol? Not applicable/never obtained alcohol.*

		N	Total %	Valid %
Valid	0	1621	26.0	48.6
	1 Not applicable/never obtained alcohol	1711	27.4	51.4
	Total	3332	53.4	100.0
Missing	-99	132	2.1	
	System	2771	44.4	
Total	Total	2903	46.6	
Total		6235	100.0	

*Q39 In the past year have you been denied access while using a fake/borrowed ID?*

		N	Total %	Valid %
Valid	1 Yes	49	.8	33.3
	2 No	98	1.6	66.7
	Total	147	2.4	100.0
Missing	System	6088	97.6	
Total		6235	100.0	

*Q40\_1 Contributing factors for deciding to drink alcohol: To relax*

		N	Total %	Valid %
Valid	0	2090	33.5	63.5
	1 To relax	1202	19.3	36.5
	Total	3292	52.8	100.0
Missing	-99	30	.5	
	System	2913	46.7	
	Total	2943	47.2	
Total		6235	100.0	

*Q40\_2 Contributing factors for deciding to drink alcohol: To have fun with friends*

		N	Total %	Valid %
Valid	0	442	7.1	13.4
	1 To have fun with friends	2850	45.7	86.6
	Total	3292	52.8	100.0
Missing	-99	30	.5	
	System	2913	46.7	
	Total	2943	47.2	
Total		6235	100.0	

*Q40\_3 Contributing factors for deciding to drink alcohol: To get drunk*

		N	Total %	Valid %
Valid	0	2400	38.5	72.9
	1 To get drunk	892	14.3	27.1
	Total	3292	52.8	100.0
Missing	-99	30	.5	
	System	2913	46.7	
	Total	2943	47.2	
Total		6235	100.0	

*Q40\_4 Contributing factors for deciding to drink alcohol: Because my friends are drinking*

		N	Total %	Valid %
Valid	0	2449	39.3	74.4
	1 Because my friends are drinking	843	13.5	25.6
	Total	3292	52.8	100.0
Missing	-99	30	.5	
	System	2913	46.7	
	Total	2943	47.2	
Total		6235	100.0	

*Q40\_5 Contributing factors for deciding to drink alcohol: There won't be any negative consequences*

		N	Total %	Valid %
Valid	0	3158	50.6	95.9
	1 There won't be any negative consequences	134	2.1	4.1
	Total	3292	52.8	100.0
Missing	-99	30	.5	
	System	2913	46.7	
Total		2943	47.2	
Total		6235	100.0	

*Q40\_6 Contributing factors for deciding to drink alcohol: I have nothing better to do*

		N	Total %	Valid %
Valid	0	3015	48.4	91.6
	1 I have nothing better to do	277	4.4	8.4
	Total	3292	52.8	100.0
Missing	-99	30	.5	
	System	2913	46.7	
Total		2943	47.2	
Total		6235	100.0	

*Q40\_7 Contributing factors for deciding to drink alcohol: I like the taste*

		N	Total %	Valid %
Valid	0	2515	40.3	76.4
	1 I like the taste	777	12.5	23.6
	Total	3292	52.8	100.0
Missing	-99	30	.5	
	System	2913	46.7	
Total		2943	47.2	
Total		6235	100.0	

*Q40\_8 Contributing factors for deciding to drink alcohol: I like how it feels*

		N	Total %	Valid %
Valid	0	2451	39.3	74.5
	1 I like how it feels	841	13.5	25.5
	Total	3292	52.8	100.0
Missing	-99	30	.5	
	System	2913	46.7	
Total		2943	47.2	
Total		6235	100.0	

*Q40\_9 Contributing factors for deciding to drink alcohol: To escape/so I can forget my problems*

		N	Total %	Valid %
Valid	0	2922	46.9	88.8
	1 To escape/so I can forget my problems	370	5.9	11.2
	Total	3292	52.8	100.0
Missing	-99	30	.5	
	System Total	2913	46.7	
Total		2943	47.2	
Total		6235	100.0	

*Q40\_10 Contributing factors for deciding to drink alcohol: It doesn't negatively affect my academics*

		N	Total %	Valid %
Valid	0	2639	42.3	80.2
	1 It doesn't negatively affect my academics	653	10.5	19.8
	Total	3292	52.8	100.0
Missing	-99	30	.5	
	System Total	2913	46.7	
Total		2943	47.2	
Total		6235	100.0	

*Q40\_11 Contributing factors for deciding to drink alcohol: So I can lose my inhibitions*

		N	Total %	Valid %
Valid	0	3135	50.3	95.2
	1 So I can lose my inhibitions	157	2.5	4.8
	Total	3292	52.8	100.0
Missing	-99	30	.5	
	System Total	2913	46.7	
Total		2943	47.2	
Total		6235	100.0	

*Q40\_12 Contributing factors for deciding to drink alcohol: I can handle any consequences related to my drinking*

		N	Total %	Valid %
Valid	0	2931	47.0	89.0
	1 I can handle any consequences related to my drinking	361	5.8	11.0
	Total	3292	52.8	100.0
Missing	-99	30	.5	
	System Total	2913	46.7	
Total		2943	47.2	
Total		6235	100.0	

*Q40\_13 Contributing factors for deciding to drink alcohol: Alcohol is always readily available*

		N	Total %	Valid %
Valid	0	3178	51.0	96.5
	1 Alcohol is always readily available	114	1.8	3.5
	Total	3292	52.8	100.0
Missing	-99	30	.5	
	System	2913	46.7	
	Total	2943	47.2	
Total		6235	100.0	

*Q40\_14 Contributing factors for deciding to drink alcohol: It increases my chances of hooking up with someone*

		N	Total %	Valid %
Valid	0	3228	51.8	98.1
	1 It increases my chances of hooking up with someone	64	1.0	1.9
	Total	3292	52.8	100.0
Missing	-99	30	.5	
	System	2913	46.7	
	Total	2943	47.2	
Total		6235	100.0	

*Q40\_15 Contributing factors for deciding to drink alcohol: Other (specify)*

		N	Total %	Valid %
Valid	0	3207	51.4	97.4
	1 Other (please specify)	85	1.4	2.6
	Total	3292	52.8	100.0
Missing	-99	30	.5	
	System	2913	46.7	
	Total	2943	47.2	
Total		6235	100.0	

*Q40\_15\_TEXT Contributing factors for deciding to drink alcohol: Other (specify) - TEXT*

		N	Total %	Valid %
Valid		2925	46.9	46.9
	-99	3233	51.9	51.9
	academic courses involving alcohol: beer manufacturing and wine tasting classes	1	.0	.0
	Because I got permission to	1	.0	.0
	Because the f*cking royals give me blood pressure problems.	1	.0	.0
	better than doing crack	1	.0	.0
	Carbonation lol	1	.0	.0

casually done with family at family gatherings	1	.0	.0
Celebrating with family celebration	1	.0	.0
Celebration celebration with family celebrations	1	.0	.0
Curiosity	1	.0	.0
Family Christmas party	1	.0	.0
family member offers	1	.0	.0
Family offers it	1	.0	.0
Fishing with a couple beers outdoors makes a good relaxing time	1	.0	.0
For birthdays or holidays	1	.0	.0
Fun with family	1	.0	.0
Given the chance, might as well	1	.0	.0
Have fun with family	1	.0	.0
haven't drank in a while so why not	1	.0	.0
Helps with Anxiety in Social Situations	1	.0	.0
Holiday occasions/ with parents and family members	1	.0	.0
i don't	1	.0	.0
I don't drink maybe once a year becuase I don't like to	1	.0	.0
I drank once to try it out	1	.0	.0
i drink responsibly, I drink it for the same reason we drinks soda	1	.0	.0
I drink to enjoy the taste that God had given alcohol	1	.0	.0
I enjoy a quality cocktail	1	.0	.0
I generally drink with food, and I know I have good tolerance.	1	.0	.0
I have no friends and are lonely	1	.0	.0
I just wanted to try it once	1	.0	.0
I know my limit with alcohol so I don't drink "too much"	1	.0	.0
I only drink at family gatherings, just one drink for celebration	1	.0	.0
I rarely have a drink, only on special occasions to celebrate with a group of friends	1	.0	.0
I very rarely drink	1	.0	.0
I want to feel fancy/sophisticated	1	.0	.0

---

I was forced to. They also kept pressuring me until I finally gave in	1	.0	.0
I was trying it	1	.0	.0
I work with children	1	.0	.0
I'm safe with people who will take care of me	1	.0	.0
In a different country and with locals who are family friends. Didn't want to be disrespectful	1	.0	.0
It dampens my chronic anxiety	1	.0	.0
It goes well with meals	1	.0	.0
It is part of the culture	1	.0	.0
It was my birthday	1	.0	.0
It's a special occasion	1	.0	.0
It's just a fun outing from time to time with my wife	1	.0	.0
Just to enjoy an adult beverage. I never drink to get drunk.	1	.0	.0
Just to have a sip	1	.0	.0
Just to try it	1	.0	.0
Just trying something different just with family	1	.0	.0
My family offers, and they're drinking so why not	1	.0	.0
My family was in town	1	.0	.0
My parents are always drinking	1	.0	.0
My parents want me to try things with them so when I turn 21 I don't get irresponsible with alcohol because I want to try everything	1	.0	.0
Networking or if family members are drinking, I don't have many friends that drink.	1	.0	.0
none of the above	1	.0	.0
On holidays or around holidays with family at our house.	1	.0	.0
One drink limit only for celebrating	1	.0	.0
Red wine for heart health	1	.0	.0
Religious reasons	1	.0	.0
Sleep	1	.0	.0
So I better understand the consequences of it in a safe environment before I am at a period in life where I would drink semi consistently	1	.0	.0

---

Sometimes it's just nice to have a glass of wine with my partner	1	.0	.0
Special occasions	1	.0	.0
To enjoy an adult beverage in a responsible manor from time to time.	1	.0	.0
To enjoy with my meal	1	.0	.0
To get rid of social anxiety	1	.0	.0
To try new flavors once in a while.	1	.0	.0
To try something new (1 drink)	1	.0	.0
Usually I only drink when I am having dinner of some sorts with friends or family and only a little bit, it hurts my stomach	1	.0	.0
Want to try it	1	.0	.0
when I a m around trusted adults	1	.0	.0
When there is just a tiny bit (less than a 1oz.) left after using the majority for cooking	1	.0	.0
while playing cars with my family	1	.0	.0
Total	6235	100.0	100.0

*Q41\_1 Motivation to drink less or not at all: High cost of drinks/alcohol*

		N	Total %	Valid %
Valid	0	1278	20.5	38.8
	1 High cost of drinks/alcohol	2013	32.3	61.2
	Total	3291	52.8	100.0
Missing	-99	15	.2	
	System	2929	47.0	
	Total	2944	47.2	
Total		6235	100.0	

*Q41\_2 Motivation to drink less or not at all: Strict enforcement of alcohol laws*

		N	Total %	Valid %
Valid	0	2793	44.8	84.9
	1 Strict enforcement of alcohol laws	498	8.0	15.1
	Total	3291	52.8	100.0
Missing	-99	15	.2	
	System	2929	47.0	
	Total	2944	47.2	
Total		6235	100.0	

*Q41\_3 Motivation to drink less or not at all: Academic obligations the following day*

		N	Total %	Valid %
Valid	0	1373	22.0	41.7
	1 Academic obligations the following day	1918	30.8	58.3
	Total	3291	52.8	100.0
Missing	-99	15	.2	
	System	2929	47.0	
	Total	2944	47.2	
Total		6235	100.0	

*Q41\_4 Motivation to drink less or not at all: Chance of getting sick or having a hangover*

		N	Total %	Valid %
Valid	0	1630	26.1	49.5
	1 Chance of getting sick or having a hangover	1661	26.6	50.5
	Total	3291	52.8	100.0
Missing	-99	15	.2	
	System	2929	47.0	
	Total	2944	47.2	
Total		6235	100.0	

*Q41\_5 Motivation to drink less or not at all: Possibility of getting caught by authorities*

		N	Total %	Valid %
Valid	0	2644	42.4	80.3
	1 Possibility of getting caught by authorities	647	10.4	19.7
	Total	3291	52.8	100.0
Missing	-99	15	.2	
	System	2929	47.0	
	Total	2944	47.2	
Total		6235	100.0	

*Q41\_6 Motivation to drink less or not at all: My friends drinking habits*

		N	Total %	Valid %
Valid	0	2982	47.8	90.6
	1 My friends' drinking habits	309	5.0	9.4
	Total	3291	52.8	100.0
Missing	-99	15	.2	
	System	2929	47.0	
	Total	2944	47.2	
Total		6235	100.0	

*Q41\_7 Motivation to drink less or not at all: Potential of doing something I will regret later*

		N	Total %	Valid %
Valid	0	2464	39.5	74.9
	1 Potential of doing something I will regret later	827	13.3	25.1
	Total	3291	52.8	100.0
Missing	-99	15	.2	
	System	2929	47.0	
	Total	2944	47.2	
Total		6235	100.0	

*Q41\_8 Motivation to drink less or not at all: Being a designated driver*

		N	Total %	Valid %
Valid	0	2177	34.9	66.2
	1 Being a designated driver	1114	17.9	33.8
	Total	3291	52.8	100.0
Missing	-99	15	.2	
	System	2929	47.0	
	Total	2944	47.2	
Total		6235	100.0	

*Q41\_9 Motivation to drink less or not at all: My parents might find out*

		N	Total %	Valid %
Valid	0	3187	51.1	96.8
	1 My parents might find out	104	1.7	3.2
	Total	3291	52.8	100.0
Missing	-99	15	.2	
	System	2929	47.0	
	Total	2944	47.2	
Total		6235	100.0	

*Q41\_10 Motivation to drink less or not at all: My behavior when I am drunk*

		N	Total %	Valid %
Valid	0	2962	47.5	90.0
	1 My behavior when I am drunk	329	5.3	10.0
	Total	3291	52.8	100.0
Missing	-99	15	.2	
	System	2929	47.0	
	Total	2944	47.2	
Total		6235	100.0	

*Q41\_11 Motivation to drink less or not at all: Religious/moral reasons*

		N	Total %	Valid %
Valid	0	2886	46.3	87.7
	1 Religious/moral reasons	405	6.5	12.3
	Total	3291	52.8	100.0
Missing	-99	15	.2	
	System	2929	47.0	
	Total	2944	47.2	
Total		6235	100.0	

*Q41\_12 Motivation to drink less or not at all: Alcoholism*

		N	Total %	Valid %
Valid	0	2709	43.4	82.3
	1 Alcoholism	582	9.3	17.7
	Total	3291	52.8	100.0
Missing	-99	15	.2	
	System	2929	47.0	
	Total	2944	47.2	
Total		6235	100.0	

*Q41\_13 Motivation to drink less or not at all: Health/calories*

		N	Total %	Valid %
Valid	0	2135	34.2	64.9
	1 Health/calories	1156	18.5	35.1
	Total	3291	52.8	100.0
Missing	-99	15	.2	
	System	2929	47.0	
	Total	2944	47.2	
Total		6235	100.0	

*Q41\_14 Motivation to drink less or not at all: Dont like the taste*

		N	Total %	Valid %
Valid	0	2533	40.6	77.0
	1 Don't like the taste	758	12.2	23.0
	Total	3291	52.8	100.0
Missing	-99	15	.2	
	System	2929	47.0	
	Total	2944	47.2	
Total		6235	100.0	

*Q41\_15 Motivation to drink less or not at all: Family obligations*

		N	Total %	Valid %
Valid	0	2810	45.1	85.4
	1 Family obligations	481	7.7	14.6
	Total	3291	52.8	100.0
Missing	-99	15	.2	
	System	2929	47.0	
	Total	2944	47.2	
Total		6235	100.0	

*Q41\_100 Motivation to drink less or not at all: Work obligations*

		N	Total %	Valid %
Valid	0	2108	33.8	64.1
	1 Work obligations	1183	19.0	35.9
	Total	3291	52.8	100.0
Missing	-99	15	.2	
	System	2929	47.0	
	Total	2944	47.2	
Total		6235	100.0	

*Q41\_16 Motivation to drink less or not at all: Not in the mood*

		N	Total %	Valid %
Valid	0	1363	21.9	41.4
	1 Not in the mood	1928	30.9	58.6
	Total	3291	52.8	100.0
Missing	-99	15	.2	
	System	2929	47.0	
	Total	2944	47.2	
Total		6235	100.0	

*Q41\_17 Motivation to drink less or not at all: No interest in alcohol*

		N	Total %	Valid %
Valid	0	2502	40.1	76.0
	1 No interest in alcohol	789	12.7	24.0
	Total	3291	52.8	100.0
Missing	-99	15	.2	
	System	2929	47.0	
	Total	2944	47.2	
Total		6235	100.0	

*Q41\_18 Motivation to drink less or not at all: In recovery from alcohol or other drug addiction*

		N	Total %	Valid %
Valid	0	3236	51.9	98.3
	1 In recovery from alcohol or other drug addiction	55	.9	1.7
	Total	3291	52.8	100.0
Missing	-99	15	.2	
	System	2929	47.0	
	Total	2944	47.2	
Total		6235	100.0	

*Q41\_19 Motivation to drink less or not at all: Other (specify)*

		N	Total %	Valid %
Valid	0	3236	51.9	98.3
	1 Other (please specify)	55	.9	1.7
	Total	3291	52.8	100.0
Missing	-99	15	.2	
	System	2929	47.0	
	Total	2944	47.2	
Total		6235	100.0	

*Q41\_19 TEXT Motivation to drink less or not at all: Other (specify) - TEXT*

		N	Total %	Valid %
Valid		2936	47.1	47.1
	-99	3248	52.1	52.1
	alcoholism in family	1	.0	.0
	alcoholism runs in the family	1	.0	.0
	Athletic events	1	.0	.0
	Athletic obligations	1	.0	.0
	Calories	1	.0	.0
	College Athlete	1	.0	.0
	do not like how i feel after drinking	1	.0	.0
	Don't want to become dependent	1	.0	.0
	Family are recovering addicts	1	.0	.0
	Family history of addiction	1	.0	.0
	Family history of Alcoholism	1	.0	.0
	Family member with alcoholism and addiction	1	.0	.0
	Family of alcoholics	1	.0	.0
	Have family members who were alcoholics	1	.0	.0
	Having to drive home	1	.0	.0
	I am athlete	1	.0	.0

---

I don't go to parties and don't have a real need to or a way to access it without my parents here and I'm not very motivated to seek out any	1	.0	.0
I don't see an issue with a glass of wine with friends and family every once in a while	1	.0	.0
i don't drink that much to begin with	1	.0	.0
I drink when I feel like I want a drink, typically I stay away from alcohol because I smoke weed. I have better things to do.	1	.0	.0
I just don't ever normally drink	1	.0	.0
I rarely drink, but when I do I know when to stop	1	.0	.0
I would rather get high	1	.0	.0
I'm a gym fanatic and alcohol just kills the gains plus it's just alcohol I started younger than other people so I'm kinda getting over it it's cool and all but like who cares you know the "parties" where I'm currently staying are mid to and I'm just grown out that stuff.	1	.0	.0
I'm an athlete	1	.0	.0
I'm not a big drinker. It's once in a while for a big social gathering	1	.0	.0
I've seen what it does to family members, I found the same reaction in me at times	1	.0	.0
in the last week i have quit drinking entirely but these were my reasons for quitting	1	.0	.0
Increases my depression the next day	1	.0	.0
intolerance	1	.0	.0
it negatively impacts or at least doesn't help my mental health	1	.0	.0
It takes several days to fully recover from alcohol. I'd rather be in peek shape	1	.0	.0
Medications	1	.0	.0
Mom's boyfriend is an alcoholic	1	.0	.0
Most people who drink heavily are highly unintelligent and have no purpose in life	2	.0	.0

---

My dad was a drunk	1	.0	.0
My first experience had me break down, as I was a religious person. It made me feel so disgusted I just wanted to dissapear that instant. I hated it, and the people who pressured me into it.	1	.0	.0
Never really had a problem with alcohol, I don't typically even think about alcohol. It is also expensive and screws up my personal fitness routine. I drink socially and rarely even at that.	1	.0	.0
No alcohol available	1	.0	.0
not drinking much out bc I only need a few	1	.0	.0
Probation	1	.0	.0
school or work and football	1	.0	.0
school sport	1	.0	.0
Self control	1	.0	.0
Sports	3	.0	.0
Taking medicine that I should not be drinking alcohol on	1	.0	.0
Working toward not feeling social pressure to drink and stopping when I want	1	.0	.0
<b>Total</b>	<b>6235</b>	<b>100.0</b>	<b>100.0</b>

*Q41\_99 Motivation to drink less or not at all: I am not motivated to drink less or not drink alcohol*

		N	Total %	Valid %
Valid	0	3237	51.9	98.4
	1 I am not motivated to drink less or not drink alcohol	54	.9	1.6
	Total	3291	52.8	100.0
Missing	-99	15	.2	
	System	2929	47.0	
	Total	2944	47.2	
<b>Total</b>		<b>6235</b>	<b>100.0</b>	

*Q42\_1 How often do this in social gatherings involving alcohol? Stopped drinking at a predetermined time*

		N	Total %	Valid %
Valid	1 Always	581	9.3	18.3
	2 Usually	775	12.4	24.4
	3 Sometimes	637	10.2	20.1

	4 Occasionally	317	5.1	10.0
	5 Rarely	301	4.8	9.5
	6 Never	562	9.0	17.7
	Total	3173	50.9	100.0
Missing	-99	49	.8	
	System	3013	48.3	
	Total	3062	49.1	
Total		6235	100.0	

*Q42\_2 How often do this in social gatherings involving alcohol? Avoid mixing different types of alcohol*

		N	Total %	Valid %
Valid	1 Always	800	12.8	25.2
	2 Usually	727	11.7	22.9
	3 Sometimes	472	7.6	14.9
	4 Occasionally	311	5.0	9.8
	5 Rarely	426	6.8	13.4
	6 Never	441	7.1	13.9
	Total	3177	51.0	100.0
Missing	-99	45	.7	
	System	3013	48.3	
	Total	3058	49.0	
Total		6235	100.0	

*Q42\_3 How often do this in social gatherings involving alcohol? Drink shots of liquor*

		N	Total %	Valid %
Valid	1 Always	313	5.0	9.9
	2 Usually	779	12.5	24.5
	3 Sometimes	772	12.4	24.3
	4 Occasionally	363	5.8	11.4
	5 Rarely	521	8.4	16.4
	6 Never	428	6.9	13.5
	Total	3176	50.9	100.0
Missing	-99	46	.7	
	System	3013	48.3	
	Total	3059	49.1	
Total		6235	100.0	

*Q42\_4 How often do this in social gatherings involving alcohol? Put extra ice in your drink*

		N	Total %	Valid %
Valid	1 Always	285	4.6	9.0
	2 Usually	437	7.0	13.8
	3 Sometimes	615	9.9	19.4
	4 Occasionally	334	5.4	10.6
	5 Rarely	492	7.9	15.5

	6 Never	1002	16.1	31.7
	Total	3165	50.8	100.0
Missing	-99	57	.9	
	System	3013	48.3	
	Total	3070	49.2	
Total		6235	100.0	

*Q42\_5 How often do this in social gatherings involving alcohol? Purposefully limited amount of money spent on alcohol*

		N	Total %	Valid %
Valid	1 Always	990	15.9	31.3
	2 Usually	888	14.2	28.1
	3 Sometimes	495	7.9	15.6
	4 Occasionally	232	3.7	7.3
	5 Rarely	185	3.0	5.8
	6 Never	375	6.0	11.8
	Total	3165	50.8	100.0
Missing	-99	57	.9	
	System	3013	48.3	
	Total	3070	49.2	
Total		6235	100.0	

*Q42\_6 How often do this in social gatherings involving alcohol? Make sure you went home with a friend*

		N	Total %	Valid %
Valid	1 Always	1948	31.2	61.5
	2 Usually	613	9.8	19.4
	3 Sometimes	225	3.6	7.1
	4 Occasionally	101	1.6	3.2
	5 Rarely	91	1.5	2.9
	6 Never	189	3.0	6.0
	Total	3167	50.8	100.0
Missing	-99	55	.9	
	System	3013	48.3	
	Total	3068	49.2	
Total		6235	100.0	

*Q42\_7 How often do this in social gatherings involving alcohol? Have a friend let you know when you've had too much to drink*

		N	Total %	Valid %
Valid	1 Always	1072	17.2	33.9
	2 Usually	602	9.7	19.0
	3 Sometimes	406	6.5	12.8
	4 Occasionally	188	3.0	5.9
	5 Rarely	300	4.8	9.5
	6 Never	595	9.5	18.8

	Total	3163	50.7	100.0
Missing	-99	59	.9	
	System	3013	48.3	
	Total	3072	49.3	
Total		6235	100.0	

*Q42\_8 How often do this in social gatherings involving alcohol? Know where your drink has been at all times*

		N	Total %	Valid %
Valid	1 Always	2295	36.8	72.7
	2 Usually	516	8.3	16.3
	3 Sometimes	119	1.9	3.8
	4 Occasionally	68	1.1	2.2
	5 Rarely	61	1.0	1.9
	6 Never	98	1.6	3.1
	Total	3157	50.6	100.0
Missing	-99	65	1.0	
	System	3013	48.3	
	Total	3078	49.4	
Total		6235	100.0	

*Q42\_9 How often do this in social gatherings involving alcohol? Avoid trying to "keep up" or "out-drink" others*

		N	Total %	Valid %
Valid	1 Always	1405	22.5	44.4
	2 Usually	697	11.2	22.0
	3 Sometimes	360	5.8	11.4
	4 Occasionally	195	3.1	6.2
	5 Rarely	210	3.4	6.6
	6 Never	295	4.7	9.3
	Total	3162	50.7	100.0
Missing	-99	60	1.0	
	System	3013	48.3	
	Total	3073	49.3	
Total		6235	100.0	

*Q42\_10 How often do this in social gatherings involving alcohol? Received free, non-alcoholic drinks (e.g., soft drinks) at a bar/restaurant for being a designated sober driver*

		N	Total %	Valid %
Valid	1 Always	387	6.2	12.3
	2 Usually	206	3.3	6.5
	3 Sometimes	273	4.4	8.6
	4 Occasionally	128	2.1	4.1
	5 Rarely	250	4.0	7.9
	6 Never	1913	30.7	60.6
	Total	3157	50.6	100.0

Missing	-99	65	1.0
	System	3013	48.3
	Total	3078	49.4
Total		6235	100.0

*Q43\_1 Done in past academic year: 21 birthday shots*

		N	Total %	Valid %
Valid	0	2942	47.2	92.0
	1 21 birthday shots	257	4.1	8.0
	Total	3199	51.3	100.0
Missing	-99	18	.3	
	System	3018	48.4	
	Total	3036	48.7	
Total		6235	100.0	

*Q43\_2 Done in past academic year: Beer bong and/or keg stand*

		N	Total %	Valid %
Valid	0	2627	42.1	82.1
	1 Beer bong and/or keg stand	572	9.2	17.9
	Total	3199	51.3	100.0
Missing	-99	18	.3	
	System	3018	48.4	
	Total	3036	48.7	
Total		6235	100.0	

*Q43\_3 Done in past academic year: Drinking games*

		N	Total %	Valid %
Valid	0	1274	20.4	39.8
	1 Drinking games	1925	30.9	60.2
	Total	3199	51.3	100.0
Missing	-99	18	.3	
	System	3018	48.4	
	Total	3036	48.7	
Total		6235	100.0	

*Q43\_4 Done in past academic year: Drink specials*

		N	Total %	Valid %
Valid	0	2334	37.4	73.0
	1 Drink specials	865	13.9	27.0
	Total	3199	51.3	100.0
Missing	-99	18	.3	
	System	3018	48.4	
	Total	3036	48.7	
Total		6235	100.0	

*Q43\_88 Done in past academic year: None of the above*

		N	Total %	Valid %
Valid	0	2172	34.8	67.9
	1 None of the above	1027	16.5	32.1
	Total	3199	51.3	100.0
Missing	-99	18	.3	
	System	3018	48.4	
	Total	3036	48.7	
Total		6235	100.0	

*Q44\_1 Frequency in past 6 months while drinking or because of drinking: Not able to do your homework or study for a test?*

		N	Total %	Valid %
Valid	1 0 times	2548	40.9	81.2
	2 1-2 times	507	8.1	16.2
	3 3-5 times	69	1.1	2.2
	4 6+ times	15	.2	.5
	Total	3139	50.3	100.0
Missing	-99	34	.5	
	System	3062	49.1	
	Total	3096	49.7	
Total		6235	100.0	

*Q44\_2 Frequency in past 6 months while drinking or because of drinking: Got into fights, acted badly, or did mean things?*

		N	Total %	Valid %
Valid	1 0 times	2789	44.7	88.9
	2 1-2 times	293	4.7	9.3
	3 3-5 times	43	.7	1.4
	4 6+ times	13	.2	.4
	Total	3138	50.3	100.0
Missing	-99	35	.6	
	System	3062	49.1	
	Total	3097	49.7	
Total		6235	100.0	

*Q44\_3 Frequency in past 6 months while drinking or because of drinking: Went to work or school high or drunk?*

		N	Total %	Valid %
Valid	1 0 times	2872	46.1	91.5
	2 1-2 times	180	2.9	5.7
	3 3-5 times	53	.9	1.7
	4 6+ times	33	.5	1.1
	Total	3138	50.3	100.0
Missing	-99	35	.6	
	System	3062	49.1	
	Total	3097	49.7	
Total		6235	100.0	

*Q44\_4 Frequency in past 6 months while drinking or because of drinking: Caused shame or embarrassment to someone?*

		N	Total %	Valid %
Valid	1 0 times	2731	43.8	87.1
	2 1-2 times	371	6.0	11.8
	3 3-5 times	25	.4	.8
	4 6+ times	7	.1	.2
	Total	3134	50.3	100.0
Missing	-99	39	.6	
	System	3062	49.1	
	Total	3101	49.7	
Total		6235	100.0	

*Q44\_5 Frequency in past 6 months while drinking or because of drinking: Neglected your responsibilities?*

		N	Total %	Valid %
Valid	1 0 times	2278	36.5	72.7
	2 1-2 times	721	11.6	23.0
	3 3-5 times	107	1.7	3.4
	4 6+ times	29	.5	.9
	Total	3135	50.3	100.0
Missing	-99	38	.6	
	System	3062	49.1	
	Total	3100	49.7	
Total		6235	100.0	

*Q44\_6 Frequency in past 6 months while drinking or because of drinking: Felt it took more alcohol than it used to in order to get the same effect?*

		N	Total %	Valid %
Valid	1 0 times	2468	39.6	78.8
	2 1-2 times	459	7.4	14.7
	3 3-5 times	157	2.5	5.0
	4 6+ times	49	.8	1.6
	Total	3133	50.2	100.0
Missing	-99	40	.6	
	System	3062	49.1	
	Total	3102	49.8	
Total		6235	100.0	

*Q44\_7 Frequency in past 6 months while drinking or because of drinking: Noticed a change in your personality?*

		N	Total %	Valid %
Valid	1 0 times	2343	37.6	74.8
	2 1-2 times	646	10.4	20.6
	3 3-5 times	101	1.6	3.2
	4 6+ times	41	.7	1.3

	Total	3131	50.2	100.0
Missing	-99	42	.7	
	System	3062	49.1	
	Total	3104	49.8	
Total		6235	100.0	

*Q44\_8 Frequency in past 6 months while drinking or because of drinking: Missed a day (or part of a day) of school or work?*

		N	Total %	Valid %
Valid	1 0 times	2743	44.0	87.7
	2 1-2 times	319	5.1	10.2
	3 3-5 times	55	.9	1.8
	4 6+ times	12	.2	.4
	Total	3129	50.2	100.0
Missing	-99	44	.7	
	System	3062	49.1	
	Total	3106	49.8	
Total		6235	100.0	

*Q44\_9 Frequency in past 6 months while drinking or because of drinking: Tried to cut down or quit drinking?*

		N	Total %	Valid %
Valid	1 0 times	2468	39.6	78.8
	2 1-2 times	471	7.6	15.0
	3 3-5 times	130	2.1	4.2
	4 6+ times	62	1.0	2.0
	Total	3131	50.2	100.0
Missing	-99	42	.7	
	System	3062	49.1	
	Total	3104	49.8	
Total		6235	100.0	

*Q44\_10 Frequency in past 6 months while drinking or because of drinking: Suddenly found yourself in a place that you could not remember getting to (blackout)?*

		N	Total %	Valid %
Valid	1 0 times	2600	41.7	82.9
	2 1-2 times	416	6.7	13.3
	3 3-5 times	98	1.6	3.1
	4 6+ times	22	.4	.7
	Total	3136	50.3	100.0
Missing	-99	37	.6	
	System	3062	49.1	
	Total	3099	49.7	
Total		6235	100.0	

*Q44\_11 Frequency in past 6 months while drinking or because of drinking: Had a fight, argument or bad feelings with a friend and/or family member?*

		N	Total %	Valid %
Valid	1 0 times	2760	44.3	88.1
	2 1-2 times	319	5.1	10.2
	3 3-5 times	44	.7	1.4
	4 6+ times	9	.1	.3
	Total	3132	50.2	100.0
Missing	-99	41	.7	
	System	3062	49.1	
	Total	3103	49.8	
Total	6235	100.0		

*Q44\_12 Frequency in past 6 months while drinking or because of drinking: Kept drinking when you promised yourself not to?*

		N	Total %	Valid %
Valid	1 0 times	2772	44.5	88.6
	2 1-2 times	284	4.6	9.1
	3 3-5 times	54	.9	1.7
	4 6+ times	18	.3	.6
	Total	3128	50.2	100.0
Missing	-99	45	.7	
	System	3062	49.1	
	Total	3107	49.8	
Total	6235	100.0		

*Q44\_13 Frequency in past 6 months while drinking or because of drinking: Had a bad time?*

		N	Total %	Valid %
Valid	1 0 times	2193	35.2	70.1
	2 1-2 times	798	12.8	25.5
	3 3-5 times	116	1.9	3.7
	4 6+ times	22	.4	.7
	Total	3129	50.2	100.0
Missing	-99	44	.7	
	System	3062	49.1	
	Total	3106	49.8	
Total	6235	100.0		

*Q44\_14 Frequency in past 6 months while drinking or because of drinking: Drove shortly after having more than four drinks?*

		N	Total %	Valid %
Valid	1 0 times	2921	46.8	93.2
	2 1-2 times	150	2.4	4.8
	3 3-5 times	47	.8	1.5
	4 6+ times	16	.3	.5
	Total	3134	50.3	100.0

Missing	-99	39	.6
	System	3062	49.1
	Total	3101	49.7
Total		6235	100.0

*Q44\_15 Frequency in past 6 months while drinking or because of drinking: Experienced nausea or vomiting?*

		N	Total %	Valid %
Valid	1 0 times	1719	27.6	54.9
	2 1-2 times	1079	17.3	34.5
	3 3-5 times	259	4.2	8.3
	4 6+ times	72	1.2	2.3
	Total	3129	50.2	100.0
Missing	-99	44	.7	
	System	3062	49.1	
	Total	3106	49.8	
Total		6235	100.0	

*Q44\_16 Frequency in past 6 months while drinking or because of drinking: Had a hangover?*

		N	Total %	Valid %
Valid	1 0 times	1387	22.2	44.3
	2 1-2 times	1193	19.1	38.1
	3 3-5 times	378	6.1	12.1
	4 6+ times	174	2.8	5.6
	Total	3132	50.2	100.0
Missing	-99	41	.7	
	System	3062	49.1	
	Total	3103	49.8	
Total		6235	100.0	

*Q45 How often have you experienced alcohol poisoning in the last year?*

		N	Total %	Valid %
Valid	1 0 times	2946	47.2	93.5
	2 1 time	161	2.6	5.1
	3 2 times	32	.5	1.0
	4 More than 2 times	13	.2	.4
	Total	3152	50.6	100.0
Missing	-99	15	.2	
	System	3068	49.2	
	Total	3083	49.4	
Total		6235	100.0	

*Q46\_1 Experienced due to alcohol poisoning: I do not remember.*

		N	Total %	Valid %
Valid	0	139	2.2	71.6
	1 I do not remember.	55	.9	28.4
	Total	194	3.1	100.0
Missing	-99	2	.0	
	System	6039	96.9	
	Total	6041	96.9	
Total		6235	100.0	

*Q46\_2 Experienced due to alcohol poisoning: I was left alone.*

		N	Total %	Valid %
Valid	0	169	2.7	87.1
	1 I was left alone.	25	.4	12.9
	Total	194	3.1	100.0
Missing	-99	2	.0	
	System	6039	96.9	
	Total	6041	96.9	
Total		6235	100.0	

*Q46\_3 Experienced due to alcohol poisoning: I vomited in my sleep.*

		N	Total %	Valid %
Valid	0	158	2.5	81.4
	1 I vomited in my sleep.	36	.6	18.6
	Total	194	3.1	100.0
Missing	-99	2	.0	
	System	6039	96.9	
	Total	6041	96.9	
Total		6235	100.0	

*Q46\_4 Experienced due to alcohol poisoning: No one helped me.*

		N	Total %	Valid %
Valid	0	183	2.9	94.3
	1 No one helped me.	11	.2	5.7
	Total	194	3.1	100.0
Missing	-99	2	.0	
	System	6039	96.9	
	Total	6041	96.9	
Total		6235	100.0	

*Q46\_5 Experienced due to alcohol poisoning: Friends let me sleep it off.*

		N	Total %	Valid %
Valid	0	118	1.9	60.8
	1 Friends let me sleep it off.	76	1.2	39.2
	Total	194	3.1	100.0
Missing	-99	2	.0	
	System	6039	96.9	
	Total	6041	96.9	
Total		6235	100.0	

*Q46\_6 Experienced due to alcohol poisoning: I was taken for medical attention.*

		N	Total %	Valid %
Valid	0	184	3.0	94.8
	1 I was taken for medical attention.	10	.2	5.2
	Total	194	3.1	100.0
Missing	-99	2	.0	
	System	6039	96.9	
	Total	6041	96.9	
Total		6235	100.0	

*Q46\_7 Experienced due to alcohol poisoning: Someone stayed with me to make sure I was okay.*

		N	Total %	Valid %
Valid	0	93	1.5	47.9
	1 Someone stayed with me to make sure I was okay.	101	1.6	52.1
	Total	194	3.1	100.0
Missing	-99	2	.0	
	System	6039	96.9	
	Total	6041	96.9	
Total		6235	100.0	

*Q46\_8 Experienced due to alcohol poisoning: Other (specify)*

		N	Total %	Valid %
Valid	0	185	3.0	95.4
	1 Other (please specify)	9	.1	4.6
	Total	194	3.1	100.0
Missing	-99	2	.0	
	System	6039	96.9	
	Total	6041	96.9	
Total		6235	100.0	

*Q46\_8\_TEXT Experienced due to alcohol poisoning: Other (specify) - TEXT*

		N	Total %	Valid %
Valid		6039	96.9	96.9
	-99	187	3.0	3.0
	I drank lots of water	1	.0	.0
	I vomitted but not in my sleep	1	.0	.0
	i was napping and was awoken to go to bed	1	.0	.0
	I went to sleep on my own and woke up fine	1	.0	.0
	just vomited the next day	1	.0	.0
	parents found me unconcious	1	.0	.0
	stranded in a city	1	.0	.0

	vomiting consciously, clammy/sweaty	1	.0	.0
	vomitting, the shakes, and restlessness	1	.0	.0
	Total	6235	100.0	100.0

*Q47 What would you do if you were in the presence of a student whom you suspected had alcohol poisoning? - Selected Choice*

		N	Total %	Valid %
Valid	1 I would call 911.	3421	54.9	64.0
	2 I would take them to the hospital myself.	1384	22.2	25.9
	3 I would not do anything because I would be afraid that I would get in trouble with campus officials, or police.	64	1.0	1.2
	4 I would not do anything because I would not feel comfortable getting involved.	191	3.1	3.6
	5 Other, please describe	289	4.6	5.4
	Total	5349	85.8	100.0
Missing	-99	32	.5	
	System	854	13.7	
	Total	886	14.2	
Total		6235	100.0	

*Q47\_5\_TEXT What would you do if you were in the presence of a student whom you suspected had alcohol poisoning? - Other, please describe - Text*

		N	Total %	Valid %
Valid		881	14.1	14.1
	-99	5070	81.3	81.3
	0	1	.0	.0
	A and B because ambulances are expensive and if the operator says they're ok then its easier to get a car than pay for health insurance	1	.0	.0
	Alert campus official	1	.0	.0
	anything necessary for their wellbeing	1	.0	.0
	Ask a friend what to do	1	.0	.0
	Ask for help in the surroundings because I don't have a US phone number	1	.0	.0
	ask if okay but if not responsive hospital	1	.0	.0
	Ask others for help	1	.0	.0

Ask their name in a not suspicious way, then tell the teacher and or superintendent just in case.	1	.0	.0
ask them if they have alcohol poisoning	1	.0	.0
ask them what they want me to do	1	.0	.0
Ask those around me for advice and help so I can be sure to do the right thing	1	.0	.0
Assess the situation and give them the help I see necessary	1	.0	.0
Assess the student to best of my ability. Transport the student to ER by EMS if necessary.	1	.0	.0
Both 911 and take them	1	.0	.0
Bring them to the toilet. If they try to sleep put a backpack on them so they can't sleep on their back.	1	.0	.0
call 911 and I would put them into a recovery position if the scene was safe because I'm trained in CPR and first aid	1	.0	.0
call 911 and take them to the hospital.	1	.0	.0
Call 911 and then administer care until paramedics arrived.	1	.0	.0
Call 911 and then take them to the hospital if medical officials said to.	1	.0	.0
Call 911 if off campus call RLC if on campus	1	.0	.0
call 911 if severe take them to the hospital	1	.0	.0
Call 911 or take them to the hospital depending on the severity of what is happening in the moment	1	.0	.0
call 911 or take them to the hospital myself	1	.0	.0
Call 911 or take them to the hospital myself if I had not been drinking	1	.0	.0
Call 911 or take them to the hospital myself, whichever was quicker	1	.0	.0

---

call 911 while assessing them and monitoring their condition	1	.0	.0
Call a friend with more experience to help	1	.0	.0
Call an RA	1	.0	.0
call an RA friend	1	.0	.0
Call an Uber, ambulances cost too much	1	.0	.0
Call Campus Public Safety	1	.0	.0
Call campus security	1	.0	.0
Call Creighton Public Safety or let a Creighton authority know	1	.0	.0
Call for help from a friend.	1	.0	.0
call my host family	1	.0	.0
Call my RA	1	.0	.0
Call out for help. If no one is around, then call 911.	1	.0	.0
Call people to see what to do	1	.0	.0
Call pub safe	1	.0	.0
call public safety	1	.0	.0
Call public safety	2	.0	.0
Call Public Safety	1	.0	.0
Call RA on duty	1	.0	.0
Call RDOD (Resident Director on Duty) or the front desk to keep the RAOD & RDOD informed	1	.0	.0
Call Residence Life	1	.0	.0
call someone close to them	1	.0	.0
Call someone for help, not 911 right away	1	.0	.0
Call the campus security or health aids, to inform them of the situation	1	.0	.0
Call the RA	1	.0	.0
call the RA on duty in my dorm	1	.0	.0
check if anyone is nearby for assistance & call police	1	.0	.0
Contact on-campus assistance	1	.0	.0
contact ra/rdod and pub safe	1	.0	.0
contact the floor RA on duty	1	.0	.0
Depending on how bad take them to hospital or call 911	1	.0	.0
Depending on how bad they were, I would either take them to the hospital myself or call 911.	1	.0	.0

---

Depending on the severity of symptoms, I may consider taking them to a hospital, however in most cases I believe I would simple help them in any way I could in the moment.	1	.0	.0
Depending on the severity, I would either drive them to the hospital myself or call 911	1	.0	.0
depends on severity	1	.0	.0
Depends on the situation, but I would either call 911 or drive them myself if I hadn't been drinking.	1	.0	.0
Depends on the situation.	1	.0	.0
Depends on the situation. I have had to monitor people who have been in situations like this before but usually give them water and make them puke, make sure they are laying on their side if they go to bed, or if I had to, I'd take them to the hospital myself either 911 or take them myself, depends on severity but definitely taken to a hospital	1	.0	.0
Find an RA and let them deal with it	1	.0	.0
Find family or support if I know the person	1	.0	.0
Find Help	1	.0	.0
find someone sober to drive	1	.0	.0
find someone who knows them better to take them for help	1	.0	.0
Find their friends, health/safety officers of organization if applicable, and make educated decisions between multiple people	1	.0	.0
First of all I would have a plan, then I would probably call campus police if I'm on campus or take them to the hospital if I'm off campus	1	.0	.0
Flip them on their side	1	.0	.0
Get help from someone around	1	.0	.0
Get somebody else to help them	1	.0	.0
Get the nearest RA	1	.0	.0
get them help within the house.	1	.0	.0

---

get them water and food if possible, sit them down somewhere safe, keep them awake and alert as possible	1	.0	.0
go get an RA or adult who would know what to do	1	.0	.0
have a sober friend at the party	1	.0	.0
drive them to the hospital			
Help best I can i.e. water, bathroom, etc.	1	.0	.0
Help them	1	.0	.0
help them as a friend.	1	.0	.0
help them feel better	1	.0	.0
Help them in anyway I could	1	.0	.0
help them myself	1	.0	.0
help them out and make sure they were safe	1	.0	.0
Help them out as much as I can before finding help	1	.0	.0
I am never around people that drink	1	.0	.0
I do not know what I would do	1	.0	.0
I don't go to parties or hang out with other students so I would not encounter someone exhibiting alcohol poisoning.	1	.0	.0
I don't really know what that looks like or what to do because I have never been around that, so I would immediately get someone to help.	1	.0	.0
I don't have an US phone number so I would obtain an RA or someone who can call	1	.0	.0
I don't know. I think I would feel safer calling the campus police instead to help mitigate the situation	1	.0	.0
i dont know	1	.0	.0
I have been in this situation, I helped a girl throw up then got her in a friends car with a sober driver.	1	.0	.0
I might get help from other people, like their friends or a campus official	1	.0	.0
I only drink with my friends all of which don't let it get that far	1	.0	.0

---

I probably wouldn't know how to respond, so I'd pace around for an hour asking people if we should take them to the hospital.	1	.0	.0
I think i would freeze	1	.0	.0
I think the course of actions depends on the state of the person and also if I'm drunk	1	.0	.0
I understand the symptoms of alcohol poisoning so I would stay with them, put them by the toilet and try to get fluids in them. I would not leave them there by themselves and if they are able to move and walk I would put them on a couch on their side, possibly put a pack pack on them to have them stay on their side and make sure they are safe for at least an hour. If they are still restless I would call my mom who is a nurse or my dad who is a doctor and get their opinion and do what they say.	1	.0	.0
I will search for an adult	1	.0	.0
I would Alert campus authorities	1	.0	.0
I would alert someone they came with, if possible.	1	.0	.0
Otherwise, I would notify the party host or person in-charge.			
I would also tell my RA or the student with alcohol poisoning's RA	1	.0	.0
I would ask if they're feeling alright. And if it's serious enough. I would get help.	1	.0	.0
I would ask someone with more experience with people who have been drinking to make sure I didn't overreact and cause a panic over nothing. I would drive to the hospital if I had to, bc the cost of an ambulance is crazy.	1	.0	.0
I would ask the people around the student and we would make a judgment on how to help them. If alone I would assess the situation and help to the best of my ability	1	.0	.0

---

I would ask them if they were ok, check up on them, ask them if they need help. If unconscious I'd probably call 911.	1	.0	.0
I would ask them what they need me to do for them.	1	.0	.0
I would ask them what they want to do	1	.0	.0
I would ask to see if they were ok and what they would like me to do.	1	.0	.0
I would assist them with the knowledge I have been currently advised by in first aid.	1	.0	.0
I would call 911 and find someone sober to drive to the hospital if not me.	1	.0	.0
I would call 911 in most situations unless the situation favored bringing them to the hospital myself	1	.0	.0
I would call 911 or take them to the hospital myself.	1	.0	.0
I would call a friend or loved one of theirs	1	.0	.0
I would call a parent or trusted adult	1	.0	.0
I would call one of my friends on the CVFD	1	.0	.0
I would call public safety	1	.0	.0
I would call public safety and keep the person awake.	1	.0	.0
I would call public safety or 911	1	.0	.0
I would call someone who was sober to come help or I would ask my RA for help.	1	.0	.0
I would care for them myself	1	.0	.0
I would carefully assess the situation, then take action using my clear head. Since I don't drink or impair myself.	1	.0	.0
I would check to be extra sure	1	.0	.0
I would contact an adult for advice	1	.0	.0
I would contact my RA for help.	1	.0	.0
I would contact the campus number for public safety.	1	.0	.0

---

---

I would delegate by trying to find a friend of theirs to check in and make sure I have all the info/am not misunderstanding the situation, and/or try talking to the person myself.	1	.0	.0
I would do either 1 or 2. If I had some to drink, I would call 911. However, if I was sober I could drive them myself.	1	.0	.0
I would do what the situation called for, but I would make sure that the inebriated person was taken care of whether that is keeping an eye on them all night or getting emergency services involved.	1	.0	.0
I would drive them to the hospital if I was sober, if not I would call 911 or find someone I trusted who was sober to drive	1	.0	.0
I would drive to the hospital or call 911 if the person was unconscious	1	.0	.0
I would either call 911 (depending on how bad it was), be fearful to get involved in case they would get upset or other would get involved, or may just wade it out with them (make sure they drink lots of water, give them a garbage can to puke in, and provide a cool wash rag)	1	.0	.0
I would either call 911 or make sure they get to the hospital myself or even try to get a hold of someone with older than me on campus such as a RA or AD or a friend of mine that I know I can trust and is responsible	1	.0	.0
I would evaluate the situation to see if there is anything I can do to help first, and then if I am confident they need medical assistance I would call first responders	1	.0	.0

---

---

I would find a close friend of theirs and either A) Make sure they take the right steps to make sure the student is put in safe hands (hospital, parents, etc) or b) Take the initiative myself to involve the authorities and do whatever was necessary to put them in safe hands	1	.0	.0
I would find some they know to help them	1	.0	.0
I would find someone to help me that knew what they were doing	1	.0	.0
I would get an administrator	1	.0	.0
I would get another friend or two and help them feel better and watch over them for a while.	1	.0	.0
I would go through university channels, so university was aware of situation and could help student.	1	.0	.0
i would have someone they know take them to the hospital	1	.0	.0
I would help them and then call 911 if needed	1	.0	.0
I would help them to the extent of my knowledge.	1	.0	.0
I would inform the school authorities	1	.0	.0
I would lay them down and make sure they are drinking water.	1	.0	.0
I would let them sleep in my room for the night and make sure they're okay	1	.0	.0
I would likely talk to my RA or someone and ask for the best course of action. If an emergency, then I will call 911.	1	.0	.0
i would make sure that they are on their side first so they don't drown in their vomit and call 911	1	.0	.0
I would make sure they are getting plenty of liquids in their body and try and remedy their situation without having the hospital involved	1	.0	.0
I would make them throw up	1	.0	.0
I would prevent them from drinking too much	1	.0	.0

---

---

i would probably tell someone i am worried and ask for guidance	1	.0	.0
I would probably try to find someone else to help them.	1	.0	.0
I would probably try to take care of them and if they weren't waking up or getting better I would either call 911 or take them to the hospital myself	1	.0	.0
I would see if I could do anything for them first and then if it is something completely out of my hands, I would take them to the hospital	1	.0	.0
I would stay with them and keep an eye on them, and then get them medical attention if needed	1	.0	.0
I would stay with them and make sure they do not choke on vomit and are still breathing and have a pulse	1	.0	.0
I would take care of them	1	.0	.0
i would take care of them and make sure they are safe and recover well.	1	.0	.0
I would take care of them and, use thr hospital as a last resort	1	.0	.0
I would take care of them myself and see how bad it is so no one gets in trouble. If it seemed to be very bad I would inform an adult around us to help.	1	.0	.0
I would take care of them to the best of my ability and then notify the police if I think it's necessary	1	.0	.0
I would take care of them, make them throw up, give them water, make sure they are okay	1	.0	.0
I would take safety precautions then decide if they need medical help	1	.0	.0
I would take them home	1	.0	.0
I would take them if i was able to drive safely, if not I would call 911	1	.0	.0
I would take them to hospital if i wasn't drinking but if i was drinking i would call 911	1	.0	.0

---

---

I would take them to the hospital by uber or calling 911 depending on how bad I thought they were.	1	.0	.0
I would take them to the hospital if I was sober. Otherwise I would call 911	1	.0	.0
I would take them to the hospital if I wasn't drinking, or call 911 if I was	1	.0	.0
i would take them to the hospital myself if i was sober, but if i am intoxicated i would call 911	1	.0	.0
I would take them to their place so that they can be safe	1	.0	.0
I would talk to my instructor and tell them about my concerns.	1	.0	.0
I would talk to my RA	1	.0	.0
I would talk to them first	1	.0	.0
I would tell a teacher or someone that works in the school	1	.0	.0
I would tell my RAs	1	.0	.0
I would tell someone else about it I trust	1	.0	.0
I would tell someone else like a professor	1	.0	.0
I would the best i could and decide if i need to take them to the hospital	1	.0	.0
I would try and help them if no one else who may be a closer friend is	1	.0	.0
I would try to tell someone else in the vicinity that knows them.	1	.0	.0
I would use my CPR /First Aid Training to verify alcohol poisoning and then I would call 911.	1	.0	.0
I wouldn't know if they had alcohol poisoning	1	.0	.0
I wouldn't be in a situation where this is necessary	1	.0	.0
I wouldn't know if they really were or not.	1	.0	.0
I wouldn't know what to do, and I'd probably find someone who did.	1	.0	.0

---

---

I wouldn't take them anywhere myself, but I'll inform a staff member	1	.0	.0
I'd call public safety if I thought someone was sick. Honestly, it's unlikely I could identify this as more than the person acting really sick.	1	.0	.0
I'd google what to do, preferably keeping it discrete but taking them to a hospital if necessary	1	.0	.0
I'd lay them on their side and closely monitor their breathing and heart rate. If breathing or heart rate was much slower than normal, I'd call 911.	1	.0	.0
I'd probably ask a friend for help, since I'm not super sure what to do in that situation	1	.0	.0
I'm not sure I would know if that was the case, but would probably still ask for help	1	.0	.0
I'm really not sure.	1	.0	.0
I'd give them food and water	1	.0	.0
I'd put a blanket on em and check on em in the morning	1	.0	.0
I'd try and make them vomit	1	.0	.0
I'm a mandated reporter therefore I have to call 911 and am able to proceed with First Aid.	1	.0	.0
I'd probably find someone closer to them than I am and tell them about the friend.	1	.0	.0
if I am sober, I will drive them myself. If I am not, I will call 911	1	.0	.0
If I didn't drink I would take them to the hospital or grab someone who was older/sober	1	.0	.0
If I had been drinking, I would call 911 and, if I'm not too drunk, begin first aid; I'm certified. If I was sober, I would take them to the hospital.	1	.0	.0
if i had not been drinking and i knew them i would take them to the hospital. if i did not know them i would find someone who does	1	.0	.0

---

---

If I haven't been drinking, I would take them myself. If I have, I would call 911	1	.0	.0
If I thought it was bad enough I would contact someone or 911 to take them to the hospital if I was drinking. If I wasn't drinking I'd take them.	1	.0	.0
If I was sober enough to drive, I'd take them to the hospital. If not, I'd call 911.	1	.0	.0
If I was sober I would take them to the hospital myself, if not I'd make someone who was sober take them, if they refused, then I'd call 911 because I'd be afraid of getting in trouble. I'd take preventative measures to make sure they were okay though, like turning them on their side so if they puke they won't choke on their own vomit.	1	.0	.0
If I was too drunk, then call a friend or 911. If I was sober, drive them myself.	1	.0	.0
If I wasn't sure about alcohol poisoning, but I suspected it I would get an adult nearby and then decide 911 or take to hospital	1	.0	.0
If I'm on campus, I would call the on-campus security. If I were off-campus, I would call for help (911).	1	.0	.0
If it's a friend then I'd take them to the hospital but if it's a stranger, wait till anyone does something, if nothing happens I'll ask around to see who could help	1	.0	.0
if it's my friend i will call for some type of help	1	.0	.0
If sober I would take them to hospital, otherwise I would call 911	1	.0	.0
If sober I would take them to the hospital, if not I would call 911.	1	.0	.0
If Sober take em to the hospital myself, If drunk call 911	1	.0	.0

---

If someone had already called, I would not call. I would get them light food and water if they were still conscious enough to consume it. I would also get other people away and in a designated safe space	1	.0	.0
If someone is not feeling well I'm usually the one they send in to take care of then	1	.0	.0
If they were a girl I would talk to them and make sure they're going home safe	1	.0	.0
Inform the instructor and campus officials	1	.0	.0
It depends on the situation. If it's a complete stranger, I may approach them and ask them if they are okay. I would make a decision on what to do depending on what their response is. I may report it to whatever authorities are in the building or area too. Hopefully they can take care of the situation and help the person. This question is very situational. If I felt unsafe around the person I would probably report it to authorities in the building or area as well and let them take care of it.	1	.0	.0
It really just depends on the situation	1	.0	.0
It seems to be considered normal	1	.0	.0
Lay them on their side and wait till help arrives from calling 911	1	.0	.0
leave them poisoned	1	.0	.0
Let Dean Know. Call 911	1	.0	.0
make a friend call 911	1	.0	.0
Make sure they are ok and if needed take them to the hospital	1	.0	.0
make sure they got the help they needed at that time.	1	.0	.0
Make sure they have someone taking care of them or call 911	1	.0	.0

Make sure they were responsive, if so encourage them to puke up the alcohol and provide water. If unresponsive I'd take them to the hospital. If I was close with family or significant others, I'd contact them first.	1	.0	.0
monitor & evaluate if possible. 911 if necessary	1	.0	.0
Monitor and evaluate situation	1	.0	.0
Monitor symptoms first to see if they need the hospital	1	.0	.0
Monitor their behavior to better decide whether or not action is needed or if they just need to quit drinking, hydrate and eat food.	1	.0	.0
Most likely depending on who they has with them I would choose then. If they were with people who were not capable of paying attention to them I would walk them outside and then call 911 just so I'm away from others who may get in the way	1	.0	.0
Notify an RA	1	.0	.0
Provide quick first aid	1	.0	.0
Public safety	1	.0	.0
Put them in a warm room and get lots of water	1	.0	.0
Recovery position and force vomiting if possible.	1	.0	.0
Search up symptoms before coming to decision	1	.0	.0
Stay around them while they puke/sleep	1	.0	.0
Stay with the person, ensure they stay safe	1	.0	.0
Stay with them at all times. make sure they are on their sides. Don't feed or give them liquids. Provide a quiet environment	1	.0	.0
Take appropriate action in the situation.	1	.0	.0
take care of them	1	.0	.0
Take care of them	1	.0	.0
Take care of them and get them water/food and analyze what needs to be done	1	.0	.0

Take care of them and take them home to bed	1	.0	.0
Take care of them at home	1	.0	.0
Take care of them myself and ensure their safety	1	.0	.0
Take care of them unless emergency services are needed	1	.0	.0
take care of them, see if they needed to go to the hospital or if they would be okay without going	1	.0	.0
take them to hospital of I am sober but call 911 if I am incapacitated	1	.0	.0
Take them to the hospital/call 911 and stay with them to monitor their condition and safety	1	.0	.0
Take to hospital myself unless complete emergency, if so I'd call 911	1	.0	.0
talk to a health or nursing student get there opinion	1	.0	.0
tell a friend to get them help	1	.0	.0
Tell an RA	1	.0	.0
Tell others about the person	1	.0	.0
Tell someone else	1	.0	.0
Tell someone on campus.	1	.0	.0
Tell the teacher	1	.0	.0
They're fine	1	.0	.0
TRAAC- creighton's program that directly addresses this issue	1	.0	.0
trusted adult	1	.0	.0
try my best to get them to drink water and make sure they aren't laying on their back, and if they do not improve then call 911	1	.0	.0
Try to ask if they are okay, see if anyone is around to help, call for help	1	.0	.0
Try to find their friend or someone nearby	1	.0	.0
try to help them recover	1	.0	.0
Try to help them without getting them in trouble	1	.0	.0
Unsure	1	.0	.0

use my schools non discipline source (i don't remember what it called i think it might just be pubsafe)	1	.0	.0
Use what I've learned to care for them, assess for further help	1	.0	.0
Wait a see how bad it gets they decide what to do	1	.0	.0
What is alcohol poisoning?	1	.0	.0
Will call 911 or bring it to hospital myself case by case	1	.0	.0
Worry about the cost of treatment	1	.0	.0
Would figure out a sober driver to get them to the hospital if I was unable to take them myself	1	.0	.0
would help them recover as we are all adults and should handle our consequences of our actions accordingly. If sypmtoms worsen or start to become worrisome then I would take them to the hospital	1	.0	.0
Total	6235	100.0	100.0

*Q49 How do you agree or disagree with the statement "If both people are drunk, it can't be rape?"*

		N	Total %	Valid %
Valid	1 Strongly agree	69	1.1	1.3
	2 Agree	153	2.5	2.9
	3 Neither agree nor disagree	689	11.1	12.9
	4 Disagree	1227	19.7	23.0
	5 Strongly disagree	3190	51.2	59.9
	Total	5328	85.5	100.0
Missing	-99	29	.5	
	System	878	14.1	
	Total	907	14.5	
Total		6235	100.0	

*Q50\_1 Frequency in past 12 months while drinking? - Had sex with someone without their consent*

		N	Total %	Valid %
Valid	1 0 times	3104	49.8	99.4
	2 1-2 times	14	.2	.4
	3 3-5 times	3	.0	.1
	4 6+ times	2	.0	.1
	Total	3123	50.1	100.0
Missing	-99	24	.4	
	System	3088	49.5	
	Total	3112	49.9	
Total		6235	100.0	

*Q50\_2 Frequency in past 12 months while drinking? - Someone had sex with me without my consent*

		N	Total %	Valid %
Valid	1 0 times	2967	47.6	95.0
	2 1-2 times	139	2.2	4.5
	3 3-5 times	13	.2	.4
	4 6+ times	3	.0	.1
	Total	3122	50.1	100.0
Missing	-99	25	.4	
	System	3088	49.5	
	Total	3113	49.9	
Total		6235	100.0	

*Q50\_3 Frequency in past 12 months while drinking? - Had sex with someone you would not have, had you been sober?*

		N	Total %	Valid %
Valid	1 0 times	2823	45.3	90.5
	2 1-2 times	259	4.2	8.3
	3 3-5 times	34	.5	1.1
	4 6+ times	4	.1	.1
	Total	3120	50.0	100.0
Missing	-99	27	.4	
	System	3088	49.5	
	Total	3115	50.0	
Total		6235	100.0	

*Q50\_4 Frequency in past 12 months while drinking? - Did not use protection when you had sex?*

		N	Total %	Valid %
Valid	1 0 times	2437	39.1	78.2
	2 1-2 times	337	5.4	10.8
	3 3-5 times	123	2.0	3.9
	4 6+ times	220	3.5	7.1
	Total	3117	50.0	100.0
Missing	-99	30	.5	
	System	3088	49.5	
	Total	3118	50.0	
Total	6235	100.0		

*Q50\_5 Frequency in past 12 months while drinking? - Got into an argument with a romantic partner that became physical (e.g. throwing, pushing, slapping)?*

		N	Total %	Valid %
Valid	1 0 times	3045	48.8	97.6
	2 1-2 times	61	1.0	2.0
	3 3-5 times	9	.1	.3
	4 6+ times	5	.1	.2
	Total	3120	50.0	100.0
Missing	-99	27	.4	
	System	3088	49.5	
	Total	3115	50.0	
Total	6235	100.0		

*Q50\_6 Frequency in past 12 months while drinking? - Insulted or swore at my partner?*

		N	Total %	Valid %
Valid	1 0 times	2867	46.0	91.9
	2 1-2 times	209	3.4	6.7
	3 3-5 times	31	.5	1.0
	4 6+ times	11	.2	.4
	Total	3118	50.0	100.0
Missing	-99	29	.5	
	System	3088	49.5	
	Total	3117	50.0	
Total	6235	100.0		

*Descriptive Statistics*

	N	Minimum	Maximum	Mean	Std. Deviation
Rapitot Total RAPI Score	3749	.00	22.00	3.2043	3.81431
Fiveplus Five or more Rapi Problems	3749	.00	1.00	.2825	.45026
Valid N (listwise)	3749				

*Q51 In the past year, have you used alcohol or drugs to help you feel more comfortable with a sexual partner?*

		N	Total %	Valid %
Valid	0 No	4689	75.2	90.7
	1 Yes	483	7.7	9.3
	Total	5172	83.0	100.0
Missing	-99	34	.5	
	System	1029	16.5	
	Total	1063	17.0	
Total		6235	100.0	

*Q52 In the past year, have you done more sexually than you had originally planned to do because you had been drinking alcohol or using drugs?*

		N	Total %	Valid %
Valid	0 No	2925	46.9	55.2
	1 Yes	451	7.2	8.5
	88 Not applicable. No (zero) sexual partners in the past year.	1921	30.8	36.3
	Total	5297	85.0	100.0
Missing	-99	25	.4	
	System	913	14.6	
	Total	938	15.0	
Total		6235	100.0	

*Q53\_1 Do you approve of someone intervening if they see someone being taken advantage of sexually?*

		N	Total %	Valid %
Valid	0 No	217	3.5	4.2
	1 Yes	4908	78.7	95.8
	Total	5125	82.2	100.0
Missing	-99	40	.6	
	System	1070	17.2	
	Total	1110	17.8	
Total		6235	100.0	

*Q53\_2 Do you approve of someone intervening if they see someone taking advantage of another person?*

		N	Total %	Valid %
Valid	0 No	192	3.1	3.8
	1 Yes	4925	79.0	96.2
	Total	5117	82.1	100.0
Missing	-99	48	.8	
	System	1070	17.2	
	Total	1118	17.9	
Total		6235	100.0	

*Q53\_3 Do you approve of students drinking so much that they get sick?*

		N	Total %	Valid %
Valid	0 No	4775	76.6	93.3
	1 Yes	345	5.5	6.7
	Total	5120	82.1	100.0
Missing	-99	45	.7	
	System	1070	17.2	
	Total	1115	17.9	
Total		6235	100.0	

*Q53\_4 Do you approve of students drinking so much that one cannot remember part of the previous evening?*

		N	Total %	Valid %
Valid	0 No	4596	73.7	89.9
	1 Yes	518	8.3	10.1
	Total	5114	82.0	100.0
Missing	-99	51	.8	
	System	1070	17.2	
	Total	1121	18.0	
Total		6235	100.0	

*Q53\_5 Do you approve of students drinking so much that one gets into situations that may be regretted later?*

		N	Total %	Valid %
Valid	0 No	4811	77.2	94.1
	1 Yes	303	4.9	5.9
	Total	5114	82.0	100.0
Missing	-99	51	.8	
	System	1070	17.2	
	Total	1121	18.0	
Total		6235	100.0	

*Q53\_6 Do you approve of students driving after they have had a few drinks?*

		N	Total %	Valid %
Valid	0 No	5019	80.5	98.0
	1 Yes	102	1.6	2.0
	Total	5121	82.1	100.0
Missing	-99	44	.7	
	System	1070	17.2	
	Total	1114	17.9	
Total		6235	100.0	

*Q54 Which statement below about drinking alcoholic beverages do you think best represents your own attitude?*

		N	Total %	Valid %
Valid	1 Drinking is never a good thing to do.	601	9.6	11.6
	2 Drinking is all right, but a person should not get drunk.	1154	18.5	22.2
	3 Occasionally getting drunk is okay as long as it doesn't interfere with academics or other responsibilities.	3187	51.1	61.3
	4 Occasionally getting drunk is okay even if it does interfere with academics or responsibilities.	136	2.2	2.6
	5 Frequently getting drunk is okay if that's what the individual wants to do.	117	1.9	2.3
	Total	5195	83.3	100.0
Missing	-99	30	.5	
	System	1010	16.2	
	Total	1040	16.7	
Total		6235	100.0	

*Q55 Which statement below about drinking alcoholic beverages do you think best represents the most common attitude among students on your campus?*

		N	Total %	Valid %
Valid	1 Drinking is never a good thing to do.	308	4.9	5.9
	2 Drinking is all right, but a person should not get drunk.	315	5.1	6.1
	3 Occasionally getting drunk is okay as long as it doesn't interfere with academics or other responsibilities.	2265	36.3	43.8
	4 Occasionally getting drunk is okay even if it does interfere with academics or responsibilities.	1198	19.2	23.1
	5 Frequently getting drunk is okay if that's what the individual wants to do.	1091	17.5	21.1
	Total	5177	83.0	100.0
Missing	-99	48	.8	
	System	1010	16.2	
	Total	1058	17.0	
Total		6235	100.0	

*Q56 What do you think your campus administrations attitude is about alcohol?*

		N	Total %	Valid %
Valid	1 Drinking is never a good thing to do.	1943	31.2	37.5
	2 Drinking is all right, but a person should not get drunk.	1638	26.3	31.6
	3 Occasionally getting drunk is okay as long as it doesn't interfere with academics or other responsibilities.	1468	23.5	28.4
	4 Occasionally getting drunk is okay even if it does interfere with academics or responsibilities.	74	1.2	1.4
	5 Frequently getting drunk is okay if that's what the individual wants to do.	53	.9	1.0
	Total	5176	83.0	100.0
Missing	-99	49	.8	
	System	1010	16.2	
	Total	1059	17.0	
Total		6235	100.0	

*Q57 Which of the following best fits your intentions to change the way you drink alcohol?*

		N	Total %	Valid %
Valid	1 I am currently trying to drink in a healthier/safer way.	903	14.5	29.3
	2 I am ready to try drinking in a healthier/safer way.	134	2.1	4.4
	3 I am thinking about drinking in a healthier/safer way.	181	2.9	5.9
	4 I see no need to change the way I drink alcohol.	1860	29.8	60.4
	Total	3078	49.4	100.0
Missing	-99	19	.3	
	System	3138	50.3	
	Total	3157	50.6	
Total		6235	100.0	

*Q66\_1 Frequency of use in past year: - Marijuana*

		N	Total %	Valid %
Valid	1 Never	3963	63.6	78.0
	2 1 - 6 times/year	632	10.1	12.4
	3 1 - 2 times/month	169	2.7	3.3
	4 1 - 2 times/week	108	1.7	2.1
	5 3 or more times/week	102	1.6	2.0
	6 Daily	106	1.7	2.1
	Total	5080	81.5	100.0
Missing	-99	49	.8	
	System	1106	17.7	
	Total	1155	18.5	
Total		6235	100.0	

*Q66\_2 Frequency of use in past year: - Marijuana Derivative (i.e., Wax/Dabs/Oils/Shatter)*

		N	Total %	Valid %
Valid	1 Never	4387	70.4	86.8
	2 1 - 6 times/year	367	5.9	7.3
	3 1 - 2 times/month	118	1.9	2.3
	4 1 - 2 times/week	77	1.2	1.5
	5 3 or more times/week	57	.9	1.1
	6 Daily	50	.8	1.0
	Total	5056	81.1	100.0
Missing	-99	73	1.2	
	System	1106	17.7	
	Total	1179	18.9	
Total		6235	100.0	

*Q66\_3 Frequency of use in past year: - Marijuana Edible*

		N	Total %	Valid %
Valid	1 Never	4009	64.3	79.3
	2 1 - 6 times/year	720	11.5	14.2
	3 1 - 2 times/month	211	3.4	4.2
	4 1 - 2 times/week	64	1.0	1.3
	5 3 or more times/week	40	.6	.8
	6 Daily	9	.1	.2
	Total	5053	81.0	100.0
Missing	-99	76	1.2	
	System	1106	17.7	
	Total	1182	19.0	
Total		6235	100.0	

*Q66\_4 Frequency of use in past year: - Delta 8*

		N	Total %	Valid %
Valid	1 Never	4075	65.4	81.6
	2 1 - 6 times/year	522	8.4	10.5
	3 1 - 2 times/month	147	2.4	2.9
	4 1 - 2 times/week	109	1.7	2.2
	5 3 or more times/week	84	1.3	1.7
	6 Daily	54	.9	1.1
	Total	4991	80.0	100.0
Missing	-99	84	1.3	
	System	1160	18.6	
	Total	1244	20.0	
Total	6235	100.0		

*AnyMarij Frequency of any marijuana use*

		N	Total %	Valid %
Valid	1.00 Never	3670	58.9	72.1
	2.00 1-6x a yr	810	13.0	15.9
	3.00 1-2x a mo	220	3.5	4.3
	4.00 1-2x a wk	136	2.2	2.7
	5.00 3 or more x a wk	125	2.0	2.5
	6.00 Daily	127	2.0	2.5
	Total	5088	81.6	100.0
Missing	System	1147	18.4	
Total		6235	100.0	

*Q67 How often do you think the typical student on your campus uses marijuana?*

		N	Total %	Valid %
Valid	1 Never	483	7.7	9.5
	2 1 - 6 times/year	1212	19.4	23.8
	3 1 - 2 times/month	1607	25.8	31.6
	4 1 - 2 times/week	1159	18.6	22.8
	5 3 or more times/week	436	7.0	8.6
	6 Daily	191	3.1	3.8
	Total	5088	81.6	100.0
Missing	-99	41	.7	
	System	1106	17.7	
	Total	1147	18.4	
Total	6235	100.0		

*Q168\_1 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - Because it helps me enjoy a party*

		N	Total %	Valid %
Valid	1 Almost never/never	497	8.0	49.1
	2 Some of the time	293	4.7	29.0
	3 Half of the time	75	1.2	7.4
	4 Most of the time	78	1.3	7.7
	5 Almost always/always	69	1.1	6.8
	Total	1012	16.2	100.0
Missing	-99	4	.1	
	System	5219	83.7	
	Total	5223	83.8	
Total		6235	100.0	

*Q168\_2 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - To be sociable*

		N	Total %	Valid %
Valid	1 Almost never/never	522	8.4	51.6
	2 Some of the time	248	4.0	24.5
	3 Half of the time	101	1.6	10.0
	4 Most of the time	81	1.3	8.0
	5 Almost always/always	59	.9	5.8
	Total	1011	16.2	100.0
Missing	-99	5	.1	
	System	5219	83.7	
	Total	5224	83.8	
Total		6235	100.0	

*Q168\_3 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - Because it makes social gatherings more fun*

		N	Total %	Valid %
Valid	1 Almost never/never	408	6.5	40.3
	2 Some of the time	264	4.2	26.1
	3 Half of the time	125	2.0	12.3
	4 Most of the time	131	2.1	12.9
	5 Almost always/always	85	1.4	8.4
	Total	1013	16.2	100.0
Missing	-99	3	.0	
	System	5219	83.7	
	Total	5222	83.8	
Total		6235	100.0	

*Q168\_4 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - Because it improves parties and celebrations*

		N	Total %	Valid %
Valid	1 Almost never/never	506	8.1	50.0
	2 Some of the time	229	3.7	22.6
	3 Half of the time	101	1.6	10.0
	4 Most of the time	100	1.6	9.9
	5 Almost always/always	76	1.2	7.5
	Total	1012	16.2	100.0
Missing	-99	4	.1	
	System	5219	83.7	
	Total	5223	83.8	
Total	6235	100.0		

*Q168\_5 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - To celebrate a special occasion with friends*

		N	Total %	Valid %
Valid	1 Almost never/never	374	6.0	37.0
	2 Some of the time	288	4.6	28.5
	3 Half of the time	141	2.3	13.9
	4 Most of the time	114	1.8	11.3
	5 Almost always/always	95	1.5	9.4
	Total	1012	16.2	100.0
Missing	-99	4	.1	
	System	5219	83.7	
	Total	5223	83.8	
Total	6235	100.0		

*Q168\_6 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - To forget my worries*

		N	Total %	Valid %
Valid	1 Almost never/never	495	7.9	48.8
	2 Some of the time	237	3.8	23.4
	3 Half of the time	94	1.5	9.3
	4 Most of the time	107	1.7	10.6
	5 Almost always/always	81	1.3	8.0
	Total	1014	16.3	100.0
Missing	-99	2	.0	
	System	5219	83.7	
	Total	5221	83.7	
Total	6235	100.0		

*Q168\_8 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - Because it helps me when I feel depressed or nervous*

		N	Total %	Valid %
Valid	1 Almost never/never	480	7.7	47.3
	2 Some of the time	198	3.2	19.5
	3 Half of the time	96	1.5	9.5
	4 Most of the time	135	2.2	13.3
	5 Almost always/always	105	1.7	10.4
	Total	1014	16.3	100.0
Missing	-99	2	.0	
	System	5219	83.7	
	Total	5221	83.7	
Total	6235	100.0		

*Q168\_9 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - To cheer me up when I am in a bad mood*

		N	Total %	Valid %
Valid	1 Almost never/never	481	7.7	47.5
	2 Some of the time	206	3.3	20.4
	3 Half of the time	118	1.9	11.7
	4 Most of the time	118	1.9	11.7
	5 Almost always/always	89	1.4	8.8
	Total	1012	16.2	100.0
Missing	-99	4	.1	
	System	5219	83.7	
	Total	5223	83.8	
Total	6235	100.0		

*Q168\_10 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - Because I feel more self-confident and sure of myself*

		N	Total %	Valid %
Valid	1 Almost never/never	630	10.1	62.3
	2 Some of the time	166	2.7	16.4
	3 Half of the time	88	1.4	8.7
	4 Most of the time	65	1.0	6.4
	5 Almost always/always	62	1.0	6.1
	Total	1011	16.2	100.0
Missing	-99	5	.1	
	System	5219	83.7	
	Total	5224	83.8	
Total	6235	100.0		

*Q168\_11 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - To forget about my problems*

		N	Total %	Valid %
Valid	1 Almost never/never	586	9.4	58.0
	2 Some of the time	164	2.6	16.2
	3 Half of the time	93	1.5	9.2
	4 Most of the time	78	1.3	7.7
	5 Almost always/always	90	1.4	8.9
	Total	1011	16.2	100.0
Missing	-99	5	.1	
	System	5219	83.7	
	Total	5224	83.8	
Total		6235	100.0	

*Q169\_1 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - To get high*

		N	Total %	Valid %
Valid	1 Almost never/never	168	2.7	16.6
	2 Some of the time	168	2.7	16.6
	3 Half of the time	97	1.6	9.6
	4 Most of the time	218	3.5	21.5
	5 Almost always/always	361	5.8	35.7
	Total	1012	16.2	100.0
Missing	-99	4	.1	
	System	5219	83.7	
	Total	5223	83.8	
Total		6235	100.0	

*Q169\_2 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - Because I like the feeling*

		N	Total %	Valid %
Valid	1 Almost never/never	181	2.9	17.9
	2 Some of the time	169	2.7	16.7
	3 Half of the time	119	1.9	11.8
	4 Most of the time	245	3.9	24.2
	5 Almost always/always	297	4.8	29.4
	Total	1011	16.2	100.0
Missing	-99	5	.1	
	System	5219	83.7	
	Total	5224	83.8	
Total		6235	100.0	

*Q169\_3 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - Because it's exciting*

		N	Total %	Valid %
Valid	1 Almost never/never	381	6.1	37.9
	2 Some of the time	231	3.7	23.0
	3 Half of the time	130	2.1	12.9
	4 Most of the time	136	2.2	13.5
	5 Almost always/always	127	2.0	12.6
	Total	1005	16.1	100.0
Missing	-99	11	.2	
	System	5219	83.7	
	Total	5230	83.9	
Total	6235	100.0		

*Q169\_4 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - Because it gives me a pleasant feeling*

		N	Total %	Valid %
Valid	1 Almost never/never	182	2.9	18.0
	2 Some of the time	173	2.8	17.1
	3 Half of the time	137	2.2	13.5
	4 Most of the time	258	4.1	25.5
	5 Almost always/always	262	4.2	25.9
	Total	1012	16.2	100.0
Missing	-99	4	.1	
	System	5219	83.7	
	Total	5223	83.8	
Total	6235	100.0		

*Q169\_5 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - Because it's fun*

		N	Total %	Valid %
Valid	1 Almost never/never	214	3.4	21.2
	2 Some of the time	192	3.1	19.0
	3 Half of the time	127	2.0	12.6
	4 Most of the time	233	3.7	23.1
	5 Almost always/always	243	3.9	24.1
	Total	1009	16.2	100.0
Missing	-99	7	.1	
	System	5219	83.7	
	Total	5226	83.8	
Total	6235	100.0		

*Q169\_6 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - Because my friends pressure me to use marijuana (or cannabis/synthetic marijuana for UNL)*

		N	Total %	Valid %
Valid	1 Almost never/never	837	13.4	82.6
	2 Some of the time	121	1.9	11.9
	3 Half of the time	30	.5	3.0
	4 Most of the time	14	.2	1.4
	5 Almost always/always	11	.2	1.1
	Total	1013	16.2	100.0
Missing	-99	3	.0	
	System	5219	83.7	
	Total	5222	83.8	
Total	6235	100.0		

*Q169\_8 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - So that others won't tease me about not using marijuana (or cannabis/synthetic marijuana for UNL)*

		N	Total %	Valid %
Valid	1 Almost never/never	938	15.0	92.6
	2 Some of the time	40	.6	3.9
	3 Half of the time	19	.3	1.9
	4 Most of the time	8	.1	.8
	5 Almost always/always	8	.1	.8
	Total	1013	16.2	100.0
Missing	-99	3	.0	
	System	5219	83.7	
	Total	5222	83.8	
Total	6235	100.0		

*Q169\_9 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - To fit in with the group I like*

		N	Total %	Valid %
Valid	1 Almost never/never	895	14.4	88.4
	2 Some of the time	77	1.2	7.6
	3 Half of the time	17	.3	1.7
	4 Most of the time	13	.2	1.3
	5 Almost always/always	10	.2	1.0
	Total	1012	16.2	100.0
Missing	-99	4	.1	
	System	5219	83.7	
	Total	5223	83.8	
Total	6235	100.0		

*Q169\_10 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - To be liked*

		N	Total %	Valid %
Valid	1 Almost never/never	924	14.8	91.2
	2 Some of the time	56	.9	5.5
	3 Half of the time	19	.3	1.9
	4 Most of the time	7	.1	.7
	5 Almost always/always	7	.1	.7
	Total	1013	16.2	100.0
Missing	-99	3	.0	
	System	5219	83.7	
	Total	5222	83.8	
Total		6235	100.0	

*Q169\_11 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - So I won't feel left out*

		N	Total %	Valid %
Valid	1 Almost never/never	841	13.5	83.2
	2 Some of the time	108	1.7	10.7
	3 Half of the time	30	.5	3.0
	4 Most of the time	22	.4	2.2
	5 Almost always/always	10	.2	1.0
	Total	1011	16.2	100.0
Missing	-99	5	.1	
	System	5219	83.7	
	Total	5224	83.8	
Total		6235	100.0	

*Q170\_1 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - To know myself better*

		N	Total %	Valid %
Valid	1 Almost never/never	677	10.9	61.9
	2 Some of the time	203	3.3	18.6
	3 Half of the time	83	1.3	7.6
	4 Most of the time	69	1.1	6.3
	5 Almost always/always	61	1.0	5.6
	Total	1093	17.5	100.0
Missing	-99	6	.1	
	System	5136	82.4	
	Total	5142	82.5	
Total		6235	100.0	

*Q170\_2 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - Because it helps me be more creative and original*

		N	Total %	Valid %
Valid	1 Almost never/never	584	9.4	53.5
	2 Some of the time	213	3.4	19.5
	3 Half of the time	110	1.8	10.1
	4 Most of the time	107	1.7	9.8
	5 Almost always/always	77	1.2	7.1
	Total	1091	17.5	100.0
Missing	-99	8	.1	
	System	5136	82.4	
	Total	5144	82.5	
Total	6235	100.0		

*Q170\_3 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - To understand things differently*

		N	Total %	Valid %
Valid	1 Almost never/never	546	8.8	50.0
	2 Some of the time	219	3.5	20.1
	3 Half of the time	126	2.0	11.5
	4 Most of the time	115	1.8	10.5
	5 Almost always/always	85	1.4	7.8
	Total	1091	17.5	100.0
Missing	-99	8	.1	
	System	5136	82.4	
	Total	5144	82.5	
Total	6235	100.0		

*Q170\_4 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - To expand my awareness*

		N	Total %	Valid %
Valid	1 Almost never/never	583	9.4	53.5
	2 Some of the time	198	3.2	18.2
	3 Half of the time	112	1.8	10.3
	4 Most of the time	106	1.7	9.7
	5 Almost always/always	91	1.5	8.3
	Total	1090	17.5	100.0
Missing	-99	9	.1	
	System	5136	82.4	
	Total	5145	82.5	
Total	6235	100.0		

*Q170\_5 Frequency of marijuana (or cannabis/synthetic marijuana for UNL) use for: - To be more open to experiences*

		N	Total %	Valid %
Valid	1 Almost never/never	467	7.5	42.9
	2 Some of the time	272	4.4	25.0
	3 Half of the time	127	2.0	11.7
	4 Most of the time	115	1.8	10.6
	5 Almost always/always	107	1.7	9.8
	Total	1088	17.4	100.0
Missing	-99	11	.2	
	System	5136	82.4	
	Total	5147	82.6	
Total	6235	100.0		

*Q68 How often in the past year have you drove a vehicle after using marijuana (or cannabis/synthetic marijuana for UNL)?*

		N	Total %	Valid %
Valid	1 0 times	711	11.4	65.1
	2 1 time	95	1.5	8.7
	3 2 times	71	1.1	6.5
	4 3 - 5 times	81	1.3	7.4
	5 More than 5 times	134	2.1	12.3
	Total	1092	17.5	100.0
Missing	System	5143	82.5	
Total		6235	100.0	

*Q69\_1 Where marijuana (or cannabis/synthetic marijuana for UNL) used in past year: Residence hall (Bellevue=Student housing on campus)*

		N	Total %	Valid %
Valid	0	897	14.4	84.9
	1 Residence hall	160	2.6	15.1
	Total	1057	17.0	100.0
Missing	-99	9	.1	
	System	5169	82.9	
	Total	5178	83.0	
Total		6235	100.0	

*Q69\_2 Where marijuana (or cannabis/synthetic marijuana for UNL) used in past year: Your apartment/house*

		N	Total %	Valid %
Valid	0	404	6.5	37.3
	1 Your apartment/house	679	10.9	62.7
	Total	1083	17.4	100.0
Missing	-99	9	.1	
	System	5143	82.5	
	Total	5152	82.6	
Total		6235	100.0	

*Q69\_3 Where marijuana (or cannabis/synthetic marijuana for UNL) used in past year: Greek house*

		N	Total %	Valid %
Valid	0	740	11.9	93.9
	1 Greek house	48	.8	6.1
	Total	788	12.6	100.0
Missing	-99	5	.1	
	System	5442	87.3	
	Total	5447	87.4	
Total		6235	100.0	

*Q69\_4 Where marijuana (or cannabis/synthetic marijuana for UNL) used in past year: Athletic events*

		N	Total %	Valid %
Valid	0	1026	16.5	94.7
	1 Athletic events	57	.9	5.3
	Total	1083	17.4	100.0
Missing	-99	9	.1	
	System	5143	82.5	
	Total	5152	82.6	
Total		6235	100.0	

*Q69\_5 Where marijuana (or cannabis/synthetic marijuana for UNL) used in past year: Concerts*

		N	Total %	Valid %
Valid	0	906	14.5	83.7
	1 Concerts	177	2.8	16.3
	Total	1083	17.4	100.0
Missing	-99	9	.1	
	System	5143	82.5	
	Total	5152	82.6	
Total		6235	100.0	

*Q69\_6 Where marijuana (or cannabis/synthetic marijuana for UNL) used in past year: Bars*

		N	Total %	Valid %
Valid	0	943	15.1	87.1
	1 Bars	140	2.2	12.9
	Total	1083	17.4	100.0
Missing	-99	9	.1	
	System	5143	82.5	
	Total	5152	82.6	
Total		6235	100.0	

*Q69\_7 Where marijuana (or cannabis/synthetic marijuana for UNL) used in past year: Parties*

		N	Total %	Valid %
Valid	0	769	12.3	71.0
	1 Parties	314	5.0	29.0
	Total	1083	17.4	100.0
Missing	-99	9	.1	
	System	5143	82.5	
	Total	5152	82.6	
Total		6235	100.0	

*Q69\_8 Where marijuana (or cannabis/synthetic marijuana for UNL) used in past year: Social gathering or friends house (off-campus)*

		N	Total %	Valid %
Valid	0	330	5.3	30.5
	1 Social gathering or friend's house (off-campus)	753	12.1	69.5
	Total	1083	17.4	100.0
Missing	-99	9	.1	
	System	5143	82.5	
	Total	5152	82.6	
Total		6235	100.0	

*Q69\_9 Where marijuana (or cannabis/synthetic marijuana for UNL) used in past year: Outdoors*

		N	Total %	Valid %
Valid	0	694	11.1	64.1
	1 Outdoors	389	6.2	35.9
	Total	1083	17.4	100.0
Missing	-99	9	.1	
	System	5143	82.5	
	Total	5152	82.6	
Total		6235	100.0	

*Q69\_10 Where marijuana (or cannabis/synthetic marijuana for UNL) used in past year: In a car*

		N	Total %	Valid %
Valid	0	732	11.7	67.6
	1 In a car	351	5.6	32.4
	Total	1083	17.4	100.0
Missing	-99	9	.1	
	System	5143	82.5	
	Total	5152	82.6	
Total		6235	100.0	

*Q69\_11 Where marijuana (or cannabis/synthetic marijuana for UNL) used in past year: Other (specify)*

		N	Total %	Valid %
Valid	0	1059	17.0	97.8
	1 Other (please specify)	24	.4	2.2
	Total	1083	17.4	100.0
Missing	-99	9	.1	
	System	5143	82.5	
	Total	5152	82.6	
Total		6235	100.0	

*Q69\_11\_TEXT Where marijuana (or cannabis/synthetic marijuana for UNL) used in past year: Other (specify) - Text*

		N	Total %	Valid %
Valid	-99	1070	17.2	17.2
	(7 months sober from drugs/alcohol)	1	.0	.0
	Airport	1	.0	.0
	Always off campus	1	.0	.0
	Back home	1	.0	.0
	Beligum and Minnesota	1	.0	.0
	Everywhere	2	.0	.0
	Football game	1	.0	.0
	I have not done it yet..	1	.0	.0
	I just smoke weed under bridges. Walking to said bridge of course.	1	.0	.0
	My home home	1	.0	.0
	My hometown	1	.0	.0
	N/a	1	.0	.0
	NA	1	.0	.0
	nope	1	.0	.0
	not used within the last year	1	.0	.0
	Out of state	1	.0	.0

	out of the United States	1	.0	.0
	trip to colorado	1	.0	.0
	With student life faculty	1	.0	.0
	Total	6235	100.0	100.0

*Q70 When used marijuana (or cannabis/synthetic marijuana for UNL) in a car, usual the status of the car*

		N	Total %	Valid %
Valid	1 Parked on campus	21	.3	6.0
	2 Parked off campus	257	4.1	73.4
	3 Being driven	72	1.2	20.6
	Total	350	5.6	100.0
Missing	-99	1	.0	
	System	5884	94.4	
	Total	5885	94.4	
Total		6235	100.0	

*Q71 Which best fits intentions to change the way you use marijuana/cannabis/synthetic marijuana (Delta 8, K2, etc.)?*

		N	Total %	Valid %
Valid	1 I am currently trying to use marijuana/cannabis/synthetic marijuana (Delta 8, K2, etc.) less often and/or quit.	315	5.1	29.1
	2 I am ready to try to use marijuana/cannabis/synthetic marijuana (Delta 8, K2, etc.) less frequently and/or quit.	70	1.1	6.5
	3 I am thinking about using marijuana/cannabis/synthetic marijuana (Delta 8, K2, etc.) less and/or quit.	119	1.9	11.0
	4 I see no need to change my marijuana/cannabis/synthetic marijuana (Delta 8, K2, etc.) use.	579	9.3	53.5
	Total	1083	17.4	100.0
Missing	-99	6	.1	
	System	5146	82.5	
	Total	5152	82.6	
Total		6235	100.0	

*Q72\_1 Frequency of use in past year: - Cocaine*

		N	Total %	Valid %
Valid	1 Never	4794	76.9	98.0
	2 1 - 6 times/year	85	1.4	1.7
	3 1 - 2 times/month	13	.2	.3
	4 1 - 2 times/week or more	2	.0	.0
	Total	4894	78.5	100.0
Missing	-99	40	.6	
	System	1301	20.9	
	Total	1341	21.5	
Total	6235	100.0		

*Q72\_2 Frequency of use in past year: - Hallucinogens (mushrooms, LSD, MDMA, Ecstasy)*

		N	Total %	Valid %
Valid	1 Never	4683	75.1	95.7
	2 1 - 6 times/year	187	3.0	3.8
	3 1 - 2 times/month	20	.3	.4
	4 1 - 2 times/week or more	1	.0	.0
	Total	4891	78.4	100.0
Missing	-99	43	.7	
	System	1301	20.9	
	Total	1344	21.6	
Total	6235	100.0		

*Q72\_3 Frequency of use in past year: - Opioids (heroin, fentanyl, oxycodone, etc.)*

		N	Total %	Valid %
Valid	1 Never	4826	77.4	98.8
	2 1 - 6 times/year	47	.8	1.0
	3 1 - 2 times/month	5	.1	.1
	4 1 - 2 times/week or more	5	.1	.1
	Total	4883	78.3	100.0
Missing	-99	51	.8	
	System	1301	20.9	
	Total	1352	21.7	
Total	6235	100.0		

*Q72\_5 Frequency of use in past year: - Methamphetamines (meth, ice, speed)*

		N	Total %	Valid %
Valid	1 Never	4855	77.9	99.7
	2 1 - 6 times/year	13	.2	.3
	3 1 - 2 times/month	3	.0	.1
	Total	4871	78.1	100.0
Missing	-99	63	1.0	
	System	1301	20.9	
	Total	1364	21.9	
Total	6235	100.0		

*Q72\_4 Frequency of use in past year: - Other (specify):*

		N	Total %	Valid %
Valid	0	2	.0	.1
	1 Never	3564	57.2	99.3
	2 1 - 6 times/year	14	.2	.4
	3 1 - 2 times/month	4	.1	.1
	4 1 - 2 times/week or more	5	.1	.1
	Total	3589	57.6	100.0
Missing	-99	1345	21.6	
	System	1301	20.9	
	Total	2646	42.4	
Total		6235	100.0	

*Q72\_4 TEXT Frequency of use in past year: - Other (specify): - Text*

		N	Total %	Valid %
Valid		1301	20.9	20.9
	-99	4921	78.9	78.9
	Caffeine	1	.0	.0
	Ethnic medicine/ herbalism	1	.0	.0
	I have a prescription for focalin XR for my ADHD, which was prescribed and taken once daily	1	.0	.0
	Idk	1	.0	.0
	No drugs	1	.0	.0
	Prescription hydrocodone	1	.0	.0
	Protein shake	1	.0	.0
	Prozac	1	.0	.0
	Psychedelics are not "Hallucinogens"	1	.0	.0
	ROIDS	1	.0	.0
	Stimulants (Adderall)	1	.0	.0
	THC	1	.0	.0
	Weed	1	.0	.0
	Total	6235	100.0	100.0

*Q73\_1 Frequency of use in past year: - Cigarettes*

		N	Total %	Valid %
Valid	1 Never	4156	66.7	85.0
	2 1 - 6 times/year	522	8.4	10.7
	3 1 - 3 times/month	145	2.3	3.0
	4 1 - 2 times/week	30	.5	.6
	5 3 - 6 times/week	23	.4	.5
	6 Daily	14	.2	.3
	Total	4890	78.4	100.0
Missing	-99	39	.6	
	System	1306	20.9	
	Total	1345	21.6	
Total	6235	100.0		

*Q73\_2 Frequency of use in past year: - Cigars*

		N	Total %	Valid %
Valid	1 Never	4430	71.1	90.7
	2 1 - 6 times/year	384	6.2	7.9
	3 1 - 3 times/month	53	.9	1.1
	4 1 - 2 times/week	13	.2	.3
	5 3 - 6 times/week	4	.1	.1
	Total	4884	78.3	100.0
Missing	-99	45	.7	
	System	1306	20.9	
	Total	1351	21.7	
Total	6235	100.0		

*Q73\_3 Frequency of use in past year: - Smokeless tobacco*

		N	Total %	Valid %
Valid	1 Never	4683	75.1	96.0
	2 1 - 6 times/year	103	1.7	2.1
	3 1 - 3 times/month	27	.4	.6
	4 1 - 2 times/week	16	.3	.3
	5 3 - 6 times/week	17	.3	.3
	6 Daily	32	.5	.7
	Total	4878	78.2	100.0
Missing	-99	51	.8	
	System	1306	20.9	
	Total	1357	21.8	
Total	6235	100.0		

*Q73\_4 Frequency of use in past year: - Tobacco pipes*

		N	Total %	Valid %
Valid	1 Never	4827	77.4	99.1
	2 1 - 6 times/year	31	.5	.6
	3 1 - 3 times/month	7	.1	.1
	4 1 - 2 times/week	5	.1	.1
	5 3 - 6 times/week	1	.0	.0
	6 Daily	1	.0	.0
	Total	4872	78.1	100.0
Missing	-99	57	.9	
	System	1306	20.9	
	Total	1363	21.9	
Total	6235	100.0		

*Q73\_5 Frequency of use in past year: - Hookah*

		N	Total %	Valid %
Valid	1 Never	4756	76.3	97.7
	2 1 - 6 times/year	90	1.4	1.8
	3 1 - 3 times/month	19	.3	.4
	4 1 - 2 times/week	2	.0	.0
	Total	4867	78.1	100.0
Missing	-99	62	1.0	
	System	1306	20.9	
	Total	1368	21.9	
Total	6235	100.0		

*Q73\_6 Frequency of use in past year: - E-cigarettes*

		N	Total %	Valid %
Valid	1 Never	4298	68.9	88.4
	2 1 - 6 times/year	191	3.1	3.9
	3 1 - 3 times/month	83	1.3	1.7
	4 1 - 2 times/week	49	.8	1.0
	5 3 - 6 times/week	42	.7	.9
	6 Daily	198	3.2	4.1
	Total	4861	78.0	100.0
Missing	-99	68	1.1	
	System	1306	20.9	
	Total	1374	22.0	
Total	6235	100.0		

*Q73\_7 Frequency of use in past year: - JUUL (UNL & SCC also included vapes; Northeast CC included vapes instead of JUUL*

		N	Total %	Valid %
Valid	1 Never	4180	67.0	86.2
	2 1 - 6 times/year	276	4.4	5.7
	3 1 - 3 times/month	94	1.5	1.9
	4 1 - 2 times/week	62	1.0	1.3
	5 3 - 6 times/week	55	.9	1.1
	6 Daily	183	2.9	3.8
	Total	4850	77.8	100.0
Missing	-99	79	1.3	
	System	1306	20.9	
	Total	1385	22.2	
Total		6235	100.0	

*Q73\_8 Frequency of use in past year: - Other (specify):*

		N	Total %	Valid %
Valid	1 Never	3251	52.1	98.5
	2 1 - 6 times/year	13	.2	.4
	3 1 - 3 times/month	6	.1	.2
	4 1 - 2 times/week	4	.1	.1
	5 3 - 6 times/week	6	.1	.2
	6 Daily	19	.3	.6
	Total	3299	52.9	100.0
Missing	-99	1630	26.1	
	System	1306	20.9	
	Total	2936	47.1	
Total		6235	100.0	

*Q73\_8\_TEXT Frequency of use in past year: - Other (specify): - Text*

		N	Total %	Valid %
Valid		1315	21.1	21.1
	-99	4887	78.4	78.4
	dab pen	1	.0	.0
	disposable vapes	1	.0	.0
	Fruity vapes	1	.0	.0
	geek bar pulse	1	.0	.0
	Nicotine pouches	1	.0	.0
	Nicotine Puches	1	.0	.0
	No drugs	1	.0	.0
	Tobacco free nicotine pouches	1	.0	.0
	Torch	1	.0	.0
	vape	3	.0	.0
	Vape	5	.1	.1
	Vape (quit now)	1	.0	.0
	Vapes	3	.0	.0

Vitamin D Pills	1	.0	.0
Vuse	1	.0	.0
zins	1	.0	.0
Zyn	7	.1	.1
zynn	1	.0	.0
Zyns	1	.0	.0
Total	6235	100.0	100.0

*Q75\_1 How often do this when driving? - Wear a safety belt*

		N	Total %	Valid %
Valid	1 Never	16	.3	.5
	2 Rarely	33	.5	1.0
	3 Sometimes	62	1.0	1.9
	4 Most of the time	240	3.8	7.4
	5 Always	2892	46.4	89.1
	88 I do not drive	2	.0	.1
	Total	3245	52.0	100.0
Missing	-99	1	.0	
	System	2989	47.9	
	Total	2990	48.0	
Total		6235	100.0	

*Q75\_2 How often do this when driving? - Talk on a cell phone*

		N	Total %	Valid %
Valid	1 Never	420	6.7	13.0
	2 Rarely	1192	19.1	36.8
	3 Sometimes	1380	22.1	42.6
	4 Most of the time	178	2.9	5.5
	5 Always	69	1.1	2.1
	88 I do not drive	4	.1	.1
	Total	3243	52.0	100.0
Missing	-99	3	.0	
	System	2989	47.9	
	Total	2992	48.0	
Total		6235	100.0	

*Q75\_3 How often do this when driving? - Text message on a cell phone*

		N	Total %	Valid %
Valid	1 Never	827	13.3	25.5
	2 Rarely	1260	20.2	38.8
	3 Sometimes	926	14.9	28.5
	4 Most of the time	173	2.8	5.3
	5 Always	53	.9	1.6
	88 I do not drive	6	.1	.2
	Total	3245	52.0	100.0
Missing	-99	1	.0	
	System	2989	47.9	
	Total	2990	48.0	
Total	6235	100.0		

*Q76\_1 How likely to: - Tell someone if I heard what sounded like yelling or fighting through my residence hall/apartment walls.*

		N	Total %	Valid %
Valid	1 Never would	119	1.9	2.6
	2 Unlikely	956	15.3	21.1
	3 Likely	1261	20.2	27.8
	4 Very likely	1115	17.9	24.6
	5 Definitely would	1087	17.4	24.0
	Total	4538	72.8	100.0
Missing	-99	33	.5	
	System	1664	26.7	
	Total	1697	27.2	
Total	6235	100.0		

*Q76\_2 How likely to: - Get help if I saw a friend grabbing, pushing, or insulting their boyfriend/girlfriend/partner.*

		N	Total %	Valid %
Valid	1 Never would	28	.4	.6
	2 Unlikely	210	3.4	4.6
	3 Likely	942	15.1	20.8
	4 Very likely	1369	22.0	30.2
	5 Definitely would	1989	31.9	43.8
	Total	4538	72.8	100.0
Missing	-99	33	.5	
	System	1664	26.7	
	Total	1697	27.2	
Total	6235	100.0		

*Q76\_3 How likely to: - Speak up and express concern if I heard a stranger talking about coercing someone to have sex.*

		N	Total %	Valid %
Valid	1 Never would	46	.7	1.0
	2 Unlikely	429	6.9	9.5
	3 Likely	833	13.4	18.4
	4 Very likely	1202	19.3	26.5
	5 Definitely would	2024	32.5	44.6
	Total	4534	72.7	100.0
Missing	-99	37	.6	
	System	1664	26.7	
	Total	1701	27.3	
Total	6235	100.0		

*Q76\_4 How likely to: - Speak up and express concern if I heard a friend talking about coercing someone to have sex.*

		N	Total %	Valid %
Valid	1 Never would	32	.5	.7
	2 Unlikely	97	1.6	2.1
	3 Likely	536	8.6	11.8
	4 Very likely	1155	18.5	25.5
	5 Definitely would	2708	43.4	59.8
	Total	4528	72.6	100.0
Missing	-99	43	.7	
	System	1664	26.7	
	Total	1707	27.4	
Total	6235	100.0		

*Q80 In the past two weeks, how stressed have you felt?*

		N	Total %	Valid %
Valid	1 Minimal	382	6.1	7.9
	2 A little stress	715	11.5	14.8
	3 Stressed, but managing	2206	35.4	45.6
	4 Overwhelmed	1248	20.0	25.8
	5 My stress is unbearable.	188	3.0	3.9
	88 I have experienced no stress.	99	1.6	2.0
	Total	4838	77.6	100.0
Missing	-99	29	.5	
	System	1368	21.9	
	Total	1397	22.4	
Total	6235	100.0		

*Q81 To what extent has stress impacted or interfered with your academic life?*

		N	Total %	Valid %
Valid	1 Not at all	601	9.6	12.3
	2 Somewhat	1602	25.7	32.8
	3 Moderately	1467	23.5	30.0
	4 Considerably	843	13.5	17.3
	5 A great deal	372	6.0	7.6
	Total	4885	78.3	100.0
Missing	-99	28	.4	
	System	1322	21.2	
	Total	1350	21.7	
Total		6235	100.0	

*Q82 To what extent has stress impacted or interfered with your personal life?*

		N	Total %	Valid %
Valid	1 Not at all	454	7.3	9.3
	2 Somewhat	1430	22.9	29.3
	3 Moderately	1403	22.5	28.7
	4 Considerably	1076	17.3	22.0
	5 A great deal	525	8.4	10.7
	Total	4888	78.4	100.0
Missing	-99	25	.4	
	System	1322	21.2	
	Total	1347	21.6	
Total		6235	100.0	

*Q83\_1 Main source of stress: School/Academics*

		N	Total %	Valid %
Valid	0	389	6.2	8.0
	1 School/Academics	4484	71.9	92.0
	Total	4873	78.2	100.0
Missing	-99	26	.4	
	System	1336	21.4	
	Total	1362	21.8	
Total		6235	100.0	

*Q83\_2 Main source of stress: Financial concerns*

		N	Total %	Valid %
Valid	0	2318	37.2	47.6
	1 Financial concerns	2555	41.0	52.4
	Total	4873	78.2	100.0
Missing	-99	26	.4	
	System	1336	21.4	
	Total	1362	21.8	
Total		6235	100.0	

*Q83\_3 Main source of stress: Job*

		N	Total %	Valid %
Valid	0	2881	46.2	59.1
	1 Job	1992	31.9	40.9
	Total	4873	78.2	100.0
Missing	-99	26	.4	
	System	1336	21.4	
	Total	1362	21.8	
Total		6235	100.0	

*Q83\_4 Main source of stress: Dating/relationship with partner*

		N	Total %	Valid %
Valid	0	3847	61.7	78.9
	1 Dating/relationship with partner	1026	16.5	21.1
	Total	4873	78.2	100.0
Missing	-99	26	.4	
	System	1336	21.4	
	Total	1362	21.8	
Total		6235	100.0	

*Q83\_5 Main source of stress: Family*

		N	Total %	Valid %
Valid	0	3515	56.4	72.1
	1 Family	1358	21.8	27.9
	Total	4873	78.2	100.0
Missing	-99	26	.4	
	System	1336	21.4	
	Total	1362	21.8	
Total		6235	100.0	

*Q83\_6 Main source of stress: Friends*

		N	Total %	Valid %
Valid	0	3822	61.3	78.4
	1 Friends	1051	16.9	21.6
	Total	4873	78.2	100.0
Missing	-99	26	.4	
	System	1336	21.4	
	Total	1362	21.8	
Total		6235	100.0	

*Q83\_7 Main source of stress: Roommates*

		N	Total %	Valid %
Valid	0	4105	65.8	84.2
	1 Roommates	768	12.3	15.8
	Total	4873	78.2	100.0
Missing	-99	26	.4	
	System	1336	21.4	
	Total	1362	21.8	
Total		6235	100.0	

*Q83\_8 Main source of stress: Time management*

		N	Total %	Valid %
Valid	0	2369	38.0	48.6
	1 Time management	2504	40.2	51.4
	Total	4873	78.2	100.0
Missing	-99	26	.4	
	System	1336	21.4	
	Total	1362	21.8	
Total		6235	100.0	

*Q83\_9 Main source of stress: Physical health*

		N	Total %	Valid %
Valid	0	3354	53.8	68.8
	1 Physical health	1519	24.4	31.2
	Total	4873	78.2	100.0
Missing	-99	26	.4	
	System	1336	21.4	
	Total	1362	21.8	
Total		6235	100.0	

*Q83\_10 Main source of stress: Future plans (e.g., graduation, finding a job)*

		N	Total %	Valid %
Valid	0	2224	35.7	45.6
	1 Future plans (e.g., graduation, finding a job)	2649	42.5	54.4
	Total	4873	78.2	100.0
Missing	-99	26	.4	
	System	1336	21.4	
	Total	1362	21.8	
Total		6235	100.0	

*Q83\_11 Main source of stress: Outside organizations/responsibilities*

		N	Total %	Valid %
Valid	0	4015	64.4	82.4
	1 Outside organizations/responsibilities (e.g., Athletics, fraternity/sorority)	858	13.8	17.6
	Total	4873	78.2	100.0
Missing	-99	26	.4	
	System	1336	21.4	
	Total	1362	21.8	
Total		6235	100.0	

*Q83\_12 Main source of stress: Mental health issues*

		N	Total %	Valid %
Valid	0	3063	49.1	62.9
	1 Mental health issues	1810	29.0	37.1
	Total	4873	78.2	100.0
Missing	-99	26	.4	
	System	1336	21.4	
	Total	1362	21.8	
Total		6235	100.0	

*Q83\_14 Main source of stress: Adverse events (e.g. natural disasters)*

		N	Total %	Valid %
Valid	0	4698	75.3	96.4
	1 Adverse events (e.g., natural disasters)	175	2.8	3.6
	Total	4873	78.2	100.0
Missing	-99	26	.4	
	System	1336	21.4	
	Total	1362	21.8	
Total		6235	100.0	

*Q83\_13 Main source of stress: Other (specify)*

		N	Total %	Valid %
Valid	0	4785	76.7	98.2
	1 Other (please specify)	88	1.4	1.8
	Total	4873	78.2	100.0
Missing	-99	26	.4	
	System	1336	21.4	
	Total	1362	21.8	
Total		6235	100.0	

Q83\_13 TEXT Main source of stress:- Other (specify) - TEXT

	N	Total %	Valid %
Valid	1345	21.6	21.6
-99	4808	77.1	77.1
Athletics	2	.0	.0
Being disabled	1	.0	.0
Being harassed online for months	1	.0	.0
Being required to take the vaccine to go to college	1	.0	.0
car accident	1	.0	.0
Car accident, Insurance, and medical stuff	1	.0	.0
car problems	1	.0	.0
Case Competitions	1	.0	.0
cats	1	.0	.0
Changing medications!	1	.0	.0
climate change.	1	.0	.0
Combo of everything, being busy	1	.0	.0
Death	1	.0	.0
Death of a family member	1	.0	.0
Divorce	1	.0	.0
Don't ever really experience stress	1	.0	.0
Driving practice	1	.0	.0
ectopic pregnancy + loss of pregnancy + surgery	1	.0	.0
Education Department	1	.0	.0
Future housing (24-25 term)	1	.0	.0
Gender Identity	1	.0	.0
Gender Identity Concerns	1	.0	.0
Ghost of Christmas pass (a dead friend death anniversary)	1	.0	.0
Giving birth in 3 weeks	1	.0	.0
Government sucks.	1	.0	.0
Grief	1	.0	.0
Grief and bad news	1	.0	.0
Had a baby	1	.0	.0
Health in general	1	.0	.0
Housing	1	.0	.0
How little our generation cares about leaving a positive impact on the world around us and doing the "right thing" even when it doesn't sound desirable or sounds inconvenient.	1	.0	.0

I am a recently separated veteran and am still trying to figure out civilian life again.	1	.0	.0
I am leaving for abroad so planning that	1	.0	.0
I just have issues	1	.0	.0
I lost alot of people close to me unexpected death or somewhat.	1	.0	.0
I suffer many PTSD symptoms from watching my father die	1	.0	.0
I've trained myself to let go of stress.	1	.0	.0
illness	1	.0	.0
In Recovery from Binge Drinking and Self Injury Addiction	1	.0	.0
International situation	1	.0	.0
Lack of sleep	2	.0	.0
Land Prices	2	.0	.0
late stage capitalism/police state/knowing that the system is working as intended	1	.0	.0
literally everything	1	.0	.0
Living situation	1	.0	.0
Loss	1	.0	.0
Lots of shit.	1	.0	.0
My baby daddy drama, being a single mother because my daughter's dad isn't involved, but they still find ways to harass me and to put me down as a mother when he's not even involved in her life	1	.0	.0
Navigating sobriety as a college student	1	.0	.0
Non	1	.0	.0
Overwhelmed with tasks and things don't go according to plan	1	.0	.0
Parking Tickets	1	.0	.0
Personal unfurtunate events	1	.0	.0
Politics	1	.0	.0
pregnancy lol	1	.0	.0
read depressing books	1	.0	.0
Recent car accident	1	.0	.0
Religious affiliations	1	.0	.0
Sleep Deprivation	1	.0	.0
Small events that I have never done before.	1	.0	.0
Social Media	1	.0	.0

spiritual life	1	.0	.0
sport	1	.0	.0
Sports	1	.0	.0
Struggling to transition to UNL	1	.0	.0
Student organization	1	.0	.0
Teachers not putting grades in and assigning 6 assignments a week while I'm taking four other classes which also give assignments	1	.0	.0
The genocide on Gaza has me really worried.	1	.0	.0
The state of the world	1	.0	.0
Theatre	1	.0	.0
Too much to do and everything happening at once. Also a conflict with someone	1	.0	.0
Unexpected pregnancy	1	.0	.0
Unmedicated anxiety disorder	1	.0	.0
war in Israel	1	.0	.0
weather fluctuations	1	.0	.0
Whenever I just have no time for free time to do anything for a few days in a row	1	.0	.0
witnessed a live shooter event	1	.0	.0
World events	1	.0	.0
Worldview	1	.0	.0
Total	6235	100.0	100.0

*Q84\_1 Stress relief in past 2 weeks: Made a list of what you needed to do*

		N	Total %	Valid %
Valid	0	2174	34.9	45.7
	1 Made a list of what you needed to do	2578	41.3	54.3
	Total	4752	76.2	100.0
Missing	-99	48	.8	
	System	1435	23.0	
	Total	1483	23.8	
Total		6235	100.0	

*Q84\_2 Stress relief in past 2 weeks: Exercised*

		N	Total %	Valid %
Valid	0	2131	34.2	44.8
	1 Exercised	2621	42.0	55.2
	Total	4752	76.2	100.0
Missing	-99	48	.8	
	System	1435	23.0	
	Total	1483	23.8	
Total		6235	100.0	

*Q84\_3 Stress relief in past 2 weeks: Ate healthy foods*

		N	Total %	Valid %
Valid	0	2850	45.7	60.0
	1 Ate healthy foods	1902	30.5	40.0
	Total	4752	76.2	100.0
Missing	-99	48	.8	
	System	1435	23.0	
	Total	1483	23.8	
Total		6235	100.0	

*Q84\_4 Stress relief in past 2 weeks: Talked with a friend*

		N	Total %	Valid %
Valid	0	1670	26.8	35.1
	1 Talked with a friend	3082	49.4	64.9
	Total	4752	76.2	100.0
Missing	-99	48	.8	
	System	1435	23.0	
	Total	1483	23.8	
Total		6235	100.0	

*Q84\_5 Stress relief in past 2 weeks: Talked with family*

		N	Total %	Valid %
Valid	0	2334	37.4	49.1
	1 Talked with family	2418	38.8	50.9
	Total	4752	76.2	100.0
Missing	-99	48	.8	
	System	1435	23.0	
	Total	1483	23.8	
Total		6235	100.0	

*Q84\_6 Stress relief in past 2 weeks: Said "No" to additional time pressures*

		N	Total %	Valid %
Valid	0	3180	51.0	66.9
	1 Said "No" to additional time pressures	1572	25.2	33.1
	Total	4752	76.2	100.0
Missing	-99	48	.8	
	System	1435	23.0	
	Total	1483	23.8	
Total		6235	100.0	

*Q84\_7 Stress relief in past 2 weeks: Smiled/Laughed*

		N	Total %	Valid %
Valid	0	1745	28.0	36.7
	1 Smiled/Laughed	3007	48.2	63.3
	Total	4752	76.2	100.0
Missing	-99	48	.8	
	System	1435	23.0	
	Total	1483	23.8	
Total		6235	100.0	

*Q84\_8 Stress relief in past 2 weeks: Online, video, or computer games*

		N	Total %	Valid %
Valid	0	2713	43.5	57.1
	1 Online, video, or computer games	2039	32.7	42.9
	Total	4752	76.2	100.0
Missing	-99	48	.8	
	System	1435	23.0	
	Total	1483	23.8	
Total		6235	100.0	

*Q84\_9 Stress relief in past 2 weeks: Took a nap/slept*

		N	Total %	Valid %
Valid	0	1564	25.1	32.9
	1 Took a nap/slept	3188	51.1	67.1
	Total	4752	76.2	100.0
Missing	-99	48	.8	
	System	1435	23.0	
	Total	1483	23.8	
Total		6235	100.0	

*Q84\_10 Stress relief in past 2 weeks: Listened to music*

		N	Total %	Valid %
Valid	0	1256	20.1	26.4
	1 Listened to music	3496	56.1	73.6
	Total	4752	76.2	100.0
Missing	-99	48	.8	
	System	1435	23.0	
	Total	1483	23.8	
Total		6235	100.0	

*Q84\_11 Stress relief in past 2 weeks: Religious practices*

		N	Total %	Valid %
Valid	0	3457	55.4	72.7
	1 Religious practices	1295	20.8	27.3
	Total	4752	76.2	100.0
Missing	-99	48	.8	
	System	1435	23.0	
	Total	1483	23.8	
Total		6235	100.0	

*Q84\_12 Stress relief in past 2 weeks: Drank alcoholic beverages*

		N	Total %	Valid %
Valid	0	3965	63.6	83.4
	1 Drank alcoholic beverages	787	12.6	16.6
	Total	4752	76.2	100.0
Missing	-99	48	.8	
	System	1435	23.0	
	Total	1483	23.8	
Total		6235	100.0	

*Q84\_13 Stress relief in past 2 weeks: Used tobacco (e.g. cigarettes, vape)*

		N	Total %	Valid %
Valid	0	4425	71.0	93.1
	1 Used tobacco (e.g. cigarettes, vape)	327	5.2	6.9
	Total	4752	76.2	100.0
Missing	-99	48	.8	
	System	1435	23.0	
	Total	1483	23.8	
Total		6235	100.0	

*Q84\_14 Stress relief in past 2 weeks: Used marijuana/cannabis/synthetic marijuana (Delta 8, K2, etc.)*

		N	Total %	Valid %
Valid	0	4303	69.0	90.6
	1 Used marijuana/cannabis/synthetic marijuana (Delta 8, K2, etc.)	449	7.2	9.4
	Total	4752	76.2	100.0
Missing	-99	48	.8	
	System	1435	23.0	
Total		1483	23.8	
Total		6235	100.0	

*Q84\_16 Stress relief in past 2 weeks: Watched tv/movies*

		N	Total %	Valid %
Valid	0	1862	29.9	39.2
	1 Watched tv/movies	2890	46.4	60.8
	Total	4752	76.2	100.0
Missing	-99	48	.8	
	System	1435	23.0	
Total		1483	23.8	
Total		6235	100.0	

*Q84\_17 Stress relief in past 2 weeks: Make things (e.g. arts, crafts)*

		N	Total %	Valid %
Valid	0	3580	57.4	75.3
	1 Make things (e.g. arts, crafts)	1172	18.8	24.7
	Total	4752	76.2	100.0
Missing	-99	48	.8	
	System	1435	23.0	
Total		1483	23.8	
Total		6235	100.0	

*Q84\_18 Stress relief in past 2 weeks: Read*

		N	Total %	Valid %
Valid	0	3103	49.8	65.3
	1 Read	1649	26.4	34.7
	Total	4752	76.2	100.0
Missing	-99	48	.8	
	System	1435	23.0	
Total		1483	23.8	
Total		6235	100.0	

*Q84\_15 Stress relief in past 2 weeks: Other (specify)*

		N	Total %	Valid %
Valid	0	4644	74.5	97.7
	1 Other (please specify)	108	1.7	2.3
	Total	4752	76.2	100.0
Missing	-99	48	.8	
	System	1435	23.0	
	Total	1483	23.8	
Total		6235	100.0	

*Q84\_15\_TEXT Which of the following have you done in the past two weeks to relieve stress?  
(Check all) - Other (specify) - Text*

		N	Total %	Valid %
Valid		1438	23.1	23.1
	caring for pets and houseplants, played guitar	1	.0	.0
-99		4692	75.3	75.3
	Anime	1	.0	.0
	ate junk food	1	.0	.0
	Ate unhealthy food	1	.0	.0
	Ate unhealthy foods	1	.0	.0
	Baths	1	.0	.0
	Breathing exercises	1	.0	.0
	Coloring	1	.0	.0
	Composed Music; Geeked out over music theory learning	1	.0	.0
	counseling and psychiatric services.	1	.0	.0
	Counseling services at Bryan College	1	.0	.0
	Cried lol	1	.0	.0
	cry	1	.0	.0
	cuddled with my cat	1	.0	.0
	Did activities that I enjoy, like ride my motorcycle	1	.0	.0
	Done hobbies - I like to propagate plants	1	.0	.0
	Drive in my car without a plan.	1	.0	.0
	Driving around/cruising	1	.0	.0
	Fishing (biggest one)	1	.0	.0
	Fishing/Time Outdoors	1	.0	.0
	Geetar	1	.0	.0
	Get things done- ie. finish homework assignments that were causing stress, complete some studying, etc.	1	.0	.0
	Go out	1	.0	.0

---

Go outside with family, go to zoo	1	.0	.0
had a good cry	1	.0	.0
Hallow app	1	.0	.0
I also create online books	1	.0	.0
I do the relaxation but can never stop thinking about what I should be doing	1	.0	.0
I got help with my academics and I made a morning routine	1	.0	.0
i like stress, I did these, but not with the intent of eliminating or minimizing my stress.	1	.0	.0
I locked in	2	.0	.0
I not only ate healthy foods but also unhealthy. I have a bad habit of snacking when stressed.	1	.0	.0
journal	2	.0	.0
Journal	3	.0	.0
Journaling	2	.0	.0
Learning to be okay with not being perfect and not knowing all the answers to my future.	1	.0	.0
Mastubation	1	.0	.0
meditate	1	.0	.0
Meditate, journal, breathing exercises	1	.0	.0
Meditated	1	.0	.0
MEDITATED	1	.0	.0
meditation	2	.0	.0
Meditation/breathing exercises	1	.0	.0
mindfulness	1	.0	.0
Nature walks	1	.0	.0
no do my homework	1	.0	.0
Non	1	.0	.0
none i take it as i go	1	.0	.0
nothing	1	.0	.0
Nothing	1	.0	.0
Nothing as i don't experience stress	1	.0	.0
OVERWATCH	1	.0	.0
Paced back and forth	1	.0	.0
pet cats	1	.0	.0
Play guitar	1	.0	.0
Played music	1	.0	.0
Played my alto-saxophone	1	.0	.0
Played piano	1	.0	.0
Played with my dogs	1	.0	.0
Practice trombone	1	.0	.0

---

---

pretend like everything isn't real :)	1	.0	.0
Pretty much nothing helps, even if i try	1	.0	.0
Psychotherapy	1	.0	.0
Push the stress back	1	.0	.0
See my counselor, meditation reading my Bible, praying to God	1	.0	.0
Self care, treated myself	1	.0	.0
Sing. Lots of singing.	1	.0	.0
Social media	1	.0	.0
Spend time outside in the sun	1	.0	.0
stimming and getting myself a little treat after a particularly stressful day	1	.0	.0
Stress is not a problem.	1	.0	.0
Talk to mentor	1	.0	.0
talk to therapist.	1	.0	.0
Talked to Counselor	1	.0	.0
Talked to my therapist	1	.0	.0
Talked with an academic mentor	1	.0	.0
therapy	2	.0	.0
Therapy	8	.1	.1
Time.	1	.0	.0
Took a deep breath in and out a few times	1	.0	.0
Took prescription medication	1	.0	.0
Try to remind myself that the situation is not as bad as I am making it seem.	1	.0	.0
walked my doggo	1	.0	.0
Went bowling	1	.0	.0
Went outside	1	.0	.0
Went to counseling	1	.0	.0
Went to UNK Counseling	1	.0	.0
work	1	.0	.0
Write	1	.0	.0
Write music	1	.0	.0
Zyn	1	.0	.0
Total	6235	100.0	100.0

---

*Q87\_1 Experienced in the past year? Depression*

		N	Total %	Valid %
Valid	0	2694	43.2	55.7
	1 Depression	2138	34.3	44.2
	2	1	.0	.0
	Total	4833	77.5	100.0
Missing	-99	138	2.2	
	System	1264	20.3	
	Total	1402	22.5	
Total		6235	100.0	

*Q87\_2 Experienced in the past year? Sexual assault*

		N	Total %	Valid %
Valid	0	4641	74.4	96.0
	1 Sexual assault	192	3.1	4.0
	Total	4833	77.5	100.0
Missing	-99	138	2.2	
	System	1264	20.3	
	Total	1402	22.5	
Total		6235	100.0	

*Q87\_3 Experienced in the past year? Eating disorder(s)*

		N	Total %	Valid %
Valid	0	3977	63.8	82.3
	1 Eating disorder(s)	856	13.7	17.7
	Total	4833	77.5	100.0
Missing	-99	138	2.2	
	System	1264	20.3	
	Total	1402	22.5	
Total		6235	100.0	

*Q87\_4 Experienced in the past year? Chronic sleep issues*

		N	Total %	Valid %
Valid	0	3792	60.8	78.5
	1 Chronic sleep issues	1041	16.7	21.5
	Total	4833	77.5	100.0
Missing	-99	138	2.2	
	System	1264	20.3	
	Total	1402	22.5	
Total		6235	100.0	

*Q87\_5 Experienced in the past year? Self-injury (not suicidal behavior)*

		N	Total %	Valid %
Valid	0	4517	72.4	93.5
	1 Self-injury (not suicidal behavior)	316	5.1	6.5
	Total	4833	77.5	100.0
Missing	-99	138	2.2	
	System	1264	20.3	
	Total	1402	22.5	
Total		6235	100.0	

*Q87\_6 Experienced in the past year? Anxiety*

		N	Total %	Valid %
Valid	0	1611	25.8	33.3
	1 Anxiety	3222	51.7	66.7
	Total	4833	77.5	100.0
Missing	-99	138	2.2	
	System	1264	20.3	
	Total	1402	22.5	
Total		6235	100.0	

*Q87\_7 Experienced in the past year? Abusive relationship*

		N	Total %	Valid %
Valid	0	4643	74.5	96.1
	1 Abusive relationship	190	3.0	3.9
	Total	4833	77.5	100.0
Missing	-99	138	2.2	
	System	1264	20.3	
	Total	1402	22.5	
Total		6235	100.0	

*Q87\_8 Experienced in the past year? Alcohol abuse/dependency*

		N	Total %	Valid %
Valid	0	4730	75.9	97.9
	1 Alcohol abuse/dependency	103	1.7	2.1
	Total	4833	77.5	100.0
Missing	-99	138	2.2	
	System	1264	20.3	
	Total	1402	22.5	
Total		6235	100.0	

*Q87\_9 Experienced in the past year? Panic attacks*

		N	Total %	Valid %
Valid	0	3525	56.5	72.9
	1 Panic attacks	1308	21.0	27.1
	Total	4833	77.5	100.0
Missing	-99	138	2.2	
	System	1264	20.3	
	Total	1402	22.5	
Total		6235	100.0	

*Q87\_10 Experienced in the past year? Bipolar disorder*

		N	Total %	Valid %
Valid	0	4654	74.6	96.3
	1 Bipolar disorder	179	2.9	3.7
	Total	4833	77.5	100.0
Missing	-99	138	2.2	
	System	1264	20.3	
	Total	1402	22.5	
Total		6235	100.0	

*Q87\_11 Experienced in the past year? Other (specify)*

		N	Total %	Valid %
Valid	0	4734	75.9	98.0
	1 Other (please specify)	99	1.6	2.0
	Total	4833	77.5	100.0
Missing	-99	138	2.2	
	System	1264	20.3	
	Total	1402	22.5	
Total		6235	100.0	

*Q87\_11\_TEXT Which of the following have you experienced in the past year? (Check all) - Other (specify) - Text*

		N	Total %	Valid %
Valid		1266	20.3	20.3
	Difficult family news	1	.0	.0
	-99	4876	78.2	78.2
	Adhd	1	.0	.0
	ADHD	5	.1	.1
	ADHD diagnosis, ADHD executive function paralysis	1	.0	.0
	ADHD, autism	1	.0	.0
	ADHD, Breakup	1	.0	.0
	ADHD, Narcolepsy	1	.0	.0
	ADHD, PTSD	1	.0	.0
	Assault	1	.0	.0

Back injury	1	.0	.0
bad self-esteem	1	.0	.0
Borderline PD	1	.0	.0
Borderline personality disorder	1	.0	.0
Borderline Personality Disorder	2	.0	.0
Borderline Personality Disorder (BPD)	1	.0	.0
Borderline personality disorder, PTSD	1	.0	.0
BPD	3	.0	.0
breathing issues leading to a surgery	1	.0	.0
Burn-out	1	.0	.0
caffiene addiction	1	.0	.0
cannabis abuse	1	.0	.0
Chronic Fatigue	1	.0	.0
Chronic fatigue/pain	1	.0	.0
Chronic health issues	1	.0	.0
Chronic illness	2	.0	.0
Chronic Pain	1	.0	.0
coercive partner	1	.0	.0
Complex migraines	1	.0	.0
CPTSD Episodes	1	.0	.0
Death of a parent	1	.0	.0
death of a sibling	1	.0	.0
Disassociation	1	.0	.0
Dissociative Disorder, Autism, ADHD	1	.0	.0
Dysphoria	1	.0	.0
Episodes of PTSD-like symptoms.	1	.0	.0
Flatulence	1	.0	.0
Friend's Suicide	1	.0	.0
Health concerns.	1	.0	.0
Health issues	1	.0	.0
I don't know if semi-chronic stress eating would technically be considered an eating disorder.	1	.0	.0
Increased chest pain and headaches	1	.0	.0
Insomnia	1	.0	.0
lack of sleep	1	.0	.0
Major Health Issues, Emotionally Abusive Relationship, Financial Issues	1	.0	.0
marijuana dependency	1	.0	.0
Neurological disorder, PTSD	1	.0	.0

none that I know of definitively	1	.0	.0
obsessive compulsive disorder	1	.0	.0
Obsessive Compulsive Disorder	1	.0	.0
OCD	10	.2	.2
ocd adhd	1	.0	.0
OCD with psychotic symptoms (hallucinations), autism spectrum disorder (if that counts)	1	.0	.0
pain from stress, comes and goes as stress goes up and down.	1	.0	.0
Paranoia	1	.0	.0
parent died	1	.0	.0
Psychosis	1	.0	.0
ptsd	1	.0	.0
Ptsd	1	.0	.0
PTSD	5	.1	.1
PTSD Flashbacks	1	.0	.0
Ptsd, Borderline personality disorder, suicidal ideation	1	.0	.0
Ptsd, bpd	1	.0	.0
Seizures	1	.0	.0
slightly anxious and having mental breakdowns occasionally but nothing serious	1	.0	.0
suicidal ideation	1	.0	.0
suicidal thoughts	1	.0	.0
Suicidal Thoughts	1	.0	.0
Suicide attempt	1	.0	.0
trouble with appetite	1	.0	.0
Undiagnosed PTSD	1	.0	.0
vaping but I quit	1	.0	.0
What I believe is undiagnosed Autism	1	.0	.0
Total	6235	100.0	100.0

*Q87\_88 Experienced in the past year? I have not experienced any of these.*

		N	Total %	Valid %
Valid	0	3680	59.0	76.1
	1 I have not experienced any of these.	1153	18.5	23.9
	Total	4833	77.5	100.0
Missing	-99	138	2.2	
	System Total	1264	20.3	
Total		1402	22.5	
Total		6235	100.0	

*Q89 Have you ever (in your lifetime) had suicidal thoughts?*

		N	Total %	Valid %
Valid	0 No	2718	43.6	57.2
	1 Yes	2034	32.6	42.8
	Total	4752	76.2	100.0
Missing	-99	64	1.0	
	System	1419	22.8	
	Total	1483	23.8	
Total		6235	100.0	

*Q90 In the past year, have you had suicidal thoughts?*

		N	Total %	Valid %
Valid	0 No	1114	17.9	54.8
	1 Yes	917	14.7	45.2
	Total	2031	32.6	100.0
Missing	-99	3	.0	
	System	4201	67.4	
	Total	4204	67.4	
Total		6235	100.0	

*Q91 In the past year, have you attempted suicide?*

		N	Total %	Valid %
Valid	0 No	1968	31.6	96.9
	1 Yes	64	1.0	3.1
	Total	2032	32.6	100.0
Missing	-99	2	.0	
	System	4201	67.4	
	Total	4203	67.4	
Total		6235	100.0	

*Q92 Have you sought assistance for your suicide attempt/thoughts in the past year?*

		N	Total %	Valid %
Valid	0 No	492	7.9	53.6
	1 Yes	426	6.8	46.4
	Total	918	14.7	100.0
Missing	System	5317	85.3	
Total		6235	100.0	

*Q95 In the past year, have you been concerned about a friend having suicidal thoughts or behaviors?*

		N	Total %	Valid %
Valid	0 No	3083	49.4	64.8
	1 Yes	1673	26.8	35.2
	Total	4756	76.3	100.0
Missing	-99	49	.8	
	System	1430	22.9	
	Total	1479	23.7	
Total		6235	100.0	

*Q96\_1 How likely are you to bring up the topic of suicide with someone you think is at risk?*

		N	Total %	Valid %
Valid	1 Very unlikely	406	6.5	8.8
	2 Unlikely	490	7.9	10.6
	3 Neither unlikely nor likely	1094	17.5	23.8
	4 Likely	1809	29.0	39.3
	5 Very likely	803	12.9	17.4
	Total	4602	73.8	100.0
Missing	-99	46	.7	
	System	1587	25.5	
	Total	1633	26.2	
Total		6235	100.0	

*Q96\_2 How likely are you to refer someone who tells you they are thinking about suicide to a local resource?*

		N	Total %	Valid %
Valid	1 Very unlikely	224	3.6	4.9
	2 Unlikely	187	3.0	4.1
	3 Neither unlikely nor likely	553	8.9	12.0
	4 Likely	1735	27.8	37.8
	5 Very likely	1894	30.4	41.2
	Total	4593	73.7	100.0
Missing	-99	55	.9	
	System	1587	25.5	
	Total	1642	26.3	
Total		6235	100.0	

*Q97\_0 Gender: Woman*

		N	Total %	Valid %
Valid	0	1492	23.9	32.3
	1 Woman	3133	50.2	67.7
	Total	4625	74.2	100.0
Missing	-99	31	.5	
	System	1579	25.3	
	Total	1610	25.8	
Total		6235	100.0	

*Q97\_1 Gender: Man*

		N	Total %	Valid %
Valid	0	3248	52.1	70.2
	1 Man	1377	22.1	29.8
	Total	4625	74.2	100.0
Missing	-99	31	.5	
	System	1579	25.3	
	Total	1610	25.8	
Total		6235	100.0	

*Q97\_2 Gender: Transgender*

		N	Total %	Valid %
Valid	0	4563	73.2	98.7
	1 Transgender	62	1.0	1.3
	Total	4625	74.2	100.0
Missing	-99	31	.5	
	System	1579	25.3	
	Total	1610	25.8	
Total		6235	100.0	

*Q97\_3 Gender: Gender Queer*

		N	Total %	Valid %
Valid	0	4571	73.3	98.8
	1 Gender Queer	54	.9	1.2
	Total	4625	74.2	100.0
Missing	-99	31	.5	
	System	1579	25.3	
	Total	1610	25.8	
Total		6235	100.0	

*Q97\_99 Gender: Nonbinary*

		N	Total %	Valid %
Valid	0	4527	72.6	97.9
	1 Nonbinary	98	1.6	2.1
	Total	4625	74.2	100.0
Missing	-99	31	.5	
	System	1579	25.3	
	Total	1610	25.8	
Total		6235	100.0	

*Q97\_4 Gender: Self-Identify (specify)*

		N	Total %	Valid %
Valid	0	4599	73.8	99.4
	1 Self-Identify (please specify)	26	.4	.6
	Total	4625	74.2	100.0
Missing	-99	31	.5	
	System	1579	25.3	
	Total	1610	25.8	
Total		6235	100.0	

*Q99 Are you currently a Nebraska athlete?*

		N	Total %	Valid %
Valid	0 No	3552	57.0	87.2
	1 Yes	521	8.4	12.8
	Total	4073	65.3	100.0
Missing	-99	25	.4	
	System	2137	34.3	
	Total	2162	34.7	
Total		6235	100.0	

*Q100\_1 Sexual orientation: Bisexual*

		N	Total %	Valid %
Valid	0	4013	64.4	88.5
	1 Bisexual	524	8.4	11.5
	Total	4537	72.8	100.0
Missing	-99	114	1.8	
	System	1584	25.4	
	Total	1698	27.2	
Total		6235	100.0	

*Q100\_2 Sexual orientation: Gay*

		N	Total %	Valid %
Valid	0	4463	71.6	98.4
	1 Gay	74	1.2	1.6
	Total	4537	72.8	100.0
Missing	-99	114	1.8	
	System	1584	25.4	
	Total	1698	27.2	
Total		6235	100.0	

*Q100\_3 Sexual orientation: Lesbian*

		N	Total %	Valid %
Valid	0	4461	71.5	98.3
	1 Lesbian	76	1.2	1.7
	Total	4537	72.8	100.0
Missing	-99	114	1.8	
	System	1584	25.4	
	Total	1698	27.2	
Total		6235	100.0	

*Q100\_4 Sexual orientation: Heterosexual/straight*

		N	Total %	Valid %
Valid	0	968	15.5	21.3
	1 Heterosexual/straight	3569	57.2	78.7
	Total	4537	72.8	100.0
Missing	-99	114	1.8	
	System	1584	25.4	
	Total	1698	27.2	
Total		6235	100.0	

*Q100\_5 Sexual orientation: Queer*

		N	Total %	Valid %
Valid	0	4425	71.0	97.5
	1 Queer	112	1.8	2.5
	Total	4537	72.8	100.0
Missing	-99	114	1.8	
	System	1584	25.4	
	Total	1698	27.2	
Total		6235	100.0	

*Q100\_6 Sexual orientation: Questioning*

		N	Total %	Valid %
Valid	0	4417	70.8	97.4
	1 Questioning	120	1.9	2.6
	Total	4537	72.8	100.0
Missing	-99	114	1.8	
	System	1584	25.4	
	Total	1698	27.2	
Total		6235	100.0	

*Q100\_7 Sexual orientation: Asexual*

		N	Total %	Valid %
Valid	0	4393	70.5	96.8
	1 Asexual	144	2.3	3.2
	Total	4537	72.8	100.0
Missing	-99	114	1.8	
	System	1584	25.4	
	Total	1698	27.2	
Total		6235	100.0	

*Q100\_8 Sexual orientation: Pansexual*

		N	Total %	Valid %
Valid	0	4417	70.8	97.4
	1 Pansexual	120	1.9	2.6
	Total	4537	72.8	100.0
Missing	-99	114	1.8	
	System	1584	25.4	
	Total	1698	27.2	
Total		6235	100.0	

*Q100\_9 Sexual orientation: Other (specify):*

		N	Total %	Valid %
Valid	0	4486	71.9	98.9
	1 Other (Please specify):	51	.8	1.1
	Total	4537	72.8	100.0
Missing	-99	114	1.8	
	System	1584	25.4	
	Total	1698	27.2	
Total		6235	100.0	

*Q100\_9 TEXT Sexual orientation:- Other (specify): - Text*

	N	Total %	Valid %
Valid	1590	25.5	25.5
-99	4610	73.9	73.9
Aceflux	1	.0	.0
Apache helicopter	1	.0	.0
aromantic	1	.0	.0
Aromantic	3	.0	.0
Bioromantic Demisexual	1	.0	.0
Come on now, that's all nonsense and you know it	1	.0	.0
Demiromantic	1	.0	.0
demisexual	2	.0	.0
Demisexual	8	.1	.1
Figuring it out	1	.0	.0
Helicopter	1	.0	.0
Honda civic si	1	.0	.0
I don't date.	1	.0	.0
I'm not sure	1	.0	.0
man	1	.0	.0
Man	1	.0	.0
Not comfortable sharing	1	.0	.0
Omnisexual	1	.0	.0
Panromantic	1	.0	.0
Panromantic demisexual	1	.0	.0
prefer not to answer	1	.0	.0
Prefer not to say	1	.0	.0
Unknown (may be asexual, but not sure)	1	.0	.0
White	1	.0	.0
Why is this even a question bro	1	.0	.0
Total	6235	100.0	100.0

*Q108 Student status*

	N	Total %	Valid %
Valid			
1 Full-time student	4381	70.3	93.5
2 Part-time student	239	3.8	5.1
3 Exclusively enrolled in web-based distance learning	66	1.1	1.4
Total	4686	75.2	100.0
Missing			
-99	27	.4	
System	1522	24.4	
Total	1549	24.8	
Total	6235	100.0	